




CT GSE P. 04



CT i304 P. 10



WT P. 14



RAL 6011



UNE-EN 61537
UNE 23727



UNE-EN 50085



UNE-EN 61537



UNE-EN 50085




C/JBP
IEC 60529




S/JBP




IEC 50102



CPCT



CCCT



CDT




AC



TC



TF



JUCT



DIN7985



B1



JBP

B		Filling Area							
		H40 (1 4/7")		H60 (2 3/8")		H80 (3 1/7")		H100 (4")	
mm	inch	cm ²	in ²	cm ²	in ²	cm ²	in ²	cm ²	in ²
80	3 1/7"	30	4,65	-	-	-	-	-	-
120	4 5/7"	46	7,13	70	10,85	-	-	-	-
140	5 1/2"	-	-	-	-	110	17,05	-	-
200	8"	-	-	-	-	158	24,49	198	30,69
300	12"	-	-	-	-	-	-	298	46,19
400	16"	-	-	-	-	-	-	397	61,53
600	24"	-	-	-	-	-	-	597	92,53



CT H40




L = 3 m (10 ft)



1 x JUCT

	H		B		IK	IP	GSE	
	mm	inch	mm	inch			REF.	kg/m
CT 40x80	40	1 4/7"	80	3 1/7"	10	65	2/0151	1,72
CT 40x120	40	1 4/7"	120	4 5/7"	10	65	2/0152	2,19



CT H60




L = 3 m (10 ft)



1 x JUCT

	H		B		IK	IP	GSE	
	mm	inch	mm	inch			REF.	kg/m
CT 60x120	60	2 3/8"	120	4 5/7"	10	65	2/0153	2,44



CT H80




L = 3 m (10 ft)



1 x JUCT

	H		B		IK	IP	GSE	
	mm	inch	mm	inch			REF.	kg/m
CT 80x140	80	3 1/7"	140	5 1/2"	10	65	2/0154	2,93
CT 80x200	80	3 1/7"	200	8"	10	65	2/0155	4,23



CT H100




L = 3 m (10 ft)




1 x JUCT

	H		B		IK	IP	GSE	
	mm	inch	mm	inch			REF.	kg/m
CT 100x200	100	4"	200	8"	10	65	2/0156	4,54
CT 100x300	100	4"	300	12"	10	65	2/0157	5,88
CT 100x400	100	4"	400	16"	10	65	2/5908	7,60
CT 100x600	100	4"	600	24"	10	65	2/0160	16,86









CPT



	H		B		R		GSE	
	mm	inch	mm	inch	mm	inch	REF.	kg/ud
CPT 40X80	40	1 4/7"	80	3 1/7"	82	3 2/9"	2/0161	0,67
CPT 40X120	40	1 4/7"	120	4 5/7"	82	3 2/9"	2/0162	1,01
CPT 60X120	60	2 3/8"	120	4 5/7"	82	3 2/9"	2/0163	1,12
CPT 80X140	80	3 1/7"	140	5 1/2"	82	3 2/9"	2/0164	1,43
CPT 80X200	80	3 1/7"	200	8"	82	3 2/9"	2/0165	1,89
CPT 100X200	100	4"	200	8"	82	3 2/9"	2/0166	2,02
CPT 100X300	100	4"	300	12"	82	3 2/9"	2/0167	3,45
CPT 100X400	100	4"	400	16"	82	3 2/9"	2/3333	5,34
CPT 100X600	100	4"	600	24"	82	3 2/9"	2/0170	9,65




CPT H40/60





CPT H80/100



CCCT



	H		B		R		GSE	
	mm	inch	mm	inch	mm	inch	REF.	kg/ud
CCCT 40X80	40	1 4/7"	80	3 1/7"	82	3 2/9"	2/0171	0,61
CCCT 40X120	40	1 4/7"	120	4 5/7"	82	3 2/9"	2/0172	0,76
CCCT 60X120	60	2 3/8"	120	4 5/7"	82	3 2/9"	2/0173	0,92
CCCT 80X140	80	3 1/7"	140	5 1/2"	82	3 2/9"	2/0174	1,18
CCCT 80X200	80	3 1/7"	200	8"	82	3 2/9"	2/0175	1,44
CCCT 100X200	100	4"	200	8"	82	3 2/9"	2/0176	1,64
CCCT 100X300	100	4"	300	12"	82	3 2/9"	2/0177	2,10
CCCT 100X400	100	4"	400	16"	82	3 2/9"	2/0178	4,08
CCCT 100X600	100	4"	600	24"	82	3 2/9"	2/0180	5,71





CCCT H40/60/80



CCCT H100




CDT



	H		A		GSE	
	mm	inch	mm	inch	REF.	kg/ud
CDT 40	40	1 4/7"	203	8"	2/0191	0,97
CDT 60	60	2 3/8"	203	8"	2/0192	1,24
CDT 80	80	3 1/7"	283	11 1/7"	2/0193	2,10
CDT 100	100	4"	383	15"	2/0194	3,59
CDT 100X400	100	4"	483	19"	2/3610	3,40
CDT 100X600	100	4"	683	26 8/9"	2/4203	6,50



x/100 x B1 (2/4356) +




AC H40



	H		B		GSE	
	mm	inch	mm	inch	REF.	kg/ud
AC 40/40X80	40	1 4/7"	80	3 1/7"	2/0195	0,09
AC 40/40X120	40	1 4/7"	120	4 5/7"	2/0196	0,12



3/100 x B1 (2/4356)




AC H60



	H		B		GSE	
	mm	inch	mm	inch	REF.	kg/ud
AC 60/40X80	40	1 4/7"	80	3 1/7"	2/0197	0,13
AC 60/40X120	40	1 4/7"	120	4 5/7"	2/0198	0,17
AC 60/60X120	60	2 3/8"	120	4 5/7"	2/0199	0,13



3/100 x B1 (2/4356)




AC H80



	H		B		GSE	
	mm	inch	mm	inch	REF.	kg/ud
AC 80/40X80	40	1 4/7"	80	3 1/7"	2/0200	0,17
AC 80/40X120	40	1 4/7"	120	4 5/7"	2/0201	0,24
AC 80/60X120	60	2 3/8"	120	4 5/7"	2/0202	0,25
AC 80/80X140	80	3 1/7"	140	5 1/2"	2/0203	0,25
AC 80/80X200	80	3 1/7"	200	8"	2/0204	0,21



3/100 x B1 (2/4356)




AC H100



	H		B		GSE	
	mm	inch	mm	inch	REF.	kg/ud
AC 100/40X80	40	1 4/7"	80	3 1/7"	2/0205	0,37
AC 100/40X120	40	1 4/7"	120	4 5/7"	2/0206	0,24
AC 100/60X120	60	2 3/8"	120	4 5/7"	2/0207	0,38
AC 100/80X140	80	3 1/7"	140	5 1/2"	2/0208	0,31
AC 100/80X200	80	3 1/7"	200	8"	2/0209	0,44
AC 100/100X200	100	4"	200	8"	2/0210	0,37
AC 100/100X300	100	4"	300	12"	2/0211	0,76
AC 100/100X400	100	4"	400	16"	2/0212	0,39
AC 100/100X600	100	4"	600	24"	2/4867	0,54



3/100 x B1 (2/4356)






TC



	H		B		GSE	
	mm	inch	mm	inch	REF.	kg/ud
TC 40	40	1 4/7"	120	4 5/7"	2/0223	0,05
TC 60	60	2 3/8"	120	4 5/7"	2/0224	0,06
TC 80	80	3 1/7"	200	8"	2/0225	0,21
TC 100	100	4"	300	12"	2/0226	0,30
TC 100X400	100	4"	400	16"	2/4866	0,40
TC 100X600	100	4"	600	24"	2/5931	0,58



2/100 x B1 (2/4356)




TF





	H		B		GSE	
	mm	inch	mm	inch	REF.	kg/ud
TF 40X80	40	1 4/7"	80	3 1/7"	2/0213	0,07
TF 40X120	40	1 4/7"	120	4 5/7"	2/0214	0,10
TF 60X120	60	2 3/8"	120	4 5/7"	2/0215	0,10
TF 80X140	80	3 1/7"	140	5 1/2"	2/0216	0,14
TF 80X200	80	3 1/7"	200	8"	2/0217	0,23
TF 100X200	100	4"	200	8"	2/0218	0,23
TF 100X300	100	4"	300	12"	2/0219	0,46
TF 100X400	100	4"	400	16"	2/0220	0,47
TF 100X600	100	4"	600	24"	2/0222	0,68



2/100 x B1 (2/4356)




JUCT



	H		B		GS	
	mm	inch	mm	inch	REF.	kg/ud
JUCT 40X80	40	1 4/7"	80	3 1/7"	2/0181	0,06
JUCT 40X120	40	1 4/7"	120	4 5/7"	2/0182	0,08
JUCT 60X120	60	2 3/8"	120	4 5/7"	2/0183	0,10
JUCT 80X140	80	3 1/7"	140	5 1/2"	2/0184	0,12
JUCT 80X200	80	3 1/7"	200	8"	2/0185	0,15
JUCT 100X200	100	4"	200	8"	2/0186	0,17
JUCT 100X300	100	4"	300	12"	2/0187	0,22
JUCT 100X400	100	4"	400	16"	2/5907	0,28
JUCT 100X600	100	4"	600	24"	2/0190	0,54



6/100 x B1 (2/4356)






DIN 7985



DIN7985-100 M4X10

Pap Nm	EZ	
	REF.	kg/ud
4	2/6818	0,15




B1



B1-100



Pap Nm	EZ	
	REF.	kg/ud
6	2/4356	0,77






JBP



JBP



BP	
REF.	kg/m
2/0227	0,03



CPTI



CCCTI



CDTI



ACI



TCI



TFI



JUCTI



TIP65



DIN7985



JBP

B		Filling Area					
		H40 (1 4/7")		H60 (2 3/8")		H80 (3 1/7")	
mm	inch	cm ²	in ²	cm ²	in ²	cm ²	in ²
80	3 1/7"	30	4,65	-	-	-	-
120	4 5/7"	46	7,13	70	10,85	-	-
140	5 1/2"	-	-	-	-	110	17,05



CTI




L = 3 m (10 ft)



1 x JUCTI

	H		B		IK	IP	i304	
	mm	inch	mm	inch			REF.	kg/m
CTI 40X80	40	1 4/7"	80	3 1/7"	10	65	2/6021	1,71
CTI 40X120	40	1 4/7"	120	4 5/7"	10	65	2/6762	2,30
CTI 60X120	60	2 3/8"	120	4 5/7"	10	65	2/7007	2,46
CTI 80X140	80	3 1/7"	140	5 1/2"	10	65	2/5184	2,96




CPTI




1 x JUCTI

	H		B		IK	IP	i304	
	mm	inch	mm	inch			REF.	kg/ud
CPTI 40X80	40	1 4/7"	80	3 1/7"			2/7008	0,67
CPTI 40X120	40	1 4/7"	120	4 5/7"			2/9985	0,91
CPTI 60X120	60	2 3/8"	120	4 5/7"			2/7009	1,12
CPTI 80X140	80	3 1/7"	140	5 1/2"			2/7010	1,43




CCCTI




1 x JUCTI


	H		B		R		i304	
	mm	inch	mm	inch	mm	inch	REF.	kg/ud
CCCTI 40X80	40	1 4/7"	80	3 1/7"	82	3 2/9"	2/7040	0,61
CCCTI 40X120	40	1 4/7"	120	4 5/7"	82	3 2/9"	2/9986	0,82
CCCTI 60X120	60	2 3/8"	120	4 5/7"	82	3 2/9"	2/7041	0,92
CCCTI 80X140	80	3 1/7"	140	5 1/2"	82	3 2/9"	2/7042	1,18



CDTI



	H		A		i304	
	mm	inch	mm	inch	REF.	kg/ud
CDTI 40	40	1 4/7"	203	8"	2/7043	0,97
CDTI 60	60	2 3/8"	203	8"	2/7044	1,24
CDTI 80	80	3 1/7"	283	11 1/7"	2/6360	2,10






ACI




	CDT	H		B		i304	
		mm	inch	mm	inch	REF.	kg/ud
ACI 40/40X80	40	40	1 4/7"	80	3 1/7"	-	0,09
ACI 40/40X120	40	40	1 4/7"	120	4 5/7"	2/7049	0,12
ACI 60/40X80	60	40	1 4/7"	80	3 1/7"	2/8226	0,14
ACI 60/40X120	60	40	1 4/7"	120	4 5/7"	2/9988	0,17
ACI 60/60X120	60	60	2 3/8"	120	4 5/7"	2/7050	0,13
ACI 80/80X140	80	80	3 1/7"	140	5 1/2"	2/7051	0,16

3/100 x B1 (2/4925)




TCI



	H		B		i304	
	mm	inch	mm	inch	REF.	kg/ud
TCI 40	120	4 5/7"	40	1 4/7"	2/7045	0,05
TCI 60	120	4 5/7"	60	2 3/8"	2/7046	0,06
TCI 80	200	8"	80	3 1/7"	2/7047	0,12

2/100 x B1 (2/4925)




TFI




	H		B		i304	
	mm	inch	mm	inch	REF.	kg/ud
TFI 40X80	40	1 4/7"	80	3 1/7"	2/6023	0,07
TFI 40X120	40	1 4/7"	120	4 5/7"	2/7077	0,09
TFI 60X120	60	2 3/8"	120	4 5/7"	2/7048	0,10
TFI 80X140	80	3 1/7"	140	5 1/2"	2/5186	0,14

2/100 x B1 (2/4925)




JUCTI




	H		B		i304	
	mm	inch	mm	inch	REF.	kg/ud
JUCTI 40X80	40	1 4/7"	80	3 1/7"	2/6022	0,06
JUCTI 40X120	40	1 4/7"	120	4 5/7"	2/7078	0,08
JUCTI 60X120	60	2 3/8"	120	4 5/7"	2/7053	0,10
JUCTI 80X140	80	3 1/7"	140	5 1/2"	2/5185	0,12

6/100 x B1 (2/4925)




TIP65



	B		i304	
	mm	inch	REF.	kg/ud
TIP65 40X80	80	3 1/7"	2/7213	0,05
TIP65 40X120	120	4 5/7"	2/7216	0,06
TIP65 60X120	120	4 5/7"	2/7225	0,07
TIP65 80X140	140	5 1/2"	2/8227	0,08

2/100 x DIN6923 M6 (0/0342)






DIN7985



DIN7985-100 M4X10

Pap	i304	
Nm	REF.	kg/ud
4	0/0333	0,01




B1



B1-100



Pap	L	i304	
Nm	mm	REF.	kg/ud
6	20	2/4925	0,79





JBP



JBP



BP	
REF.	kg/m
2/0227	0,25



UNE-EN 50085



UNE-EN 61537
UNE 23727



UNE-EN 50085



UNE-EN 50085



UNE-EN 50085



IEC 60529



IEC 50102



CPWT



TCPWT



TSCPWT



CPWT45



TCPWT45



TSCPWT45



TEWT



TTEWT



TSTEWT



CCWT



PSWT



REWT



TFWT



JUWT



SV



B1



DIN 7991



TMK

		Filling Area	
B		H100 (4")	
mm	inch	cm ²	in ²
100	4	85,56	13,26
200	8	181,56	28,14
300	12	277,56	43,02
400	16	371,32	57,55
500	20	467,32	72,43
600	24	563,32	87,31




WT



L = 2 m (6,6 ft)

	CTA (Kg/m)	(Kg)	B		H		GS	
			mm	inch	mm	inch	REF.	kg/m
WT 100X100	21	150	100	4	100	4	2/10146	5,50
WT 200X100	45	150	200	8	100	4	2/10147	7,06
WT 300X100	69	150	300	12	100	4	2/10148	8,62
WT 400X100	93	150	400	16	100	4	2/10149	10,19
WT 500X100	117	150	500	20	100	4	2/10150	11,74
WT 600X100	141	150	600	24	100	4	2/10151	13,30

- 2 x JUWT
- 2m x WT --> 3 x SV (B)
- B ≥ 400 --> 1 x PSWT




TWT



L = 2 m (6,6 ft)

	(Kg)	B		AL	
		mm	inch	REF.	kg/m
TWT 100	150	100	4	2/10191	1,63
TWT 200	150	200	8	2/10192	2,84
TWT 300	150	300	12	2/10193	4,05
TWT 400	150	400	16	2/10194	5,26
TWT 500	150	500	20	2/10195	6,47
TWT 600	150	600	24	2/10196	7,68

- 6/100 x DIN 7991 M6x16 (2/10265 - EZ)
- 1 x PSWT (2/10180) --> TWT (400 - 600)




TSWT



L = 2 m (6,6 ft)

	B		GS	
	mm	inch	REF.	kg/m
TSWT 100	100	4	2/10185	2,19
TSWT 200	200	8	2/10186	3,76
TSWT 300	300	12	2/10187	5,34
TSWT 400	400	16	2/10188	6,91
TSWT 500	500	20	2/10189	8,49
TSWT 600	600	24	2/10190	10,16

- 6/100 x DIN 7991 M6x16 (2/10265 - EZ)




CPWT



	(Kg)	B		H		GS	
		mm	inch	mm	inch	REF.	kg/ud
CPWT 100X100	150	100	4	100	4	2/10152	1,85
CPWT 200X100	150	200	8	100	4	2/10153	2,99
CPWT 300X100	150	300	12	100	4	2/10154	4,44
CPWT 400X100	150	400	16	100	4	2/10155	6,21
CPWT 500X100	150	500	20	100	4	2/10156	8,30
CPWT 600X100	150	600	24	100	4	2/10157	10,69

- 4/100 x B1 (2/4356 -EZ)
- 1 x CPWT --> 1 x SV (B)






TCPWT



	(Kg)	B		AL	
		mm	inch	REF.	kg/ud
TCPWT 100	150	100	4	2/10197	0,53
TCPWT 200	150	200	8	2/10198	1,18
TCPWT 300	150	300	12	2/10199	2,06
TCPWT 400	150	400	16	2/10200	3,22
TCPWT 500	150	500	20	2/10201	4,58
TCPWT 600	150	600	24	2/10202	6,18

B=100,200,300 3/100 x DIN 7991 M6x16 (2/10265 - EZ)

B=400,500,600 5/100 x DIN 7991 M6x16 (2/10265 - EZ)




TSCPWT



	B		GS	
	mm	inch	REF.	kg/ud
TSCPWT 100	100	4	2/10203	0,70
TSCPWT 200	200	8	2/10204	1,54
TSCPWT 300	300	12	2/10205	2,70
TSCPWT 400	400	16	2/10206	4,17
TSCPWT 500	500	20	2/10207	5,96
TSCPWT 600	600	24	2/10208	8,06

B=100,200,300 3/100 x DIN 7991 M6x16 (2/10265 - EZ)

B=400,500,600 5/100 x DIN 7991 M6x16 (2/10265 - EZ)




CPWT45



	(Kg)	B		H		GS	
		mm	inch	mm	inch	REF.	kg/ud
CPWT45 100X100	150	100	4	100	4	2/10158	0,95
CPWT45 200X100	150	200	8	100	4	2/10159	1,39
CPWT45 300X100	150	300	12	100	4	2/10160	1,95
CPWT45 400X100	150	400	16	100	4	2/10161	2,63
CPWT45 500X100	150	500	20	100	4	2/10162	3,67
CPWT45 600X100	150	600	24	100	4	2/10164	4,89

4/100 x B1 (2/4356 - EZ)

1 x CPWT45 --> 1 x SV (B)




TCPWT45




	(Kg)	B		AL	
		mm	inch	REF.	kg/ud
TCPWT45 100	150	100	4	2/10209	0,20
TCPWT45 200	150	200	8	2/10210	0,45
TCPWT45 300	150	300	12	2/10211	0,80
TCPWT45 400	150	400	16	2/10212	1,24
TCPWT45 500	150	500	20	2/10213	1,90
TCPWT45 600	150	600	24	2/10214	2,71

3/100 x DIN 7991 M6x16 (2/10265 - EZ)






TSCPWT45



	B		GS	
	mm	inch	REF.	kg/ud
TSCPWT45 100	100	4	2/10215	0,26
TSCPWT45 200	200	8	2/10216	0,59
TSCPWT45 300	300	12	2/10217	1,04
TSCPWT45 400	400	16	2/10218	1,61
TSCPWT45 500	500	20	2/10219	2,48
TSCPWT45 600	600	24	2/10220	3,53



3/100 x DIN 7991 M6x16 (2/10265 - EZ)



TEWT



	(Kg)	B		H		GS	
		mm	inch	mm	inch	REF.	kg/ud
TEWT 100X100	150	100	4	100	4	2/10165	2,35
TEWT 200X100	150	200	8	100	4	2/10166	3,47
TEWT 300X100	150	300	12	100	4	2/10167	4,90
TEWT 400X100	150	400	16	100	4	2/10168	6,64
TEWT 500X100	150	500	20	100	4	2/10169	8,70
TEWT 600X100	150	600	24	100	4	2/10170	11,08




6/100 x B1 (2/4356 - EZ)




1 x TEWT --> 1 x SV (B)



JUWT





TTEWT



	(Kg)	B		AL	
		mm	inch	REF.	kg/ud
TTEWT 100	150	100	4	2/10221	0,72
TTEWT 200	150	200	8	2/10222	1,47
TTEWT 300	150	300	12	2/10223	2,46
TTEWT 400	150	400	16	2/10224	3,69
TTEWT 500	150	500	20	2/10225	5,16
TTEWT 600	150	600	24	2/10226	6,88



4/100 x DIN 7991 M6x16 (2/10265 - EZ)





TSTEWT



	B		GS	
	mm	inch	REF.	kg/ud
TSTEWT 100	100	4	2/10227	0,94
TSTEWT 200	200	8	2/10228	1,91
TSTEWT 300	300	12	2/10229	3,20
TSTEWT 400	400	16	2/10230	4,80
TSTEWT 500	500	20	2/10231	6,72
TSTEWT 600	600	24	2/10232	8,95



4/100 x DIN 7991 M6x16 (2/10265 - EZ)







CCWT




	B		H		GS	
	mm	inch	mm	inch	REF.	kg/ud
CCWT 100X100	100	4	100	4	2/10171	1,99
CCWT 200X100	200	8	100	4	2/10172	2,91
CCWT 300X100	300	12	100	4	2/10173	3,83
CCWT 400X100	400	16	100	4	2/10174	4,75
CCWT 500X100	500	20	100	4	2/10175	5,67
CCWT 600X100	600	24	100	4	2/10176	6,59

4/100 x B1 (2/4356 - EZ)




CCCX WT

PSWT



	GS	
	REF.	kg/ud
PSWT 100	2/10180	1,98

4/100 x B1 (2/4356 - EZ)





REWT




	H		GS	
	mm	inch	REF.	kg/ud
REWT 100X100	107	4	2/10087	0,26

2/100 x B1 (2/4356 - EZ)





TFWT



	B		H		GS	
	mm	inch	mm	inch	REF.	kg/ud
TFWT 100X100	100	4	100	4	2/10240	0,21
TFWT 200X100	200	8	100	4	2/10241	0,36
TFWT 300X100	300	12	100	4	2/10242	0,52
TFWT 400X100	400	16	100	4	2/10243	0,68
TFWT 500X100	500	20	100	4	2/10244	0,83
TFWT 600X100	600	24	100	4	2/10245	0,99

2/100 x B1 (2/4356 - EZ)






JUWT



	GS	
	REF.	kg/ud
JUWT 100	2/10177	0,18

2/100 x B1 (2/4356 - EZ)



SV




SV 100/150/200/300




SV 400/500/600

	CTA		B		e	GS	
	kg	lb	mm	inch	mm	REF.	kg/ud
SV 100	276	609	100	4"	1,5	2/1046	0,09
SV 200	253	558	200	8"	1,5	2/1048	0,17
SV 300	207	456	300	12"	1,5	2/1049	0,23
SV 400	506	1116	400	16"	1,5	2/3413	0,45
SV 500	460	1014	500	20"	1,5	2/3414	0,52
SV 600	414	912	600	24"	1,5	2/3415	0,59

2/100 x B1 (2/4356 - EZ)



SVO 100/150/200/300




SVO 400/500/600



B1




	L mm	EZ	
		REF.	kg/ud
B1-100	14	2/4356	0,77



DIN 7991



	EZ	
	REF.	kg/ud
DIN7991-100 M6x16	2/10265	0,55



TMK



	EZ	
	REF.	kg/ud
TMK-100 M6	2/10266	0,20

