




ERE50	P. 04
ER2E	P. 08
ERE	P. 10
MRE	P. 14



FRE	P. 16
BS	P. 32
U	P. 42
OME	P. 44
U AL	P. 52



EB	P. 58
----	-------





L > 100 m*
UNE-EN 61537
UNE-EN 50085

M0
UNE-EN 61537
UNE-EN 50085
UNE 23727

150°C
-50°C
UNE-EN 61537

120°C
-25°C
UNE-EN 50085


3 5
UNE-EN 61537

20J
UNE-EN 61537
UNE-EN 50085



IP3X
 IP2X
IEC 60529

IK10
 IK07
IEC 50102



TERE 50



PTER 50X50




CPER 50X50



CCER 50X50



CXER 50X50



JUER 50X50



B1

		Filling Area	
B		H50 (2")	
mm	inch	cm ²	in ²
50	2	24	3,7




ERE 50X50




L = 3 m (10 ft)

	B		H		GS		GC	
	mm	inch	mm	inch	REF.	kg/m	REF.	kg/m
ERE 50X50	50	2"	50	2"	2/10181	0,65	2/10182	0,77

2/100 x B1 (2/4356 - GS // 2/6826 - GC).




ERE-C 50X50



L = 3 m (10 ft)

	B		H		GS		GC	
	mm	inch	mm	inch	REF.	kg/m	REF.	kg/m
ERE-C 50X50	50	2"	50	2"	2/10183	0,69	2/10184	0,82

2/100 x B1 (2/4356 - GS // 2/6826 - GC).




TERE 50



L = 3 m (10 ft)

	B		GS		GC	
	mm	inch	REF.	kg/m	REF.	kg/m
TERE 50	50	2"	2/10282	0,33	2/10283	0,43




PTER 50X50



	B		H		i304	
	mm	inch	mm	inch	REF.	kg/ud
PTER 50X50	50	2"	50	2"	2/8234	0,05

2 x PTER 50X50 => 1 x TERE 50







CPER 50X50




	B		H		GS		GC	
	mm	inch	mm	inch	REF.	kg/ud	REF.	kg/m
CPER 50x50	50	2"	50	2"	2/3235	0,26	2/6950	0,29

1 x JUER 50X50 (2/2051 - GS // 2/2056 - GC)





CCER 50X50



	B		H		GS		GC	
	mm	inch	mm	inch	REF.	kg/ud	REF.	kg/m
CCER 50x50	50	2"	50	2"	2/3236	0,27	2/6952	0,31

1 x JUER 50X50 (2/2051 - GS // 2/2056 - GC)




CXER 50X50




	B		H		GS		GC	
	mm	inch	mm	inch	REF.	kg/ud	REF.	kg/m
CXER 50x50	50	2"	50	2"	2/3238	0,24	2/6951	0,30

1 x JUER 50X50 (2/2051 - GS // 2/2056 - GC)





JUER 50X50




	B		GS		GC	
	mm	inch	REF.	kg/ud	REF.	kg/ud
JUER 50X50	50	2"	2/2051	0,09	2/2056	0,10

4 x 100 x B1 (2/4356 - EZ // 2/6826 - GC)






TFERE 50



	B		B		GS		GC	
	mm	inch	mm	inch	REF.	kg/ud	REF.	kg/ud
TFERE 50X50	50	2"	50	2"	2/17267	0,06	2/17268	0,06




2/100 x B1 (2/4356 - GS // 2/6826 - GC)





B1



	Pap Nm	EZ		GC	
		REF.	kg/ud	REF.	kg/ud
B1-100	6	2/4356	0,77	2/6826	0,77





UNE-EN 61537
UNE-EN 50085



UNE-EN 61537
UNE-EN 50085
UNE 23727



UNE-EN 61537



UNE-EN 50085



UNE-EN 61537



UNE-EN 61537
UNE-EN 50085



IEC 60529




IEC 50102




IEC 50102




CPERC



TCPERC




CCERC




TCCERC




CXERC




TCXERC




TERC



TTERC



CRERC



TCRERC



AS




TAS




PS



JUER-A




JUER-B



JUER-U




PTERE



REER



B		H60 (2 3/8")	
mm	inch	cm ²	in ²
100	4"	59	9,1
150	6"	89	13,7
200	8"	119	18,4
300	12"	178	27,5
400	16"	238	36,8
500	20"	298	46,1
600	24"	358	55,4




ER2E H60



L = 3 m (10 ft)

	B		H		GS	
	mm	inch	mm	inch	REF.	kg/m
ER2E 100X60	100	4"	60	2 3/8"	2/10233	0,95
ER2E 150X60	150	6"	60	2 3/8"	2/10234	1,17
ER2E 200X60	200	8"	60	2 3/8"	2/10235	1,46
ER2E 300X60	300	12"	60	2 3/8"	2/10236	2,03
ER2E 400X60	400	16"	60	2 3/8"	2/10237	2,86
ER2E 500X60	500	20"	60	2 3/8"	2/10238	3,38
ER2E 600X60	600	24"	60	2 3/8"	2/10239	3,91




TERE




L = 3 m (10 ft)

400/500/600 - L = 2 m (6,56 ft)



	B		GS	
	mm	inch	REF.	kg/m
TERE 100	100	4"	2/1312	0,55
TERE 150	150	6"	2/1313	0,76
TERE 200	200	8"	2/1314	0,98
TERE 300	300	12"	2/1316	1,55
TERE 400 2M	400	16"	2/1317	2,19
TERE 500 2M	500	20"	2/1318	3,11
TERE 600 2M	600	24"	2/1319	3,95




PTERE



	H		i304	
	mm	inch	REF.	kg/ud
PTERE 35	35	1 3/8"	2/7059	0,05
PTERE 60	60	2 3/8"	2/7060	0,05
PTERE 80	80	3 1/7"	2/7061	0,06
PTERE 100	100	4"	2/7062	0,06




4 x PTERE => 1 x TERE



6 s!





L > 100 m*
UNE-EN 61537
UNE-EN 50085

UNE-EN 61537
UNE-EN 50085
UNE 23727

150°C
-50°C
UNE-EN 61537

120°C
-25°C
UNE-EN 50085

3 5
9A
UNE-EN 61537

20J
UNE-EN 61537
UNE-EN 50085



IP44
IEC 60529

IP23
IEC 60529

IK10
IEC 50102


IK07
IEC 50102




CPERC



TCPERC




CCERC




TCCERC




CXERC




TCXERC




TERC




TTERC




CRERC




TCRERC



AS



TAS



PS



JUER-A



JUER-B



JUER-U



PTERE



REER

Filling Area

B		Filling Area							
		H35 (1 3/8")		H60 (2 3/8")		H80 (3 1/7")		H100 (4")	
mm	inch	cm ²	in ²	cm ²	in ²	cm ²	in ²	cm ²	in ²
100	4"	34	5,2	59	9,1	78	12,0	98	15,1
150	6"	51	7,9	89	13,7	118	18,2	148	22,9
200	8"	69	10,6	119	18,4	158	24,4	198	30,6
300	12"	103	15,9	178	27,5	238	36,8	298	46,1
400	16"	-	-	238	36,8	317	49,1	397	61,5
500	20"	-	-	298	46,1	397	61,5	497	77,0
600	24"	-	-	358	55,4	477	73,9	597	92,5



ERE H35




L = 3 m (10 ft)

	B		H		GS		GC		i	i
	mm	inch	mm	inch	REF.	kg/m	REF.	kg/m		
ERE 100X35	100	4"	35	1 3/8"	2/1192	0,74	2/1222	1,10	3	3
ERE 150X35	150	6"	35	1 3/8"	2/1193	0,95	2/1223	1,42	0	1
ERE 200X35	200	8"	35	1 3/8"	2/1194	1,12	2/1224	1,67	4	6
ERE 300X35	300	12"	35	1 3/8"	2/1195	1,64	2/1225	2,24		



4/100 x B1 - (2/4356-EZ // 2/6826-GC // 2/4925-i304)



ERE-C H35




L = 3 m (10 ft)

	B		H		GS		GC		i	i
	mm	inch	mm	inch	REF.	kg/m	REF.	kg/m		
ERE-C 100X35	100	4"	35	1 3/8"	2/1252	0,76	2/1282	1,14	3	3
ERE-C 150X35	150	6"	35	1 3/8"	2/1253	0,98	2/1283	1,46	0	1
ERE-C 200X35	200	8"	35	1 3/8"	2/1254	1,20	2/1284	1,78	4	6
ERE-C 300X35	300	12"	35	1 3/8"	2/1255	1,77	2/1285	2,42		



4/100 x B1 - (2/4356-EZ // 2/6826-GC // 2/4925-i304)



ERE H60




L = 3 m (10 ft)

	B		H		GS		GC		i304	
	mm	inch	mm	inch	REF.	kg/m	REF.	kg/m	REF.	kg/m
ERE 100X60	100	4"	60	2 3/8"	2/1197	0,95	2/1227	1,42	2/4795	1,25
ERE 150X60	150	6"	60	2 3/8"	2/1198	1,17	2/1228	1,74	2/4319	1,53
ERE 200X60	200	8"	60	2 3/8"	2/1199	1,46	2/1229	1,99	2/4688	1,80
ERE 300X60	300	12"	60	2 3/8"	2/1201	2,03	2/1231	2,56	2/4317	2,69
ERE 400X60	400	16"	60	2 3/8"	2/1202	2,86	2/1232	3,54	2/4933	3,37
ERE 500X60	500	20"	60	2 3/8"	2/1203	3,38	2/1233	4,19	2/5030	4,05
ERE 600X60	600	24"	60	2 3/8"	2/1204	3,91	2/1234	4,83	2/4373	4,65



4/100 x B1 - (2/4356-EZ // 2/6826-GC // 2/4925 - i304)





ERE-C H60




L = 3 m (10 ft)


	B		H		GS		GC		i304	
	mm	inch	mm	inch	REF.	kg/m	REF.	kg/m	REF.	kg/m
ERE-C 100X60	100	4"	60	2 3/8"	2/1257	0,98	2/1287	1,46	2/4907	0,92
ERE-C 150X60	150	6"	60	2 3/8"	2/1258	1,20	2/1288	1,78	2/5028	1,13
ERE-C 200X60	200	8"	60	2 3/8"	2/1259	1,54	2/1289	2,10	2/5029	2,11
ERE-C 300X60	300	12"	60	2 3/8"	2/1261	2,18	2/1291	2,75	2/4306	3,37
ERE-C 400X60	400	16"	60	2 3/8"	2/1262	3,10	2/1292	3,84	2/5196	3,65
ERE-C 500X60	500	20"	60	2 3/8"	2/1263	3,69	2/1293	4,57	-	4,15
ERE-C 600X60	600	24"	60	2 3/8"	2/1264	4,28	2/1294	5,30	2/5197	4,65



4/100 x B1 - (2/4356 - EZ // 2/6826 - GC // 2/4925 - i304)



ERE H80




L = 3 m (10 ft)


	B		H		GS		GC		i304	i316
	mm	inch	mm	inch	REF.	kg/m	REF.	kg/m		
ERE 100X80	100	4"	80	3 1/7"	2/1205	1,12	2/1235	1,68	i304	i316
ERE 150X80	150	6"	80	3 1/7"	2/1206	1,34	2/1236	2,00		
ERE 200X80	200	8"	80	3 1/7"	2/1207	1,64	2/1237	2,24		
ERE 300X80	300	12"	80	3 1/7"	2/1209	2,23	2/1239	3,19		
ERE 400X80	400	16"	80	3 1/7"	2/1210	3,10	2/1240	3,83		
ERE 500X80	500	20"	80	3 1/7"	2/1211	3,86	2/1241	5,50		
ERE 600X80	600	24"	80	3 1/7"	2/1212	5,52	2/1242	6,29		



4/100 x B1 - (2/4356 - EZ // 2/6826 - GC // 2/4925 - i304)



ERE-C H80




L = 3 m (10 ft)

	B		H		GS		GC		i304	i316
	mm	inch	mm	inch	REF.	kg/m	REF.	kg/m		
ERE-C 100X80	100	4"	80	3 1/7"	2/1265	1,15	2/1295	1,72	i304	i316
ERE-C 150X80	150	6"	80	3 1/7"	2/1266	1,37	2/1296	2,03		
ERE-C 200X80	200	8"	80	3 1/7"	2/1267	1,73	2/1297	2,36		
ERE-C 300X80	300	12"	80	3 1/7"	2/1269	2,38	2/1299	3,40		
ERE-C 400X80	400	16"	80	3 1/7"	2/1270	3,34	2/1300	4,13		
ERE-C 500X80	500	20"	80	3 1/7"	2/1271	4,19	2/1301	5,97		
ERE-C 600X80	600	24"	80	3 1/7"	2/1272	6,02	2/1302	6,86		



4/100 x B1 - (2/4356 - EZ // 2/6826 - GC // 2/4925 - i304)



ERE H100




L = 3 m (10 ft)

	B		H		GS		GC		i304	i316
	mm	inch	mm	inch	REF.	kg/m	REF.	kg/m		
ERE 100X100	100	4"	100	4"	2/1213	1,30	2/1243	1,93	i304	i316
ERE 150X100	150	6"	100	4"	2/1214	1,51	2/1244	2,25		
ERE 200X100	200	8"	100	4"	2/1215	1,83	2/1245	2,50		
ERE 300X100	300	12"	100	4"	2/1217	2,44	2/1247	3,48		
ERE 400X100	400	16"	100	4"	2/1218	3,33	2/1248	4,13		
ERE 500X100	500	20"	100	4"	2/1219	4,11	2/1249	5,86		
ERE 600X100	600	24"	100	4"	2/1220	5,84	2/1250	6,65		




4/100 x B1 - (2/4356 - EZ // 2/6826 - GC // 2/4925 - i304)





ERE-C H100




L = 3 m (10 ft)

	B		H		GS		GC		i	304
	mm	inch	mm	inch	REF.	kg/m	REF.	kg/m		
ERE-C 100X100	100	4"	100	4"	2/1273	1,33	2/1303	1,97	i	316
ERE-C 150X100	150	6"	100	4"	2/1274	1,54	2/1304	2,30		
ERE-C 200X100	200	8"	100	4"	2/1275	1,92	2/1305	2,62		
ERE-C 300X100	300	12"	100	4"	2/1277	2,59	2/1307	3,69		
ERE-C 400X100	400	16"	100	4"	2/1278	3,57	2/1308	4,42		
ERE-C 500X100	500	20"	100	4"	2/1279	4,44	2/1309	6,33		
ERE-C 600X100	600	24"	100	4"	2/1280	6,33	2/1310	7,22		



4/100 x B1 - (2/4356 - EZ // 2/6826 - GC // 2/4925 - i304)




TERE



L = 3 m (10 ft)

400/500/600 - 2 m (6,56 ft)

	B		GS		GC		i304		i	316
	mm	inch	REF.	kg/m	REF.	kg/m	REF.	kg/m		
TERE 100	100	4"	2/1312	0,55	2/1321	0,82	2/4560	0,55	i	316
TERE 150	150	6"	2/1313	0,76	2/1322	1,14	2/5123	0,76		
TERE 200	200	8"	2/1314	0,98	2/1323	1,46	2/4561	0,98		
TERE 300	300	12"	2/1316	1,55	2/1325	2,11	2/4716	1,55		
TERE 400 2M	400	16"	2/1317	2,19	2/1326	2,75	2/4931	2,73		
TERE 500 2M	500	20"	2/1318	3,11	2/1327	3,85	2/4562	3,75		
TERE 600 2M	600	24"	2/1319	3,95	2/1328	4,58	2/5357	4,01		




PTERE




	H		i304		i	316
	mm	inch	REF.	kg/ud		
PTERE 35	35	1 3/8"	2/7059	0,05	i	316
PTERE 60	60	2 3/8"	2/7060	0,05		
PTERE 80	80	3 1/7"	2/7061	0,06		
PTERE 100	100	4"	2/7062	0,06		



4 x PTERE => 1 x TERE





L > 100 m*
UNE-EN 61537
UNE-EN 50085

MO
UNE-EN 61537
UNE-EN 50085
UNE 23727

150°C
-50°C
UNE-EN 61537

120°C
-25°C
UNE-EN 50085

3 5
9A
UNE-EN 61537


20J
UNE-EN 61537
UNE-EN 50085

IP44
IEC 60529

IP23
IEC 60529

IK10
IEC 50102


IK07
IEC 50102




CPERC



TCPERC



CCERC




TCCERC




CXERC




TCXERC




TERC



TTERC




CRERC




TCRERC



AS



TAS



PS



JUER-A



JUER-B



JUER-U



PTERE



REER

		Filling Area					
B		H60 (2 3/8")		H60 (3 1/7")		H100 (4")	
mm	inch	cm ²	in ²	cm ²	in ²	cm ²	in ²
100	4"	59	9,1	78	12,0	98	15,1
150	6"	89	13,7	118	18,2	148	22,9
200	8"	119	18,4	158	24,4	198	30,6
300	12"	178	27,5	238	36,8	298	46,1
400	16"	238	36,8	317	49,1	397	61,5
500	20"	298	46,1	397	61,5	497	77,0
600	24"	358	55,4	477	73,9	597	92,5



MRE H60




L = 3 m (10 ft)



	B		H		GS		GC		i	304
	mm	inch	mm	inch	REF.	kg/m	REF.	kg/m		
MRE 100X60	100	4"	60	2 3/8"	2/7273	1,79	2/7517	1,82	i	304
MRE 150X60	150	6"	60	2 3/8"	2/7274	2,18	2/7518	2,22		
MRE 200X60	200	8"	60	2 3/8"	2/7275	2,57	2/7519	2,62		
MRE 300X60	300	12"	60	2 3/8"	2/7276	3,35	2/7520	3,42		
MRE 400X60	400	16"	60	2 3/8"	2/7277	4,14	2/7521	4,22		
MRE 500X60	500	20"	60	2 3/8"	2/7278	4,93	2/7522	5,02		
MRE 600X60	600	24"	60	2 3/8"	2/7279	5,70	2/7523	5,82		

4/100 x B1 (2/4356 - EZ // 2/6826 - GC // 2/4925 - i304).



MRE H80




L = 3 m (10 ft)



	B		H		GS		GC		i	304
	mm	inch	mm	inch	REF.	kg/m	REF.	kg/m		
MRE 100X80	100	4"	80	3 1/7"	2/8760	2,14	-	2,35	i	304
MRE 150X80	150	6"	80	3 1/7"	2/8761	2,54	-	2,79		
MRE 200X80	200	8"	80	3 1/7"	2/8762	2,94	-	3,23		
MRE 300X80	300	12"	80	3 1/7"	2/8763	3,74	2/10033	4,11		
MRE 400X80	400	16"	80	3 1/7"	2/8764	4,54	2/10034	4,99		
MRE 500X80	500	20"	80	3 1/7"	2/8765	5,34	2/10035	5,87		
MRE 600X80	600	24"	80	3 1/7"	2/8766	6,14	2/10036	6,85		

4/100 x B1 (2/4356 - EZ // 2/6826 - GC // 2/4925 - i304).



MRE H100




L = 3 m (10 ft)




	B		H		GS		GC		i	304
	mm	inch	mm	inch	REF.	kg/m	REF.	kg/m		
MRE 150X100	100	4"	100	4"	2/7409	2,80	2/7524	2,86	i	304
MRE 200X100	150	6"	100	4"	2/7410	3,20	2/7525	3,26		
MRE 300X100	200	8"	100	4"	2/7411	3,98	2/7526	4,06		
MRE 400X100	300	12"	100	4"	2/7412	4,77	2/7527	4,86		
MRE 500X100	500	20"	100	4"	2/7413	5,55	2/7528	5,66		
MRE 600X100	600	24"	100	4"	2/7414	6,34	2/7529	6,46		

4/100 x B1 (2/4356 - EZ // 2/6826 - GC // 2/4925 - i304).




TERE




L = 3 m (10 ft)

400/500/600 - L = 2 m (6,56 ft)

	B		GS		GC		i304		i	304
	mm	inch	REF.	kg/m	REF.	kg/m	REF.	kg/m		
TERE 100	100	4"	2/1312	0,55	2/1321	0,66	2/4560	0,55	i	304
TERE 150	150	6"	2/1313	0,76	2/1322	0,92	2/5123	0,76		
TERE 200	200	8"	2/1314	0,98	2/1323	1,20	2/4561	0,98		
TERE 300	300	12"	2/1316	1,55	2/1325	1,69	2/4716	1,55		
TERE 400 2M	400	16"	2/1317	2,19	2/1326	2,75	2/4931	2,73		
TERE 500 2M	500	20"	2/1318	3,11	2/1327	3,61	2/4562	3,75		
TERE 600 2M	600	24"	2/1319	3,95	2/1328	4,58	2/5357	4,01		





L > 100 m*
UNE-EN 61537
UNE-EN 50085

M0
UNE-EN 61537
UNE-EN 50085
UNE 23727

150°C
50°C
UNE-EN 61537

120°C
-25°C
UNE-EN 50085

3 5
UNE-EN 61537

20J
UNE-EN 61537
UNE-EN 50085



IP44
IEC 60529

IP23
IEC 60529

IK10
IEC 50102


IK07
IEC 50102




CPERC



TCPERC



CCERC




TCCERC




CXERC




TCXERC




TERC




TTERC




CRERC




TCRERC



AS



TAS



PS



JUER-A



JUER-B



JUER-U



PTERE



REER



Filling Area

B		Filling Area							
		H35 (1 3/8")		H60 (2 3/8")		H80 (3 1/7")		H100 (4")	
mm	inch	cm ²	in ²	cm ²	in ²	cm ²	in ²	cm ²	in ²
100	4"	34	5,2	59	9,1	78	12,0	98	15,1
150	6"	51	7,9	89	13,7	118	18,2	148	22,9
200	8"	69	10,6	119	18,4	158	24,4	198	30,6
300	12"	103	15,9	178	27,5	238	36,8	298	46,1
400	16"	-	-	238	36,8	317	49,1	397	61,5
500	20"	-	-	298	46,1	397	61,5	497	77,0
600	24"	-	-	358	55,4	477	73,9	597	92,5




FRE H35



	B		H		GS		GC	
	mm	inch	mm	inch	REF.	kg/m	REF.	kg/m
FRE 100X35	100	4"	35	1 3/8"	2/0001	1,68	2/0051	1,88
FRE 150X35	150	6"	35	1 3/8"	2/0002	2,15	2/0052	2,41
FRE 200X35	200	8"	35	1 3/8"	2/0003	2,51	2/0053	2,81
FRE 300X35	300	12"	35	1 3/8"	2/0004	3,35	2/0054	3,75

4/100 x B1 (6/100xB1 → 300x35) (2/4356 - EZ // 2/6826 - GC // 2/4925 - i304).




FRE H60



	B		H		GS		GC	
	mm	inch	mm	inch	REF.	kg/m	REF.	kg/m
FRE 100X60	100	4"	60	2 3/8"	2/0006	2,15	2/0056	2,41
FRE 150X60	150	6"	60	2 3/8"	2/0007	2,62	2/0057	2,94
FRE 200X60	200	8"	60	2 3/8"	2/0008	2,99	2/0058	3,34
FRE 300X60	300	12"	60	2 3/8"	2/0009	3,82	2/0059	4,28
FRE 400X60	400	16"	60	2 3/8"	2/0010	4,66	2/0060	5,22
FRE 500X60	500	20"	60	2 3/8"	2/0011	5,49	2/0061	6,15
FRE 600X60	600	24"	60	2 3/8"	2/0012	6,33	2/0062	7,09

4/100 x B1 (2/4356 - EZ // 2/6826 - GC // 2/4925 - i304).




FRE H80



	B		H		GS		GC	
	mm	inch	mm	inch	REF.	kg/m	REF.	kg/m
FRE 100X80	100	4"	80	3 1/7"	2/0013	2,53	2/0063	2,83
FRE 150X80	150	6"	80	3 1/7"	2/0014	3,00	2/0064	3,36
FRE 200X80	200	8"	80	3 1/7"	2/0015	3,36	2/0065	3,77
FRE 300X80	300	12"	80	3 1/7"	2/0016	4,20	2/0066	4,70
FRE 400X80	400	16"	80	3 1/7"	2/0017	5,04	2/0067	5,64
FRE 500X80	500	20"	80	3 1/7"	2/0018	5,87	2/0068	6,58
FRE 600X80	600	24"	80	3 1/7"	2/0019	6,71	2/0069	7,51

4/100 x B1 (2/4356 - EZ // 2/6826 - GC // 2/4925 - i304).




FRE H100




	B		H		GS		GC	
	mm	inch	mm	inch	REF.	kg/m	REF.	kg/m
FRE 100X100	100	4"	100	4"	-	-	2/4556	3,39
FRE 150X100	150	6"	100	4"	2/0020	3,38	2/0070	3,78
FRE 200X100	200	8"	100	4"	2/0021	3,74	2/0071	4,19
FRE 300X100	300	12"	100	4"	2/0022	4,58	2/0072	5,13
FRE 400X100	400	16"	100	4"	2/0023	5,41	2/0073	6,06
FRE 500X100	500	20"	100	4"	2/0024	6,25	2/0074	7,00
FRE 600X100	600	24"	100	4"	2/0025	7,09	2/0075	7,94

4/100 x B1 (2/4356 - EZ // 2/6826 - GC // 2/4925 - i304).







TERE



	B		GS		GC	
	mm	inch	REF.	kg/m	REF.	kg/m
TERE 100	100	4"	2/1312	0,55	2/1321	0,82
TERE 150	150	6"	2/1313	0,76	2/1322	1,14
TERE 200	200	8"	2/1314	0,98	2/1323	1,46
TERE 300	300	12"	2/1316	1,55	2/1325	2,11
TERE 400 2M	400	16"	2/1317	2,19	2/1326	2,75
TERE 500 2M	500	20"	2/1318	3,11	2/1327	3,85
TERE 600 2M	600	24"	2/1319	3,95	2/1328	4,58




TFRE



	B		GS		GC
	mm	inch	REF.	kg/m	
TFRE 100	100	4"	2/6008	0,68	GC
TFRE 150			2/10031	1,41	
TFRE 200			2/6009	2,14	
TFRE 300			2/6010	3,08	
TFRE 400 2M			2/6199	4,02	
TFRE 500 2M			2/10032	4,97	
TFRE 600 2M			2/6012	5,91	


BASORTRAY
B06_1



PTERE




	H		i304		i
	mm	inch	REF.	kg/ud	
PTERE 35	35	1 3/8"	2/7059	0,05	3 1 6
PTERE 60	60	2 3/8"	2/7060	0,05	
PTERE 80	80	3 1/7"	2/7061	0,06	
PTERE 100	100	4"	2/7062	0,06	







CPERC




	B		H		GS		GC		i304	
	mm	inch	mm	inch	REF.	kg/ud	REF.	kg/ud	REF.	kg/ud
CPERC 100x35	100	4"	35	1 3/8"	2/1337	0,59	2/1368	0,67	-	-
CPERC 150x35	150	6"	35	1 3/8"	2/1338	0,75	2/1369	0,86	-	-
CPERC 200x35	200	8"	35	1 3/8"	2/1339	1,00	2/1370	1,15	-	-
CPERC 300x35	300	12"	35	1 3/8"	2/1340	1,61	2/1371	1,84	-	-
CPERC 100x60	100	4"	60	2 3/8"	2/1344	0,70	2/1375	0,79	2/4777	0,70
CPERC 150x60	150	6"	60	2 3/8"	2/1345	0,88	2/1376	1,00	2/5317	0,88
CPERC 200x60	200	8"	60	2 3/8"	2/1346	1,14	2/1377	1,30	2/4778	1,14
CPERC 300x60	300	12"	60	2 3/8"	2/1348	1,77	2/1379	2,02	2/6180	1,77
CPERC 400x60	400	16"	60	2 3/8"	2/1349	2,53	2/1380	2,89	2/7390	2,53
CPERC 500x60	500	20"	60	2 3/8"	2/1350	3,42	2/1381	3,90	-	-
CPERC 600x60	600	24"	60	2 3/8"	2/1351	4,44	2/1382	5,06	2/7391	4,44
CPERC 100x80	100	4"	80	3 1/7"	2/1352	0,96	2/1383	1,09	-	-
CPERC 150x80	150	6"	80	3 1/7"	2/1353	1,23	2/1384	1,41	-	-
CPERC 200x80	200	8"	80	3 1/7"	2/1354	1,54	2/1385	1,76	-	-
CPERC 300x80	300	12"	80	3 1/7"	2/1356	2,29	2/1387	2,61	-	-
CPERC 400x80	400	16"	80	3 1/7"	2/1357	3,18	2/1388	3,63	-	-
CPERC 500x80	500	20"	80	3 1/7"	2/1358	4,24	2/1389	4,83	-	-
CPERC 600x80	600	24"	80	3 1/7"	2/1359	5,45	2/1390	6,21	-	-
CPERC 100x100	100	4"	100	4"	2/1360	1,05	2/1391	1,20	-	-
CPERC 150x100	150	6"	100	4"	2/1361	1,33	2/1392	1,52	-	-
CPERC 200x100	200	8"	100	4"	2/1362	1,65	2/1393	1,88	-	-
CPERC 300x100	300	12"	100	4"	2/1364	2,42	2/1395	2,76	-	-
CPERC 400x100	400	16"	100	4"	2/1365	3,34	2/1396	3,80	-	-
CPERC 500x100	500	20"	100	4"	2/1366	4,41	2/1397	5,03	-	-
CPERC 600x100	600	24"	100	4"	2/1367	5,64	2/1398	6,44	-	-




i 3 1 6




2 x JUER



TCPERC



	B		GS		GC		i304	
	mm	inch	REF.	kg/ud	REF.	kg/ud	REF.	kg/m
TCPERC 100	100	4"	2/1430	0,27	2/1437	0,31	2/3560	0,27
TCPERC 150	150	6"	2/1431	0,41	2/1438	0,48	2/3561	0,41
TCPERC 200	200	8"	2/1432	0,57	2/1439	0,67	2/3562	0,57
TCPERC 300	300	12"	2/1433	0,97	2/1440	1,13	2/3563	0,97
TCPERC 400	400	16"	2/1434	1,46	2/1441	1,71	2/4752	1,46
TCPERC 500	500	20"	2/1435	2,04	2/1442	2,39	2/3564	2,09
TCPERC 600	600	24"	2/1436	2,71	2/1443	3,17	2/4753	2,71




i 3 1 6






CPERC45




	B		H		GS		GC	
	mm	inch	mm	inch	REF.	kg/ud	REF.	kg/ud
CPERC45 100X60	100	4"	60	2 3/8"	2/14503	0,34	2/14517	0,39
CPERC45 150X60	150	6"	60	2 3/8"	2/14504	0,46	2/14518	0,53
CPERC45 200X60	200	8"	60	2 3/8"	2/14505	0,57	2/14519	0,66
CPERC45 300X60	300	12"	60	2 3/8"	2/14506	0,86	2/14520	1,00
CPERC45 400X60	400	16"	60	2 3/8"	2/14507	1,19	2/14521	1,38
CPERC45 500X60	500	20"	60	2 3/8"	2/14508	1,65	2/14522	1,91
CPERC45 600X60	600	24"	60	2 3/8"	2/14509	1,99	2/14523	2,31
CPERC45 100X80	100	4"	80	3 1/7"	2/7103	0,34	2/8390	0,39
CPERC45 150X80	150	6"	80	3 1/7"	2/7104	0,46	2/8391	0,53
CPERC45 200X80	200	8"	80	3 1/7"	2/7105	0,56	2/8392	0,65
CPERC45 300X80	300	12"	80	3 1/7"	2/7106	0,82	2/8393	0,95
CPERC45 400X80	400	16"	80	3 1/7"	2/8384	1,30	2/8394	1,51
CPERC45 500X80	500	20"	80	3 1/7"	2/8385	1,80	2/8395	2,09
CPERC45 600X80	600	24"	80	3 1/7"	2/8386	2,12	2/8396	2,46
CPERC45 100X100	100	4"	100	4"	2/14510	0,45	2/14524	0,52
CPERC45 150X100	150	6"	100	4"	2/14511	0,58	2/14525	0,67
CPERC45 200X100	200	8"	100	4"	2/14512	0,71	2/14526	0,82
CPERC45 300X100	300	12"	100	4"	2/14513	1,01	2/14527	1,17
CPERC45 400X100	400	16"	100	4"	2/14514	1,37	2/14528	1,59
CPERC45 500X100	500	20"	100	4"	2/14515	1,87	2/14529	2,17
CPERC45 600X100	600	24"	100	4"	2/14516	2,25	2/14530	2,61



i 304 / i 316


2 x JUER



TCPERC45



	B		GS		GC	
	mm	inch	REF.	kg/ud	REF.	kg/ud
TCPERC45 100	100	4"	2/7107	0,14	2/8397	0,16
TCPERC45 150	150	6"	2/7108	0,21	2/8398	0,24
TCPERC45 200	200	8"	2/7109	0,29	2/8399	0,34
TCPERC45 300	300	12"	2/7110	0,49	2/8400	0,57
TCPERC45 400	400	16"	2/8387	0,73	2/8401	0,86
TCPERC45 500	500	20"	2/8388	1,02	2/8402	1,20
TCPERC45 600	600	24"	2/8389	1,36	2/8403	1,59



i 304 / i 316






CCERC




	B		H		GS		GC		i304	
	mm	inch	mm	inch	REF.	kg/ud	REF.	kg/ud	REF.	kg/ud
CCERC 100x35	100	4"	35	1 3/8"	2/1451	0,34	2/1482	0,39	-	-
CCERC 150x35	150	6"	35	1 3/8"	2/1452	0,45	2/1483	0,51	-	-
CCERC 200x35	200	8"	35	1 3/8"	2/1453	0,55	2/1484	0,63	-	-
CCERC 300x35	300	12"	35	1 3/8"	2/1454	0,76	2/1485	0,87	-	-
CCERC 100x60	100	4"	60	2 3/8"	2/1458	0,50	2/1489	0,57	2/4908	0,50
CCERC 150x60	150	6"	60	2 3/8"	2/1459	0,62	2/1490	0,71	2/5157	0,63
CCERC 200x60	200	8"	60	2 3/8"	2/1460	0,74	2/1491	0,84	2/5024	0,75
CCERC 300x60	300	12"	60	2 3/8"	2/1462	0,98	2/1493	1,12	2/6503	0,99
CCERC 400x60	400	16"	60	2 3/8"	2/1463	1,22	2/1494	1,39	2/7392	1,22
CCERC 500x60	500	20"	60	2 3/8"	2/1464	1,46	2/1495	1,67	-	-
CCERC 600x60	600	24"	60	2 3/8"	2/1465	1,71	2/1496	1,94	2/7393	1,71
CCERC 100x80	100	4"	80	3 1/7"	2/1466	0,66	2/1497	0,75	-	-
CCERC 150x80	150	6"	80	3 1/7"	2/1467	0,79	2/1498	0,90	-	-
CCERC 200x80	200	8"	80	3 1/7"	2/1468	0,92	2/1499	1,05	-	-
CCERC 300x80	300	12"	80	3 1/7"	2/1470	1,19	2/1501	1,36	-	-
CCERC 400x80	400	16"	80	3 1/7"	2/1471	1,46	2/1502	1,66	-	-
CCERC 500x80	500	20"	80	3 1/7"	2/1472	1,72	2/1503	1,96	-	-
CCERC 600x80	600	24"	80	3 1/7"	2/1473	1,99	2/1504	2,27	-	-
CCERC 100x100	100	4"	100	4"	2/1474	0,78	2/1505	0,89	-	-
CCERC 150x100	150	6"	100	4"	2/1475	0,93	2/1506	1,06	-	-
CCERC 200x100	200	8"	100	4"	2/1476	1,07	2/1507	1,22	-	-
CCERC 300x100	300	12"	100	4"	2/1478	1,36	2/1509	1,55	-	-
CCERC 400x100	400	16"	100	4"	2/1479	1,65	2/1510	1,89	-	-
CCERC 500x100	500	20"	100	4"	2/1480	1,95	2/1511	2,22	-	-
CCERC 600x100	600	24"	100	4"	2/1481	2,24	2/1512	2,55	-	-




i 3 1 6


2 x JUER



TCCERC



	B		GS		GC		i304	
	mm	inch	REF.	kg/ud	REF.	kg/ud	REF.	kg/m
TCCERC 100	100	4"	2/1544	0,23	2/1551	0,27	2/3263	0,23
TCCERC 150	150	6"	2/1545	0,32	2/1552	0,37	2/3264	0,28
TCCERC 200	200	8"	2/1546	0,41	2/1553	0,47	2/3265	0,41
TCCERC 300	300	12"	2/1547	0,58	2/1554	0,67	2/3266	0,58
TCCERC 400	400	16"	2/1548	0,75	2/1555	0,88	2/3271	0,75
TCCERC 500	500	20"	2/1549	0,93	2/1556	1,08	-	0,93
TCCERC 600	600	24"	2/1550	1,10	2/1557	1,28	2/4724	1,10




i 3 1 6






CCERC45




	B		H		GS		GC	
	mm	inch	mm	inch	REF.	kg/ud	REF.	kg/ud
CCERC45 100X60	100	4"	60	2 3/8"	2/14531	0,42	2/14545	0,49
CCERC45 150X60	150	6"	60	2 3/8"	2/14532	0,50	2/14546	0,58
CCERC45 200X60	200	8"	60	2 3/8"	2/14533	0,57	2/14547	0,66
CCERC45 300X60	300	12"	60	2 3/8"	2/14534	0,73	2/14548	0,85
CCERC45 400X60	400	16"	60	2 3/8"	2/14535	0,89	2/14549	1,03
CCERC45 500X60	500	20"	60	2 3/8"	2/14536	1,04	2/14550	1,21
CCERC45 600X60	600	24"	60	2 3/8"	2/14537	1,20	2/14551	1,39
CCERC45 100X80	100	4"	80	3 1/7"	2/7111	0,48	2/8410	0,56
CCERC45 150X80	150	6"	80	3 1/7"	2/7112	0,56	2/8411	0,65
CCERC45 200X80	200	8"	80	3 1/7"	2/7113	0,64	2/8412	0,74
CCERC45 300X80	300	12"	80	3 1/7"	2/7114	0,79	2/8413	0,92
CCERC45 400X80	400	16"	80	3 1/7"	2/8404	0,95	2/8414	1,10
CCERC45 500X80	500	20"	80	3 1/7"	2/8405	1,11	2/8415	1,29
CCERC45 600X80	600	24"	80	3 1/7"	2/8406	1,26	2/8416	1,46
CCERC45 100X100	100	4"	100	4"	2/14538	0,54	2/14552	0,63
CCERC45 150X100	150	6"	100	4"	2/14539	0,62	2/14553	0,72
CCERC45 200X100	200	8"	100	4"	2/14540	0,70	2/14554	0,81
CCERC45 300X100	300	12"	100	4"	2/14541	0,86	2/14555	1,00
CCERC45 400X100	400	16"	100	4"	2/14542	1,01	2/14556	1,17
CCERC45 500X100	500	20"	100	4"	2/14543	1,17	2/14557	1,36
CCERC45 600X100	600	24"	100	4"	2/14544	1,33	2/14558	1,54




i 304 / i 316


2 x JUER



TCCERC45



	B		GS		GC	
	mm	inch	REF.	kg/ud	REF.	kg/ud
TCCERC45 100	100	4"	2/7115	0,12	2/8417	0,14
TCCERC45 150	150	6"	2/7116	0,16	2/8418	0,19
TCCERC45 200	200	8"	2/7117	0,21	2/8419	0,24
TCCERC45 300	300	12"	2/7118	0,29	2/8420	0,34
TCCERC45 400	400	16"	2/8407	0,38	2/8421	0,44
TCCERC45 500	500	20"	2/8408	0,47	2/8422	0,54
TCCERC45 600	600	24"	2/8409	0,55	2/8423	0,64



i 304 / i 316







CXERC




	B		H		GS		GC		i304	
	mm	inch	mm	inch	REF.	kg/ud	REF.	kg/ud	REF.	kg/ud
CXERC 100x35	100	4"	35	1 3/8"	2/1565	0,32	2/1596	0,37	-	-
CXERC 150x35	150	6"	35	1 3/8"	2/1566	0,42	2/1597	0,48	-	-
CXERC 200x35	200	8"	35	1 3/8"	2/1567	0,51	2/1598	0,58	-	-
CXERC 300x35	300	12"	35	1 3/8"	2/1568	0,70	2/1599	0,80	-	-
CXERC 100x60	100	4"	60	2 3/8"	2/1572	0,45	2/1603	0,51	2/4909	0,45
CXERC 150x60	150	6"	60	2 3/8"	2/1573	0,54	2/1604	0,62	2/5158	0,54
CXERC 200x60	200	8"	60	2 3/8"	2/1574	0,64	2/1605	0,72	2/5025	0,64
CXERC 300x60	300	12"	60	2 3/8"	2/1576	0,82	2/1607	0,94	2/6817	0,82
CXERC 400x60	400	16"	60	2 3/8"	2/1577	1,01	2/1608	1,15	2/7514	1,01
CXERC 500x60	500	20"	60	2 3/8"	2/1578	1,20	2/1609	1,37	-	1,20
CXERC 600x60	600	24"	60	2 3/8"	2/1579	1,39	2/1610	1,58	2/7515	1,39
CXERC 100x80	100	4"	80	3 1/7"	2/1580	0,58	2/1611	0,66	-	-
CXERC 150x80	150	6"	80	3 1/7"	2/1581	0,67	2/1612	0,77	-	-
CXERC 200x80	200	8"	80	3 1/7"	2/1582	0,77	2/1613	0,88	-	-
CXERC 300x80	300	12"	80	3 1/7"	2/1584	0,96	2/1615	1,09	-	-
CXERC 400x80	400	16"	80	3 1/7"	2/1585	1,14	2/1616	1,31	-	-
CXERC 500x80	500	20"	80	3 1/7"	2/1586	1,33	2/1617	1,52	-	-
CXERC 600x80	600	24"	80	3 1/7"	2/1587	1,52	2/1618	1,73	-	-
CXERC 100x100	100	4"	100	4"	2/1588	0,67	2/1619	0,77	-	-
CXERC 150x100	150	6"	100	4"	2/1589	0,77	2/1620	0,88	-	-
CXERC 200x100	200	8"	100	4"	2/1590	0,86	2/1621	0,98	-	-
CXERC 300x100	300	12"	100	4"	2/1592	1,05	2/1623	1,20	-	-
CXERC 400x100	400	16"	100	4"	2/1593	1,24	2/1624	1,41	-	-
CXERC 500x100	500	20"	100	4"	2/1594	1,43	2/1625	1,63	-	-
CXERC 600x100	600	24"	100	4"	2/1595	1,62	2/1626	1,93	-	-




2 x JUER



TCXERC




	B		GS		GC		i304	
	mm	inch	REF.	kg/ud	REF.	kg/ud	REF.	kg/ud
TCXERC 100x35	100	4"	2/1658	0,29	2/1689	0,34	-	-
TCXERC 150x35	150	6"	2/1659	0,40	2/1690	0,47	-	-
TCXERC 200x35	200	8"	2/1660	0,52	2/1691	0,60	-	-
TCXERC 300x35	300	12"	2/1661	0,74	2/1692	0,86	-	-
TCXERC 100x60	100	4"	2/1665	0,34	2/1696	0,39	2/3565	0,34
TCXERC 150x60	150	6"	2/1666	0,46	2/1697	0,54	2/3249	0,46
TCXERC 200x60	200	8"	2/1667	0,59	2/1698	0,68	2/3253	0,59
TCXERC 300x60	300	12"	2/1669	0,84	2/1700	0,98	2/3250	0,84
TCXERC 400x60	400	16"	2/1670	1,10	2/1701	1,28	2/3251	1,10
TCXERC 500x60	500	20"	2/1671	1,36	2/1702	1,57	-	1,36
TCXERC 600x60	600	24"	2/1672	1,61	2/1703	1,87	2/3252	1,61
TCXERC 100x80	100	4"	2/1673	0,37	2/1704	0,43	-	-
TCXERC 150x80	150	6"	2/1674	0,51	2/1705	0,59	-	-
TCXERC 200x80	200	8"	2/1675	0,65	2/1706	0,75	-	-
TCXERC 300x80	300	12"	2/1677	0,93	2/1708	1,08	-	-
TCXERC 400x80	400	16"	2/1678	1,21	2/1709	1,40	-	-
TCXERC 500x80	500	20"	2/1679	1,49	2/1710	1,73	-	-
TCXERC 600x80	600	24"	2/1680	1,77	2/1711	2,05	-	-
TCXERC 100x100	100	4"	2/1681	0,40	2/1712	0,47	-	-
TCXERC 150x100	150	6"	2/1682	0,55	2/1713	0,64	-	-
TCXERC 200x100	200	8"	2/1683	0,71	2/1714	0,82	-	-
TCXERC 300x100	300	12"	2/1685	1,01	2/1716	1,18	-	-
TCXERC 400x100	400	16"	2/1686	1,32	2/1717	1,53	-	-
TCXERC 500x100	500	20"	2/1687	1,62	2/1718	1,88	-	-
TCXERC 600x100	600	24"	2/1688	1,93	2/1719	2,24	-	-






CXERC45




	B		H		GS		GC	
	mm	inch	mm	inch	REF.	kg/ud	REF.	kg/ud
CXERC45 100X60	100	4"	60	2 3/8"	2/14559	0,38	2/14573	0,44
CXERC45 150X60	150	6"	60	2 3/8"	2/14560	0,44	2/14574	0,51
CXERC45 200X60	200	8"	60	2 3/8"	2/14561	0,49	2/14575	0,57
CXERC45 300X60	300	12"	60	2 3/8"	2/14562	0,61	2/14576	0,71
CXERC45 400X60	400	16"	60	2 3/8"	2/14563	0,72	2/14577	0,84
CXERC45 500X60	500	20"	60	2 3/8"	2/14564	0,84	2/14578	0,97
CXERC45 600X60	600	24"	60	2 3/8"	2/14565	0,95	2/14579	1,11
CXERC45 100X80	100	4"	80	3 1/7"	2/7119	0,44	2/8430	0,51
CXERC45 150X80	150	6"	80	3 1/7"	2/7120	0,50	2/8431	0,58
CXERC45 200X80	200	8"	80	3 1/7"	2/7121	0,55	2/8432	0,64
CXERC45 300X80	300	12"	80	3 1/7"	2/7122	0,67	2/8433	0,78
CXERC45 400X80	400	16"	80	3 1/7"	2/8424	0,78	2/8434	0,91
CXERC45 500X80	500	20"	80	3 1/7"	2/8425	0,90	2/8435	1,04
CXERC45 600X80	600	24"	80	3 1/7"	2/8426	1,01	2/8436	1,18
CXERC45 100X100	100	4"	100	4"	2/14566	0,50	2/14580	0,58
CXERC45 150X100	150	6"	100	4"	2/14567	0,56	2/14581	0,65
CXERC45 200X100	200	8"	100	4"	2/14568	0,62	2/14582	0,71
CXERC45 300X100	300	12"	100	4"	2/14569	0,73	2/14583	0,85
CXERC45 400X100	400	16"	100	4"	2/14570	0,85	2/14584	0,98
CXERC45 500X100	500	20"	100	4"	2/14571	0,96	2/14585	1,12
CXERC45 600X100	600	24"	100	4"	2/14572	1,08	2/14586	1,25




i
3
0
4
/
i
3
1
6




2 x JUER



TCXERC45



	B		GS		GC	
	mm	inch	REF.	kg/ud	REF.	kg/ud
TCXERC45 100X60	100	4"	2/14587	0,17	2/14601	0,20
TCXERC45 150X60	150	6"	2/14588	0,23	2/14602	0,27
TCXERC45 200X60	200	8"	2/14589	0,30	2/14603	0,34
TCXERC45 300X60	300	12"	2/14590	0,42	2/14604	0,49
TCXERC45 400X60	400	16"	2/14591	0,55	2/14605	0,64
TCXERC45 500X60	500	20"	2/14592	0,68	2/14606	0,79
TCXERC45 600X60	600	24"	2/14593	0,81	2/14607	0,94
TCXERC45 100X80	100	4"	2/7123	0,19	2/8437	0,22
TCXERC45 150X80	150	6"	2/7124	0,26	2/8438	0,30
TCXERC45 200X80	200	8"	2/7125	0,33	2/8439	0,38
TCXERC45 300X80	300	12"	2/7126	0,47	2/8440	0,54
TCXERC45 400X80	400	16"	2/8427	0,61	2/8441	0,70
TCXERC45 500X80	500	20"	2/8428	0,75	2/8442	0,87
TCXERC45 600X80	600	24"	2/8429	0,89	2/8443	1,03
TCXERC45 100X100	100	4"	2/14594	0,20	2/14608	0,24
TCXERC45 150X100	150	6"	2/14595	0,28	2/14609	0,32
TCXERC45 200X100	200	8"	2/14596	0,36	2/14610	0,41
TCXERC45 300X100	300	12"	2/14597	0,51	2/14611	0,59
TCXERC45 400X100	400	16"	2/14598	0,66	2/14612	0,77
TCXERC45 500X100	500	20"	2/14599	0,81	2/14613	0,94
TCXERC45 600X100	600	24"	2/14600	0,97	2/14614	1,12




i
3
0
4
/
i
3
1
6







TERC




	B		H		GS		GC	
	mm	inch	mm	inch	REF.	kg/ud	REF.	kg/ud
TERC 100x35	100	4"	35	1 3/8"	2/1751	0,81	2/1782	0,93
TERC 150x35	150	6"	35	1 3/8"	2/1752	1,11	2/1783	1,27
TERC 200x35	200	8"	35	1 3/8"	2/1753	1,58	2/1784	1,80
TERC 300x35	300	12"	35	1 3/8"	2/1754	2,26	2/1785	2,57
TERC 100x60	100	4"	60	2 3/8"	2/1758	0,96	2/1789	1,09
TERC 150x60	150	6"	60	2 3/8"	2/1759	1,27	2/1790	1,45
TERC 200x60	200	8"	60	2 3/8"	2/1760	1,74	2/1791	1,98
TERC 300x60	300	12"	60	2 3/8"	2/1762	2,44	2/1793	2,78
TERC 400x60	400	16"	60	2 3/8"	2/1763	3,41	2/1794	3,89
TERC 500x60	500	20"	60	2 3/8"	2/1764	4,54	2/1795	5,18
TERC 600x60	600	24"	60	2 3/8"	2/1765	5,83	2/1796	6,64
TERC 100x80	100	4"	80	3 1/7"	2/1766	1,07	2/1797	1,22
TERC 150x80	150	6"	80	3 1/7"	2/1767	1,38	2/1798	1,58
TERC 200x80	200	8"	80	3 1/7"	2/1768	1,86	2/1799	2,12
TERC 300x80	300	12"	80	3 1/7"	2/1770	2,57	2/1801	2,93
TERC 400x80	400	16"	80	3 1/7"	2/1771	3,55	2/1802	4,05
TERC 500x80	500	20"	80	3 1/7"	2/1772	4,70	2/1803	5,35
TERC 600x80	600	24"	80	3 1/7"	2/1773	5,99	2/1804	6,83
TERC 100x100	100	4"	100	4"	2/1774	1,19	2/1805	1,36
TERC 150x100	150	6"	100	4"	2/1775	1,51	2/1806	1,72
TERC 200x100	200	8"	100	4"	2/1776	2,00	2/1807	2,28
TERC 300x100	300	12"	100	4"	2/1778	2,71	2/1809	3,09
TERC 400x100	400	16"	100	4"	2/1779	3,71	2/1810	4,23
TERC 500x100	500	20"	100	4"	2/1780	4,87	2/1811	5,55
TERC 600x100	600	24"	100	4"	2/1781	6,18	2/1812	7,04


i 304 / i 316



2 x JUER




TTERC




	B		GS		GC	
	mm	inch	REF.	kg/ud	REF.	kg/ud
TTERC 100	100	4"	2/1844	0,45	2/1852	0,53
TTERC 150	150	6"	2/1845	0,66	2/1853	0,77
TTERC 200	200	8"	2/1846	0,89	2/1854	1,04
TTERC 300	300	12"	2/1848	1,44	2/1855	1,68
TTERC 400	400	16"	2/1849	2,09	2/1856	2,45
TTERC 500	500	20"	2/1850	2,86	2/1857	3,35
TTERC 600	600	24"	2/1851	3,74	2/1858	4,37

i 304 / i 316






CRERC




	B		H		GS		GC	
	mm	inch	mm	inch	REF.	kg/ud	REF.	kg/ud
CRERC 100x35	100	4"	35	1 3/8"	2/1866	1,02	2/1897	1,16
CRERC 150x35	150	6"	35	1 3/8"	2/1867	1,37	2/1898	1,56
CRERC 200x35	200	8"	35	1 3/8"	2/1868	1,76	2/1899	2,00
CRERC 300x35	300	12"	35	1 3/8"	2/1869	2,65	2/1900	3,02
CRERC 100x60	100	4"	60	2 3/8"	2/1873	1,19	2/1904	1,35
CRERC 150x60	150	6"	60	2 3/8"	2/1874	1,54	2/1905	1,75
CRERC 200x60	200	8"	60	2 3/8"	2/1875	1,92	2/1906	2,19
CRERC 300x60	300	12"	60	2 3/8"	2/1877	2,82	2/1908	3,21
CRERC 400x60	400	16"	60	2 3/8"	2/1878	3,87	2/1909	4,41
CRERC 500x60	500	20"	60	2 3/8"	2/1879	5,08	2/1910	5,79
CRERC 600x60	600	24"	60	2 3/8"	2/1872	6,28	2/1911	7,35
CRERC 100x80	100	4"	80	3 1/7"	2/1881	1,31	2/1912	1,50
CRERC 150x80	150	6"	80	3 1/7"	2/1882	1,66	2/1913	1,89
CRERC 200x80	200	8"	80	3 1/7"	2/1883	2,05	2/1914	2,34
CRERC 300x80	300	12"	80	3 1/7"	2/1885	2,94	2/1916	3,36
CRERC 400x80	400	16"	80	3 1/7"	2/1886	4,00	2/1917	4,56
CRERC 500x80	500	20"	80	3 1/7"	2/1887	5,21	2/1918	5,93
CRERC 600x80	600	24"	80	3 1/7"	2/1880	6,45	2/1919	7,49
CRERC 100x100	100	4"	100	4"	2/1889	1,45	2/1920	1,65
CRERC 150x100	150	6"	100	4"	2/1890	1,80	2/1921	2,05
CRERC 200x100	200	8"	100	4"	2/1891	2,19	2/1922	2,49
CRERC 300x100	300	12"	100	4"	2/1893	3,08	2/1924	3,51
CRERC 400x100	400	16"	100	4"	2/1894	4,14	2/1925	4,71
CRERC 500x100	500	20"	100	4"	2/1895	5,34	2/1926	6,09
CRERC 600x100	600	24"	100	4"	2/1896	6,71	2/1927	7,65


i 304 / i 316



2 x JUER




TCRERC



	B		GS		GC	
	mm	inch	REF.	kg/ud	REF.	kg/ud
TCRERC 100	100	4"	2/1959	0,60	2/1967	0,70
TCRERC 150	150	6"	2/1960	0,84	2/1968	0,99
TCRERC 200	200	8"	2/1961	1,11	2/1969	1,30
TCRERC 300	300	12"	2/1963	1,74	2/1971	2,04
TCRERC 400	400	16"	2/1964	2,48	2/1972	2,90
TCRERC 500	500	20"	2/1965	3,32	2/1973	3,89
TCRERC 600	600	24"	2/1966	4,28	2/1974	5,01

i 304 / i 316







AS



	B		H		GS		GC	
	mm	inch	mm	inch	REF.	kg/ud	REF.	kg/ud
AS 100x35	100	4"	35	1 3/8"	2/1983	0,40	2/2015	0,46
AS 150x35	150	6"	35	1 3/8"	2/1984	0,47	2/2016	0,54
AS 200x35	200	8"	35	1 3/8"	2/1985	0,54	2/2017	0,62
AS 300x35	300	12"	35	1 3/8"	2/1987	0,68	2/2019	0,78
AS 100x60	100	4"	60	2 3/8"	2/1991	0,48	2/2023	0,55
AS 150x60	150	6"	60	2 3/8"	2/1992	0,55	2/2024	0,63
AS 200x60	200	8"	60	2 3/8"	2/1993	0,63	2/2025	0,72
AS 300x60	300	12"	60	2 3/8"	2/1995	0,77	2/2027	0,87
AS 400x60	400	16"	60	2 3/8"	2/1996	0,91	2/2028	1,04
AS 500x60	500	20"	60	2 3/8"	2/1997	1,05	2/2029	1,20
AS 600x60	600	24"	60	2 3/8"	2/1998	1,19	2/2030	1,36
AS 100x80	100	4"	80	3 1/7"	2/1999	0,55	2/2031	0,63
AS 150x80	150	6"	80	3 1/7"	2/2000	0,62	2/2032	0,71
AS 200x80	200	8"	80	3 1/7"	2/2001	0,69	2/2033	0,79
AS 300x80	300	12"	80	3 1/7"	2/2003	0,83	2/2035	0,95
AS 400x80	400	16"	80	3 1/7"	2/2004	0,97	2/2036	1,11
AS 500x80	500	20"	80	3 1/7"	2/2005	1,11	2/2037	1,27
AS 600x80	600	24"	80	3 1/7"	2/2006	1,25	2/2038	1,44
AS 100x100	100	4"	100	4"	2/2007	0,61	2/2039	0,71
AS 150x100	150	6"	100	4"	2/2008	0,69	2/2040	0,79
AS 200x100	200	8"	100	4"	2/2009	0,76	2/2041	0,86
AS 300x100	300	12"	100	4"	2/2011	0,90	2/2043	1,03
AS 400x100	400	16"	100	4"	2/2012	1,04	2/2044	1,19
AS 500x100	500	20"	100	4"	2/2013	1,18	2/2045	1,35
AS 600x100	600	24"	100	4"	2/2014	1,32	2/2046	1,52

i 304 / i 316



2 x JUER




TAS



	B		GS		GC	
	mm	inch	REF.	kg/ud	REF.	kg/ud
TAS 100	100	4"	2/8325	0,22	2/8332	0,26
TAS 150	150	6"	2/8326	0,27	2/8333	0,31
TAS 200	200	8"	2/8327	0,33	2/8334	0,38
TAS 300	300	12"	2/8328	0,44	2/8335	0,51
TAS 400	400	16"	2/8329	0,55	2/8336	0,63
TAS 500	500	20"	2/8330	0,66	2/8337	0,76
TAS 600	600	24"	2/8331	0,77	2/8338	0,88

i 304 / i 316





REER



	B		H		GS		GC		i304	
	mm	inch	mm	inch	REF.	kg/ud	REF.	kg/ud	REF.	kg/m
REER 50x35	50	2"	35	1 3/8"	2/6290	0,03	2/6298	0,03	-	0,03
REER 50x60	50	2"	60	2 3/8"	2/6291	0,04	2/6299	0,05	2/8767	0,04
REER 50x80	50	2"	80	3 1/7"	2/6292	0,06	2/6300	0,07	-	0,06
REER 50x100	50	2"	100	4"	2/6293	0,08	2/6301	0,09	-	0,08
REER 100x35	100	4"	35	1 3/8"	2/6294	0,04	2/6302	0,04	-	0,04
REER 100x60	100	4"	60	2 3/8"	2/6295	0,06	2/6303	0,07	2/8768	0,06
REER 100x80	100	4"	80	3 1/7"	2/6296	0,08	2/6304	0,09	-	0,08
REER 100x100	100	4"	100	4"	2/6297	0,11	2/6305	0,12	-	0,11

i 304 / i 316




2/100 x B1 (2/4356 - EZ // 2/6826 - GC // 2/4925 - i304)






TFERE




	B		B		GS		GC		i
	mm	inch	mm	inch	REF.	kg/ud	REF.	kg/ud	
TFERE 100X80	100	4"	80	3 1/7"	2/8356	0,08	2/8363	0,09	304 / i316
TFERE 150X80	150	6"	80	3 1/7"	2/8357	0,12	2/8364	0,14	
TFERE 200X80	200	8"	80	3 1/7"	2/8358	0,15	2/8365	0,17	
TFERE 300X80	300	12"	80	3 1/7"	2/8359	0,21	2/8366	0,24	
TFERE 400X80	400	16"	80	3 1/7"	2/8360	0,33	2/8367	0,38	
TFERE 500X80	500	20"	80	3 1/7"	2/8361	0,34	2/8368	0,39	
TFERE 600X80	600	24"	80	3 1/7"	2/8362	0,47	2/8369	0,55	



2/100 x B1 (2/4356 - GS // 2/6826 - GC)



PS




L = 3 m (10 ft)




	H		GS		GC		i304		i316	
	mm	inch	REF.	kg/m	REF.	kg/m	REF.	kg/m	REF.	kg/m
PS 35	35	1 3/8"	2/3476	0,29	2/3479	0,29	2/11227	0,29	2/15544	0,29
PS 60	60	2 3/8"	2/2066	0,34	2/3480	0,43	2/3645	0,34	2/15545	0,34
PS 80	80	3 1/7"	2/3477	0,46	2/3481	0,63	2/11228	0,46	2/15546	0,46
PS 100	100	4"	2/3478	0,56	2/3482	0,76	2/5138	0,56	2/15547	0,56

1/100 x B1 (500 ↔ 500 mm) (2/4356 - GS // 2/6826 - GC // 2/4925 - i304)







SUCP




	B		H		GS		i304		i
	mm	inch	mm	inch	REF.	kg/ud	REF.	kg/ud	
SUCP	160	6 2/7"	130	5 1/8"	2/14255	0,25	2/14256	0,25	316

2/100 x B1 (2/4356 - GS // 2/6826 - GC // 2/4925 - i304)





JUER




JUER 35




JUER 60




JUER 80/100



JUER 60



JUER 35



JUER 80/100

	H		GS		GC		i304		i
	mm	inch	REF.	kg/ud	REF.	kg/ud	REF.	kg/m	
JUER 35	35	1 3/8"	2/2047	0,04	2/2052	0,05	2/3232	0,04	3
JUER 60	60	2 3/8"	2/2048	0,03	2/2053	0,03	2/3233	0,03	1
JUER 80	80	3 1/7"	2/2049	0,06	2/2054	0,07	2/14253	0,06	6
JUER 100	100	4"	2/2050	0,07	2/2055	0,09	2/3559	0,07	

2/100 x B1 (2/4356 - GS // 2/6826 - GC // 2/4925 - i304)



JUER-A



JUER-A 35



JUER-A 60




JUER-A 80/100




	H		GS		GC		i
	mm	inch	REF.	kg/ud	REF.	kg/ud	
JUER-A 35	35	1 3/8"	2/3226	0,10	2/5298	0,11	304
JUER-A 60	60	2 3/8"	2/3229	0,10	2/4439	0,11	i316
JUER-A 80	80	3 1/7"	2/6327	0,13	2/5055	0,14	
JUER-A 100	100	4"	2/6209	0,16	2/6416	0,18	


4/100 x B1 (2/4356 - GS / 2/6826 - GC / 2/4925 - i304)



JUER-A 35



JUER-A 60



JUER-A 80/100



JUER-BFR




JUER-BFR 60/65




i304	
REF.	kg/ud
2/7018	0,18

i	3	1	6
---	---	---	---




JUER-B



	H		GS		GC		i	3	1	6
	mm	inch	REF.	kg/ud	REF.	kg/ud				
JUER-B 35	35	1 3/8"	2/7204	0,12	2/7208	0,13	3	0	4	6
JUER-B 60	60	2 3/8"	2/7205	0,08	2/4440	0,09				
JUER-B 80	80	3 1/7"	2/7206	0,12	2/7209	0,13				
JUER-B 100	100	4"	2/7207	0,15	2/7210	0,16				

2/100 x B1 (2/4356 - GS / 2/6826 - GC / 2/4925 - i304)




JUER-U



	H		GS		i304		i	3	1	6
	mm	inch	REF.	kg/ud	REF.	kg/ud				
JUER-U 60	60	2 3/8"	2/5740	0,14	2/14241	0,14	3	1	6	
JUER-U 100	100	4"	2/14243	0,20	2/14242	0,20				

2/100 x B1 (2/4356 - GS / 2/6826 - GC / 2/4925 - i304)




PBCH-1



PBCH-1




	e	L	PVC	
	mm	m	REF.	kg/ud
	≤ 1	20	2/10086	0,07




B1







	L mm	Pap Nm	EZ		GC		i304	
			REF.	kg/ud	REF.	kg/ud	REF.	kg/m
B1-100	14	6	2/4356	0,77	2/6826	0,77	-	-
B1-100	20	6	-	-	-	-	2/4925	0,79









Fast Coupling




CPBS




CCXBS



TEBS




CRBS



JUBS



JUBS-I



PS

Filling Area

B		H12 (1/2")		H18 (3/4")		H25 (1")		H50 (2")		H75 (3")		H100 (4")	
mm	inch	cm ²	in ²	cm ²	in ²	cm ²	in ²	cm ²	in ²	cm ²	in ²	cm ²	in ²
50	2	4	0,6	-	-	10	1,6	-	-	-	-	-	-
75	3	7	1,1	-	-	16	2,5	33	5,1	-	-	-	-
100	4	9	1,4	-	-	21	3,3	45	7,0	69	10,7	94	14,6
150	6	14	2,2	-	-	33	5,1	69	10,7	106	16,4	143	22,2
225	9	22	3,4	-	-	50	7,8	105	16,3	161	25,0	216	33,5
300	12	-	-	47	7,3	67	10,4	141	21,9	215	33,3	290	45,0
450	18	-	-	-	-	102	15,8	213	33,0	325	50,4	437	67,7
600	24	-	-	-	-	136	21,1	285	44,2	434	67,3	584	90,5
750	30	-	-	-	-	171	26,5	357	55,3	544	84,3	731	113,3
900	35	-	-	-	-	205	31,8	429	66,5	653	101,2	878	136,1




BS Low Duty H12 / H18



BS 50X12



L = 3 m



FastCoupling

BS 75-225X12 / 300X18




L = 3 m

	B		H		e	GS		GC		e	i316	
	mm	inch	mm	inch	mm	REF.	kg/m	REF.	kg/m	mm	REF.	kg/m
BS 50x12	50	2"	12	1/2"	0,8	2/3658	0,44	2/3847	0,51	0,8	2/14993	0,44

1 x JUBS-I

	B		H		e	GS		GC		e	i316	
	mm	inch	mm	inch	mm	REF.	kg/m	REF.	kg/m	mm	REF.	kg/m
BS 75x12	75	3"	12	1/2"	0,8	2/3659	0,60	2/3848	0,70	0,8	2/14994	0,60
BS 100x12	100	4"	12	1/2"	0,8	2/3660	0,76	2/3849	0,88	0,8	2/14995	0,76
BS 150x12	150	6"	12	1/2"	0,8	2/3661	1,08	2/3850	1,25	0,8	2/14996	1,08
BS 225x12	225	9"	12	1/2"	0,8	2/3662	1,56	2/3851	1,81	0,8	2/14997	1,56
BS 300x18	300	12"	18	3/4"	1,2	2/3663	3,19	2/3852	3,57	1,2	2/14998	3,19

4/100 x B1 (2/4356 EZ // 2/6826 GC)




BS Medium Duty H25



BS 50x25



L = 3 m



FastCoupling

BS 75-600X25




L = 3 m

	B		H		e	GS		GC		e	i316	
	mm	inch	mm	inch	mm	REF.	kg/m	REF.	kg/m	mm	REF.	kg/m
BS 50x25	50	2"	25	1"	0,7	2/3708	0,67	2/3903	0,78	0,8	2/14999	0,77

1 x JUBS-I

	B		H		e	GS		GC		e	i316	
	mm	inch	mm	inch	mm	REF.	kg/m	REF.	kg/m	mm	REF.	kg/m
BS 75x25	75	3"	25	1"	0,7	2/3709	0,81	2/3904	0,95	0,8	2/15000	0,93
BS 100x25	100	4"	25	1"	0,7	2/3710	0,95	2/3905	1,11	0,8	2/15001	1,09
BS 150x25	150	6"	25	1"	0,8	2/3711	1,40	2/3906	1,62	0,8	2/15002	1,40
BS 225x25	225	9"	25	1"	0,8	2/3712	1,88	2/3907	2,18	0,8	2/15003	1,88
BS 300x25	300	12"	25	1"	1	2/3713	2,94	2/3908	3,35	1	2/15004	2,94
BS 450x25	450	18"	25	1"	1,2	2/3714	4,95	2/3909	5,54	1,2	2/15005	4,95
BS 600x25	600	24"	25	1"	1,2	2/3715	6,39	2/3910	7,16	1,2	2/15006	6,39

4/100 x B1 (2/4356 EZ // 2/6826 GC)



BS 750-900x25



L = 2 m

	B		H		e	GS		GC		e	i316	
	mm	inch	mm	inch	mm	REF.	kg/m	REF.	kg/m	mm	REF.	kg/m
BS 750x25x1,5 2M	750	30"	25	1"	1,5	2/3716	9,78	2/3911	10,76	1,5	-	9,78
BS 900x25x1,5 2M	900	36"	25	1"	1,5	2/3717	11,58	2/3912	12,74	1,5	-	11,58

2 x JUBS





BS Heavy Duty H50




BS 75-600X50

FastCoupling



L = 3 m



BS 750-900X50



L = 2 m

	B		H		e	GS		GC		e	i316	
	mm	inch	mm	inch		REF.	kg/m	REF.	kg/m		REF.	kg/m
BS 75x50	75	3"	50	2"	0,8	2/3785	1,24	2/3980	1,44	0,8	2/15007	1,24
BS 100x50	100	4"	50	2"	0,8	2/3786	1,40	2/3981	1,62	0,8	2/15008	1,40
BS 150x50	150	6"	50	2"	0,8	2/3787	1,72	2/3982	2,00	0,8	2/15009	1,72
BS 225x50	225	9"	50	2"	1,2	2/3788	3,27	2/3983	3,66	1,2	2/15010	3,27
BS 300x50	300	12"	50	2"	1,2	2/3789	3,99	2/3984	4,47	1,2	2/15011	3,99
BS 450x50x1,5	450	18"	50	2"	1,5	2/3790	6,78	2/3985	7,46	1,2	2/15012	6,78
BS 600x50x1,5	600	24"	50	2"	1,5	2/3791	8,58	2/3986	9,44	1,2	2/15013	8,58




4/100 x B1 (2/4356 EZ // 2/6826 GC)




	B		H		e	GS		GC		e	i316	
	mm	inch	mm	inch		REF.	kg/m	REF.	kg/m		REF.	kg/m
BS 750x50x1,5 2M	750	30"	50	2"	1,5	2/3792	10,38	2/3987	11,42	1,5	2/15014	10,38
BS 900x50x1,5 2M	900	36"	50	2"	1,5	2/3793	12,18	2/3988	13,40	1,5	2/15015	12,18



2 x JUBS




BS 75-600X50



BS 750-900X50



BS Extra Heavy Duty H50 / H75 / H100




BS H50-H100X1,5

FastCoupling



L = 3 m



BS H50-H100X2



L = 2 m

	B		H		e	GC	
	mm	inch	mm	inch		REF.	kg/m
BS 100x50x1,5	100	4"	50	2"	1,5	2/15446	2,84
BS 150x50x1,5	150	6"	50	2"	1,5	2/15447	3,50
BS 225x50x1,5	225	9"	50	2"	1,5	2/15448	4,49
BS 300x50x1,5	300	12"	50	2"	1,5	2/15449	5,48
BS 450x50x1,5	450	18"	50	2"	1,5	2/3985	7,46
BS 600x50x1,5	600	24"	50	2"	1,5	2/3986	9,44
BS 100x75x1,5	100	4"	75	3"	1,5	2/15454	3,50
BS 150x75x1,5	150	6"	75	3"	1,5	2/15455	4,16
BS 225x75x1,5	225	9"	75	3"	1,5	2/15456	5,15
BS 300x75x1,5	300	12"	75	3"	1,5	2/15457	6,14
BS 450x75x1,5	450	18"	75	3"	1,5	2/15458	8,12
BS 600x75x1,5	600	24"	75	3"	1,5	2/15459	10,10
BS 100x100x1,5	100	4"	100	4"	1,5	2/15462	4,16
BS 150x100x1,5	150	6"	100	4"	1,5	2/15463	4,82
BS 225x100x1,5	225	9"	100	4"	1,5	2/15464	5,81
BS 300x100x1,5	300	12"	100	4"	1,5	2/15465	6,80
BS 450x100x1,5	450	18"	100	4"	1,5	2/15466	8,78
BS 600x100x1,5	600	24"	100	4"	1,5	2/15467	10,76




4/100 x B1 (2/4356 EZ // 2/6826 GC)




	B		H		e	GC	
	mm	inch	mm	inch		REF.	kg/m
BS 750x50x2 2M	750	30"	50	2"	2	2/15452	14,86
BS 900x50x2 2M	900	36"	50	2"	2	2/15453	17,44
BS 750x75x2 2M	750	30"	75	3"	2	2/15460	15,72
BS 900x75x2 2M	900	36"	75	3"	2	2/15461	18,30
BS 600x100x2 2M	600	24"	100	4"	2	2/15468	14,00
BS 750x100x2 2M	750	30"	100	4"	2	2/15469	16,58
BS 900x100x2 2M	900	36"	100	4"	2	2/15470	19,16



2 x JUBS



BS H50-H100X1,5





BS H50-H100X2



CPBS



	B		H		e	GS		GC		e	i316	
	mm	inch	mm	inch		REF.	kg/ud	REF.	kg/ud		REF.	kg/ud
CPBS 50X12	50	2"	12	1/2"	0,8	2/4321	0,20	2/3863	0,23	0,8	2/15016	0,20
CPBS 75X12	75	3"	12	1/2"	0,8	2/3669	0,25	2/3864	0,29	0,8	2/15017	0,25
CPBS 100X12	100	4"	12	1/2"	0,8	2/3670	0,32	2/3865	0,37	0,8	2/15018	0,32
CPBS 150X12	150	6"	12	1/2"	0,8	2/3671	0,48	2/3866	0,56	0,8	2/15019	0,48
CPBS 225X12	225	9"	12	1/2"	0,8	2/3672	0,76	2/3867	0,88	0,8	2/15020	0,76
CPBS 300X18	300	12"	18	3/4"	1,2	2/3673	1,63	2/3868	1,83	1,2	2/15021	1,63
CPBS 50X25	50	2"	25	1"	0,7	2/3745	0,20	2/3940	0,23	0,8	2/15022	0,23
CPBS 75X25	75	3"	25	1"	0,7	2/3746	0,25	2/3941	0,29	0,8	2/15023	0,29
CPBS 100X25	100	4"	25	1"	0,7	2/3747	0,31	2/3942	0,36	0,8	2/15024	0,35
CPBS 150X25	150	6"	25	1"	0,8	2/3748	0,52	2/3943	0,60	0,8	2/15025	0,52
CPBS 225X25	225	9"	25	1"	0,8	2/3749	0,81	2/3944	0,94	0,8	2/15026	0,81
CPBS 300X25	300	12"	25	1"	1	2/3750	1,46	2/3945	1,66	1	2/15027	1,46
CPBS 450X25	450	18"	25	1"	1,2	2/3751	3,09	2/3946	3,46	1,2	2/15028	3,09
CPBS 600X25	600	24"	25	1"	1,2	2/3752	4,78	2/3947	5,35	1,2	2/15029	4,78
CPBS 750X25	750	30"	25	1"	1,5	2/3753	8,54	2/3948	9,39	1,5	2/11309	8,54
CPBS 900X25	900	36"	25	1"	1,5	2/3754	11,55	2/3949	12,71	1,5	2/11310	11,55
CPBS 75X50	75	3"	50	2"	0,8	2/3811	0,39	2/4006	0,45	0,8	2/15030	0,39
CPBS 100X50	100	4"	50	2"	0,8	2/3812	0,47	2/4007	0,55	0,8	2/15031	0,47
CPBS 150X50	150	6"	50	2"	0,8	2/3813	0,64	2/4008	0,74	0,8	2/15032	0,64
CPBS 225X50	225	9"	50	2"	1,2	2/3814	1,44	2/4009	1,61	1,2	2/15033	1,44
CPBS 300X50	300	12"	50	2"	1,2	2/3815	2,01	2/4010	2,25	1,2	2/15034	2,01
CPBS 450X50x1,5	450	18"	50	2"	1,5	2/3816	4,26	2/4011	4,69	1,5	2/15035	4,26
CPBS 600X50x1,5	600	24"	50	2"	1,5	2/3817	6,45	2/4012	7,10	1,5	2/15036	6,45
CPBS 750X50x1,5	750	30"	50	2"	1,5	2/3818	9,10	2/4013	10,01	1,5	2/15037	9,10
CPBS 900X50x1,5	900	36"	50	2"	1,5	2/3819	12,19	2/4014	13,41	1,5	2/15038	12,19




4/100 x B1 (2/4356 EZ // 2/6826 GC)



CPBS Extra Heavy Duty




	B		H		e	GC	
	mm	inch	mm	inch		REF.	kg/ud
CPBS 100X50X1.5	100	4"	50	2"	1,5	2/15471	0,96
CPBS 150X50X1.5	150	6"	50	2"	1,5	2/15472	1,33
CPBS 225X50X1.5	225	9"	50	2"	1,5	2/15473	1,98
CPBS 300X50X1.5	300	12"	50	2"	1,5	2/15474	2,76
CPBS 450X50X1.5	450	18"	50	2"	1,5	2/4011	4,68
CPBS 600X50X1.5	600	24"	50	2"	1,5	2/4012	7,10
CPBS 750X50X2	750	30"	50	2"	2	2/15477	13,04
CPBS 900X50X2	900	36"	50	2"	2	2/15478	17,47
CPBS 100X75X1.5	100	4"	75	3"	1,5	2/15479	1,20
CPBS 150X75X1.5	150	6"	75	3"	1,5	2/15480	1,59
CPBS 225X75X1.5	225	9"	75	3"	1,5	2/15481	2,29
CPBS 300X75X1.5	300	12"	75	3"	1,5	2/15482	3,10
CPBS 450X75X1.5	450	18"	75	3"	1,5	2/15483	5,11
CPBS 600X75X1.5	600	24"	75	3"	1,5	2/15484	7,65
CPBS 750X75X2	750	30"	75	3"	2	2/15485	13,81
CPBS 900X75X2	900	36"	75	3"	2	2/15486	18,34
CPBS 100X100X1.5	100	4"	100	4"	1,5	2/15487	1,43
CPBS 150X100X1.5	150	6"	100	4"	1,5	2/15488	1,85
CPBS 225X100X1.5	225	9"	100	4"	1,5	2/15489	2,59
CPBS 300X100X1.5	300	12"	100	4"	1,5	2/15490	3,45
CPBS 450X100X1.5	450	18"	100	4"	1,5	2/15491	5,54
CPBS 600X100X1.5	600	24"	100	4"	1,5	2/15492	8,12
CPBS 600X100X2	600	24"	100	4"	2	2/15493	10,58
CPBS 750X100X2	750	30"	100	4"	2	2/15494	14,58
CPBS 900X100X2	900	36"	100	4"	2	2/15495	19,22





4/100 x B1 (2/4356 EZ // 2/6826 GC)



CCXBS




	B		H		e	GS		GC		e	i316	
	mm	inch	mm	inch	mm	REF.	kg/ud	REF.	kg/ud	mm	REF.	kg/ud
CCXBS 50X12	50	2"	12	1/2"	0,8	2/4229	0,36	2/4258	0,41	0,8	2/15039	0,36
CCXBS 75X12	75	3"	12	1/2"	0,8	2/4230	0,48	2/4259	0,56	0,8	2/15040	0,48
CCXBS 100X12	100	4"	12	1/2"	0,8	2/4231	0,60	2/4260	0,70	0,8	2/15041	0,60
CCXBS 150X12	150	6"	12	1/2"	0,8	2/4232	0,85	2/4261	0,98	0,8	2/15042	0,85
CCXBS 225X12	225	9"	12	1/2"	0,8	2/4233	1,22	2/4262	1,41	0,8	2/15043	1,22
CCXBS 300X18	300	12"	18	3/4"	1,2	2/4234	2,46	2/4263	2,75	1,2	2/15044	2,46
CCXBS 50X25	50	2"	25	1"	0,7	2/4239	0,50	2/4268	0,58	0,8	2/15045	0,57
CCXBS 75X25	75	3"	25	1"	0,7	2/4240	0,60	2/4269	0,71	0,8	2/15046	0,69
CCXBS 100X25	100	4"	25	1"	0,7	2/4241	0,71	2/4270	0,83	0,8	2/15047	0,81
CCXBS 150X25	150	6"	25	1"	0,8	2/4242	1,06	2/4271	1,23	0,8	2/15048	1,06
CCXBS 225X25	225	9"	25	1"	0,8	2/4243	1,43	2/4272	1,66	0,8	2/15049	1,43
CCXBS 300X25	300	12"	25	1"	1	2/4244	2,25	2/4273	2,57	1	2/15050	2,25
CCXBS 450X25	450	18"	25	1"	1,2	2/4245	3,81	2/4274	4,27	1,2	2/15051	3,81
CCXBS 600X25	600	24"	25	1"	1,2	2/4246	4,92	2/4275	5,51	1,2	2/15052	4,92
CCXBS 750X25x1,5	750	30"	25	1"	1,5	2/4247	7,54	2/4276	8,29	1,5	2/11349	7,54
CCXBS 900X25x1,5	900	36"	25	1"	1,5	2/4248	8,93	2/4277	9,82	1,5	2/11350	8,93
CCXBS 75X50	75	3"	50	2"	0,8	2/4249	0,94	2/4278	1,09	0,8	2/15053	0,94
CCXBS 100X50	100	4"	50	2"	0,8	2/4250	1,06	2/4279	1,23	0,8	2/15054	1,06
CCXBS 150X50	150	6"	50	2"	0,8	2/4251	1,31	2/4280	1,52	0,8	2/15055	1,31
CCXBS 225X50	225	9"	50	2"	1,2	2/4252	2,52	2/4281	2,82	1,2	2/15056	2,52
CCXBS 300X50	300	12"	50	2"	1,2	2/4253	3,07	2/4282	3,44	1,2	2/15057	3,07
CCXBS 450X50x1,5	450	18"	50	2"	1,5	2/4254	5,23	2/4283	5,75	1,5	2/15058	5,23
CCXBS 600X50x1,5	600	24"	50	2"	1,5	2/4255	6,62	2/4284	7,28	1,5	2/15059	6,62
CCXBS 750X50x1,5	750	30"	50	2"	1,5	2/4256	8,00	2/4285	8,80	1,5	2/15060	8,00
CCXBS 900X50x1,5	900	36"	50	2"	1,5	2/4257	9,39	2/4286	10,33	1,5	2/15061	9,39





4/100 x B1 (2/4356 EZ // 2/6826 GC)



CCXBS Extra Heavy Duty




	B		H		e	GC	
	mm	inch	mm	inch	mm	REF.	kg/ud
CCXBS 100X50X1,5	100	4"	50	2"	1,5	2/15496	2,19
CCXBS 150X50X1,5	150	6"	50	2"	1,5	2/15497	2,70
CCXBS 225X50X1,5	225	9"	50	2"	1,5	2/15498	3,46
CCXBS 300X50X1,5	300	12"	50	2"	1,5	2/15499	4,22
CCXBS 450X50X1,5	450	18"	50	2"	1,5	2/4283	5,75
CCXBS 600X50X1,5	600	24"	50	2"	1,5	2/4284	7,28
CCXBS 750X50X2	750	30"	50	2"	2	2/15502	11,47
CCXBS 900X50X2	900	36"	50	2"	2	2/15503	13,46
CCXBS 100X75X1,5	100	4"	75	3"	1,5	2/15504	2,70
CCXBS 150X75X1,5	150	6"	75	3"	1,5	2/15505	3,21
CCXBS 225X75X1,5	225	9"	75	3"	1,5	2/15506	3,97
CCXBS 300X75X1,5	300	12"	75	3"	1,5	2/15507	4,73
CCXBS 450X75X1,5	450	18"	75	3"	1,5	2/15508	6,26
CCXBS 600X75X1,5	600	24"	75	3"	1,5	2/15509	7,79
CCXBS 750X75X2	750	30"	75	3"	2	2/15510	12,13
CCXBS 900X75X2	900	36"	75	3"	2	2/15511	14,12
CCXBS 100X100X1,5	100	4"	100	4"	1,5	2/15512	3,21
CCXBS 150X100X1,5	150	6"	100	4"	1,5	2/15513	3,71
CCXBS 225X100X1,5	225	9"	100	4"	1,5	2/15514	4,48
CCXBS 300X100X1,5	300	12"	100	4"	1,5	2/15515	5,24
CCXBS 450X100X1,5	450	18"	100	4"	1,5	2/15516	6,77
CCXBS 600X100X1,5	600	24"	100	4"	1,5	2/15517	8,29
CCXBS 600X100X2	600	24"	100	4"	2	2/15518	10,81
CCXBS 750X100X2	750	30"	100	4"	2	2/15519	12,80
CCXBS 900X100X2	900	36"	100	4"	2	2/15520	14,79



4/100 x B1 (2/4356 EZ // 2/6826 GC)




TEBS




	B		H		e	GS		GC		e	i316	
	mm	inch	mm	inch	mm	REF.	kg/ud	REF.	kg/ud	mm	REF.	kg/ud
TEBS 50X12	50	2"	12	1/2"	0,8	2/3688	0,47	2/3883	0,54	0,8	2/15085	0,47
TEBS 75X12	75	3"	12	1/2"	0,8	2/3689	0,55	2/3884	0,64	0,8	2/15086	0,55
TEBS 100X12	100	4"	12	1/2"	0,8	2/3690	0,63	2/3885	0,73	0,8	2/15087	0,63
TEBS 150X12	150	6"	12	1/2"	0,8	2/3691	0,82	2/3886	0,95	0,8	2/15088	0,82
TEBS 225X12	225	9"	12	1/2"	0,8	2/3692	1,15	2/3887	1,34	0,8	2/15089	1,15
TEBS 300X18	300	12"	18	3/4"	1,2	2/3693	2,33	2/3888	2,61	1,2	2/15090	2,33
TEBS 50X25	50	2"	25	1"	0,7	2/3765	0,45	2/3960	0,52	0,8	2/15091	0,51
TEBS 75X25	75	3"	25	1"	0,7	2/3766	0,52	2/3961	0,61	0,8	2/15092	0,59
TEBS 100X25	100	4"	25	1"	0,7	2/3767	0,60	2/3962	0,70	0,8	2/15093	0,69
TEBS 150X25	150	6"	25	1"	0,8	2/3768	0,88	2/3963	1,02	0,8	2/15094	0,88
TEBS 225X25	225	9"	25	1"	0,8	2/3769	1,21	2/3964	1,41	0,8	2/15095	1,21
TEBS 300X25	300	12"	25	1"	1	2/3770	2,01	2/3965	2,29	1	2/15096	2,01
TEBS 450X25	450	18"	25	1"	1,2	2/3771	3,83	2/3966	4,29	1,2	2/15097	3,83
TEBS 600X25	600	24"	25	1"	1,2	2/3772	5,57	2/3967	6,24	1,2	2/15098	5,57
TEBS 750X25x1,5	750	30"	25	1"	1,5	2/3773	9,55	2/3968	10,50	1,5	2/15066	9,55
TEBS 900X25x1,5	900	36"	25	1"	1,5	2/3774	12,53	2/3969	13,79	1,5	2/15067	12,53
TEBS 75X50	75	3"	50	2"	0,8	2/3829	0,70	2/4024	0,81	0,8	2/15099	0,70
TEBS 100X50	100	4"	50	2"	0,8	2/3830	0,80	2/4025	0,92	0,8	2/15100	0,80
TEBS 150X50	150	6"	50	2"	0,8	2/3831	1,00	2/4026	1,16	0,8	2/15101	1,00
TEBS 225X50	225	9"	50	2"	1,2	2/3832	2,05	2/4027	2,30	1,2	2/15102	2,05
TEBS 300X50	300	12"	50	2"	1,2	2/3833	2,67	2/4028	2,99	1,2	2/15103	2,67
TEBS 450X50x1,5	450	18"	50	2"	1,5	2/3834	5,20	2/4029	5,72	1,5	2/15104	5,20
TEBS 600X50x1,5	600	24"	50	2"	1,5	2/3835	7,46	2/4030	8,20	1,5	2/15105	7,46
TEBS 750X50x1,5	750	30"	50	2"	1,5	2/3836	10,12	2/4031	11,14	1,5	2/15106	10,12
TEBS 900X50x1,5	900	36"	50	2"	1,5	2/3837	13,20	2/4032	14,51	1,5	2/15107	13,20



4/100 x B1 (2/4356 EZ // 2/6826 GC)




TEBS Extra Heavy Duty



	B		H		e	GC	
	mm	inch	mm	inch	mm	REF.	kg/ud
TEBS 100X50X1,5	100	4"	50	2"	1,5	2/15546	1,64
TEBS 150X50X1,5	150	6"	50	2"	1,5	2/15547	2,08
TEBS 225X50X1,5	225	9"	50	2"	1,5	2/15548	2,82
TEBS 300X50X1,5	300	12"	50	2"	1,5	2/15549	3,67
TEBS 450X50X1,5	450	18"	50	2"	1,5	2/4029	5,72
TEBS 600X50X1,5	600	24"	50	2"	1,5	2/4030	8,20
TEBS 750X50X2	750	30"	50	2"	2	2/15552	14,51
TEBS 900X50X2	900	36"	50	2"	2	2/15553	18,91
TEBS 100X75X1,5	100	4"	75	3"	1,5	2/15554	1,90
TEBS 150X75X1,5	150	6"	75	3"	1,5	2/15555	2,36
TEBS 225X75X1,5	225	9"	75	3"	1,5	2/15556	3,15
TEBS 300X75X1,5	300	12"	75	3"	1,5	2/15557	4,05
TEBS 450X75X1,5	450	18"	75	3"	1,5	2/15558	6,18
TEBS 600X75X1,5	600	24"	75	3"	1,5	2/15559	8,76
TEBS 750X75X2	750	30"	75	3"	2	2/15560	15,35
TEBS 900X75X2	900	36"	75	3"	2	2/15561	19,87
TEBS 100X100X1,5	100	4"	100	4"	1,5	2/15562	2,16
TEBS 150X100X1,5	150	6"	100	4"	1,5	2/15563	2,66
TEBS 225X100X1,5	225	9"	100	4"	1,5	2/15564	3,49
TEBS 300X100X1,5	300	12"	100	4"	1,5	2/15565	4,44
TEBS 450X100X1,5	450	18"	100	4"	1,5	2/15566	6,66
TEBS 600X100X1,5	600	24"	100	4"	1,5	2/15567	9,33
TEBS 600X100X2	600	24"	100	4"	2	2/15568	12,15
TEBS 750X100X2	750	30"	100	4"	2	2/15569	16,21
TEBS 900X100X2	900	36"	100	4"	2	2/15570	20,85




4/100 x B1 (2/4356 EZ // 2/6826 GC)






CRBS




	B		H		e	GS		GC		e	i316	
	mm	inch	mm	inch	mm	REF.	kg/ud	REF.	kg/ud	mm	REF.	kg/ud
CRBS 50X12	50	2"	12	1/2"	0,8	2/3698	0,72	2/3893	0,84	0,8	2/15108	0,72
CRBS 75X12	75	3"	12	1/2"	0,8	2/3699	0,82	2/3894	0,95	0,8	2/15109	0,82
CRBS 100X12	100	4"	12	1/2"	0,8	2/3700	0,92	2/3895	1,06	0,8	2/15110	0,92
CRBS 150X12	150	6"	12	1/2"	0,8	2/3701	1,14	2/3896	1,32	0,8	2/15111	1,14
CRBS 225X12	225	9"	12	1/2"	0,8	2/3702	1,51	2/3897	1,75	0,8	2/15112	1,51
CRBS 300X18	300	12"	18	3/4"	1,2	2/3703	2,91	2/3898	3,26	1,2	2/15113	2,91
CRBS 50X25	50	2"	25	1"	0,7	2/3775	0,63	2/3970	0,74	0,8	2/15114	0,72
CRBS 75X25	75	3"	25	1"	0,7	2/3776	0,71	2/3971	0,84	0,8	2/15115	0,81
CRBS 100X25	100	4"	25	1"	0,7	2/3777	0,80	2/3972	0,94	0,8	2/15116	0,91
CRBS 150X25	150	6"	25	1"	0,8	2/3778	1,14	2/3973	1,32	0,8	2/15117	1,14
CRBS 225X25	225	9"	25	1"	0,8	2/3779	1,51	2/3974	1,75	0,8	2/15118	1,51
CRBS 300X25	300	12"	25	1"	1	2/3780	2,42	2/3975	2,76	1	2/15119	2,42
CRBS 450X25	450	18"	25	1"	1,2	2/3781	4,43	2/3976	4,97	1,2	2/15120	4,43
CRBS 600X25	600	24"	25	1"	1,2	2/3782	6,28	2/3977	7,03	1,2	2/15121	6,28
CRBS 750X25x1,5	750	30"	25	1"	1,5	2/3783	10,55	2/3978	11,61	1,5	2/15072	10,55
CRBS 900X25x1,5	900	36"	25	1"	1,5	2/3784	13,65	2/3979	15,02	1,5	2/15073	13,65
CRBS 75X50	75	3"	50	2"	0,8	2/3838	0,89	2/4033	1,03	0,8	2/15122	0,89
CRBS 100X50	100	4"	50	2"	0,8	2/3839	0,99	2/4034	1,15	0,8	2/15123	0,99
CRBS 150X50	150	6"	50	2"	0,8	2/3840	1,22	2/4035	1,42	0,8	2/15124	1,22
CRBS 225X50	225	9"	50	2"	1,2	2/3841	2,41	2/4036	2,70	1,2	2/15125	2,41
CRBS 300X50	300	12"	50	2"	1,2	2/3842	3,08	2/4037	3,44	1,2	2/15126	3,08
CRBS 450X50x1,5	450	18"	50	2"	1,5	2/3843	5,80	2/4038	6,38	1,5	2/15127	5,80
CRBS 600X50x1,5	600	24"	50	2"	1,5	2/3844	8,15	2/4039	8,96	1,5	2/15128	8,15
CRBS 750X50x1,5	750	30"	50	2"	1,5	2/3845	10,90	2/4040	11,99	1,5	2/15129	10,90
CRBS 900X50x1,5	900	36"	50	2"	1,5	2/3846	14,05	2/4041	15,46	1,5	2/15130	14,05



8/100 x B1 (2/4356 EZ // 2/6826 GC)




CRBS Extra Heavy Duty



	B		H		e	GC	
	mm	inch	mm	inch	mm	REF.	kg/ud
CRBS 100X50X1,5	100	4"	50	2"	1,5	2/15571	2,05
CRBS 150X50X1,5	150	6"	50	2"	1,5	2/15572	2,52
CRBS 225X50X1,5	225	9"	50	2"	1,5	2/15573	3,32
CRBS 300X50X1,5	300	12"	50	2"	1,5	2/15574	4,23
CRBS 450X50X1,5	450	18"	50	2"	1,5	2/4038	6,38
CRBS 600X50X1,5	600	24"	50	2"	1,5	2/4039	8,96
CRBS 750X50X2	750	30"	50	2"	2	2/15577	15,63
CRBS 900X50X2	900	36"	50	2"	2	2/15578	20,14
CRBS 100X75X1,5	100	4"	75	3"	1,5	2/15579	2,21
CRBS 150X75X1,5	150	6"	75	3"	1,5	2/15580	2,70
CRBS 225X75X1,5	225	9"	75	3"	1,5	2/15581	3,53
CRBS 300X75X1,5	300	12"	75	3"	1,5	2/15582	4,46
CRBS 450X75X1,5	450	18"	75	3"	1,5	2/15583	6,66
CRBS 600X75X1,5	600	24"	75	3"	1,5	2/15584	9,30
CRBS 750X75X2	750	30"	75	3"	2	2/15585	16,14
CRBS 900X75X2	900	36"	75	3"	2	2/15586	20,72
CRBS 100X100X1,5	100	4"	100	4"	1,5	2/15587	2,38
CRBS 150X100X1,5	150	6"	100	4"	1,5	2/15588	2,89
CRBS 225X100X1,5	225	9"	100	4"	1,5	2/15589	3,74
CRBS 300X100X1,5	300	12"	100	4"	1,5	2/15590	4,70
CRBS 450X100X1,5	450	18"	100	4"	1,5	2/15591	6,96
CRBS 600X100X1,5	600	24"	100	4"	1,5	2/15592	9,65
CRBS 600X100X2	600	24"	100	4"	2	2/15593	12,58
CRBS 750X100X2	750	30"	100	4"	2	2/15594	16,66
CRBS 900X100X2	900	36"	100	4"	2	2/15595	21,31




4/100 x B1 (2/4356 EZ // 2/6826 GC)






TBS



L = 3 m (10 ft)
L = 2 m (6,56 ft)

	L		B		H		e	GS		GC	
	m	ft	mm	inch	mm	inch	mm	REF.	kg/m	REF.	kg/m
TBS 75X1 3M	3	10	75	3"	15	3/5"	1	2/15521	0,89	2/15530	0,98
TBS 100X1 3M	3	10	100	4"	15	3/5"	1	2/15522	1,09	2/15531	1,20
TBS 150X1 3M	3	10	150	6"	15	3/5"	1	2/15523	1,49	2/15532	1,64
TBS 225X1 3M	3	10	225	9"	15	3/5"	1	2/15524	2,09	2/15533	2,30
TBS 300X1 3M	3	10	300	12"	15	3/5"	1	2/15525	2,69	2/15534	2,96
TBS 450X1.2 3M	3	10	450	18"	15	3/5"	1,2	2/15526	4,67	2/15535	5,13
TBS 600X1.2 3M	3	10	600	24"	15	3/5"	1,2	2/15527	6,11	2/15536	6,72
TBS 750X1.5 2M	2	6,56	750	30"	15	3/5"	1,5	2/15528	9,43	2/15537	10,38
TBS 900X1.5 2M	2	6,56	900	36"	15	3/5"	1,5	2/15529	11,23	2/15538	12,36




PTBS



	H		i316	
	mm	inch	REF.	kg/ud
PTBS H12	12	1/2"	2/3998	0,04
PTBS H25	25	1"	2/3999	0,05
PTBS H50	50	2"	2/4000	0,06
PTBS H75	75	3"	2/4001	0,07
PTBS H100	100	4"	2/4002	0,08



4 x PTBS => 1 x TBS



JUBS



JUBS 25


	H		GS		GC		i316	
	mm	inch	REF.	kg/ud	REF.	kg/ud	REF.	kg/ud
JUBS 25	25	1"	2/3724	0,25	2/3919	0,27	2/15134	0,25
JUBS 50	50	2"	2/3801	0,36	2/3996	0,39	2/15135	0,36
JUBS 75	75	3"	-	-	2/15598	0,51	-	-
JUBS 100	100	4"	-	-	2/15599	0,63	-	-




4/100 x B1 (2/4356 EZ // 2/6826 GC)



JUBS 50 / JUBS 75 / JUBS 100




JUBS 25



JUBS 50 / JUBS 75 / JUBS 100




JUBS-I



	H		GS		GC		i316	
	mm	inch	REF.	kg/ud	REF.	kg/ud	REF.	kg/ud
JUBS-I 12/25/50	50	2"	2/3800	0,06	2/3995	0,07	2/15133	0,06
JUBS-I 75	75	3"	-	-	2/15596	0,08	-	-
JUBS-I 100	100	4"	-	-	2/15475	0,09	-	-



4/100 x B1 (2/4356 EZ // 2/6826 GC)




UCBS




	B		e	GC	
	mm	inch	mm	REF.	kg/m
UCBS 75	75	3"	1,5	2/14480	0,05
UCBS 100	100	4"	1,5	2/14481	0,07
UCBS 150	150	6"	1,5	2/14482	0,10
UCBS 225	225	9"	1,5	2/14483	0,16
UCBS 300	300	12"	1,5	2/14484	0,21
UCBS 450	450	18"	1,5	2/14485	0,32
UCBS 600	600	24"	1,5	2/14486	0,43
UCBS 750	750	30"	1,5	2/14487	0,53
UCBS 900	900	36"	1,5	2/14488	0,64



4/100 x B1 (2/6826 - GC)



PS




	H		GS		GC		i316	
	mm	inch	REF.	kg/ud	REF.	kg/ud	REF.	kg/ud
PS 35	35	1 3/8"	2/3476	0,29	2/3479	0,29	2/15544	0,29
PS 60	60	2 3/8"	2/2066	0,34	2/3480	0,43	2/15545	0,34
PS 100	100	4"	2/3478	0,56	2/3482	0,76	2/5138	0,56



L = 3 m (10 ft)



1/100 x B1 (500 ↔ 500 mm) (2/4356 - GS // 2/6826 - GC // 2/4925 - i304)




B1



	EZ		GC	
	REF.	kg/ud	REF.	kg/ud
B1-100	2/4356	0,77	2/6826	0,77



10



CT5




	i316	
	REF.	kg/ud
CT5 M6X20	2/11271	0,90







4



10







CPU




CCU



CXU



TEU



CRU



JUE



PTU



B1

		Filling Area					
B		H20 (4/5")		H30 (1 1/6")		H50 (2")	
mm	inch	cm ²	in ²	cm ²	in ²	cm ²	in ²
50	2"	8	1,2	13	2	22	3,4
100	4"	17	2,6	27	4,2	46	7,1
150	6"	26	4	41	6,3	70	10,8
200	8"	35	5,4	55	8,5	94	14,6
300	12"	53	8,2	83	12,9	142	22
400	16"	-	-	-	-	190	29,4
500	20"	-	-	-	-	238	36,9
600	24"	-	-	-	-	286	44,3



U H15




L = 2 m (6,56 ft)



2 x JUE 12 (2/3186 - GC)



	B		H		e	GC	
	mm	inch	mm	inch	mm	REF.	(kg/m)
U 50x15x2 2M	50	2"	15	3/5"	2	2/0569	1,15
U 100x15x2 2M	100	4"	15	3/5"	2	2/0570	1,84
U 150x15x2 2M	150	6"	15	3/5"	2	2/0571	2,54
U 200x15x2 2M	200	8"	15	3/5"	2	2/0572	3,23
U 300x15x2 2M	300	12"	15	3/5"	2	2/0573	4,61



U H30




L = 3 m (10 ft)




2 x JUE 25 (2/3187 - GC)



	B		H		e	GC	
	mm	inch	mm	inch	mm	REF.	(kg/m)
U 50x30x2 3M	50	2"	30	1 1/6"	2	2/0577	1,67
U 100x30x2 3M	100	4"	30	1 1/6"	2	2/0578	2,36
U 150x30x2 3M	150	6"	30	1 1/6"	2	2/0579	3,05
U 200x30x2 3M	200	8"	30	1 1/6"	2	2/0580	3,74
U 300x30x2 3M	300	12"	30	1 1/6"	2	2/0581	5,12
U 400x30x2 3M	400	16"	30	1 1/6"	2	2/0582	6,41
U 500x30x2 3M	500	20"	30	1 1/6"	2	2/0583	7,62
U 600x30x2 3M	600	24"	30	1 1/6"	2	2/0584	8,84



U H50




L = 3 m (10 ft)




2 x JUE 45 (2/3655 - GC)



	B		H		e	GC	
	mm	inch	mm	inch	mm	REF.	(kg/m)
U 50x50x2 3M	50	2"	50	2"	2	2/0585	2,36
U 100x50x2 3M	100	4"	50	2"	2	2/0586	3,05
U 150x50x2 3M	150	6"	50	2"	2	2/0587	3,74
U 200x50x2 3M	200	8"	50	2"	2	2/0588	4,43
U 300x50x2 3M	300	12"	50	2"	2	2/0589	5,81
U 400x50x2 3M	400	16"	50	2"	2	2/0590	7,28
U 500x50x2 3M	500	20"	50	2"	2	2/0591	8,66
U 600x50x2 3M	600	24"	50	2"	2	2/0592	10,04



TU








L = 3 m (10 ft)

TU 50 -> L = 2 m (6.56 ft)



	L		B		H		e	GC	
	m	ft	mm	inch	mm	inch	mm	REF.	(kg/m)
TU 50x1,5 2M	2	6,67	50	2"	15	3/5"	1,5	2/3554	1,05
TU 100x1,5 3M	3	10	100	4"	15	3/5"	1,5	2/3553	1,68
TU 150x1,5 3M	3	10	150	6"	15	3/5"	1,5	2/4659	2,33
TU 200x1,5 3M	3	10	200	8"	15	3/5"	1,5	2/4894	2,97
TU 300x1,5 3M	3	10	300	12"	15	3/5"	1,5	2/4839	4,66
TU 400x1,5 3M	3	10	400	16"	15	3/5"	1,5	2/5791	5,57
TU 600x1,5 3M	3	10	600	24"	15	3/5"	1,5	2/4840	8,24





CPU




CCU



CXU



TEU



CRU



JUE



PTU



B1

B		Filling Area					
		H20 (4/5")		H30 (1 1/6")		H50 (2")	
mm	inch	cm ²	in ²	cm ²	in ²	cm ²	in ²
50	2"	8	1,2	13	2	22	3,4
100	4"	17	2,6	27	4,2	46	7,1
150	6"	26	4	41	6,3	70	10,8
200	8"	35	5,4	55	8,5	94	14,6
300	12"	53	8,2	83	12,9	142	22
400	16"	-	-	-	-	190	29,4
500	20"	-	-	-	-	238	36,9
600	24"	-	-	-	-	286	44,3



OME H20 E2



L = 3 m (10 ft)

OME 50X20X2 -> L=2m (6.56 ft)


	B		H		e	GC	
	mm	inch	mm	inch	mm	REF.	(kg/m)
OME 50x20x2 2M	50	2"	20	4/5"	2	2/0405	1,64
OME 100x20x2 3M	100	4"	20	4/5"	2	2/0406	2,32
OME 150x20x2 3M	150	6"	20	4/5"	2	2/0407	2,99
OME 200x20x2 3M	200	8"	20	4/5"	2	2/0408	3,67
OME 300x20x2 3M	300	12"	20	4/5"	2	2/0409	5,03



2 x JUE 12 (2/3186 - GC)



OME = U



OME H30 E2



L = 3 m (10 ft)


	B		H		e	GC	
	mm	inch	mm	inch	mm	REF.	(kg/m)
OME 100x30x2 3M	100	4"	30	1 1/6"	2	2/0414	2,65
OME 150x30x2 3M	150	6"	30	1 1/6"	2	2/5977	3,33
OME 200x30x2 3M	200	8"	30	1 1/6"	2	2/0416	4,00
OME 300x30x2 3M	300	12"	30	1 1/6"	2	2/0417	5,37



2 x JUE 25 (2/3186 - GC)



OME = U



OME H50 E2



L = 3 m (10 ft)


	B		H		e	GC	
	mm	inch	mm	inch	mm	REF.	(kg/m)
OME 50x50x2 3M	50	2"	50	2"	2	2/0421	2,65
OME 100x50x2 3M	100	4"	50	2"	2	2/0422	3,33
OME 150x50x2 3M	150	6"	50	2"	2	2/0423	4,01
OME 200x50x2 3M	200	8"	50	2"	2	2/0424	4,68
OME 300x50x2 3M	300	12"	50	2"	2	2/0425	6,04
OME 400x50x2 3M	400	16"	50	2"	2	2/0426	7,48
OME 500x50x2 3M	500	20"	50	2"	2	2/0427	8,84
OME 600x50x2 3M	600	24"	50	2"	2	2/3218	10,19



2 x JUE 45 (2/3186 - GC)



OME = U



OME H20 E2,5



L = 2 m (6.56 ft)


	B		H		e	GC	
	mm	inch	mm	inch	mm	REF.	(kg/m)
OME 50x20x2,5 2M	50	2"	20	4/5"	2,5	2/0446	1,98
OME 100x20x2,5 2M	100	4"	20	4/5"	2,5	2/0447	2,81
OME 150x20x2,5 2M	150	6"	20	4/5"	2,5	2/0448	3,64
OME 200x20x2,5 2M	200	8"	20	4/5"	2,5	2/0449	4,46
OME 300x20x2,5 2M	300	12"	20	4/5"	2,5	2/0450	6,12



2 x JUE 12 (2/3186 - GC)



OME = U





OME H30 E2,5




L = 2 m (6,56 ft)

	B		H		e	GC	
	mm	inch	mm	inch	mm	REF.	(kg/m)
OME 50x30x2,5 2M	50	2"	30	1 1/6"	2,5	2/0454	2,39
OME 100x30x2,5 2M	100	4"	30	1 1/6"	2,5	2/0455	3,22
OME 150x30x2,5 2M	150	6"	30	1 1/6"	2,5	2/0456	4,05
OME 200x30x2,5 2M	200	8"	30	1 1/6"	2,5	2/0457	4,88
OME 300x30x2,5 2M	300	12"	30	1 1/6"	2,5	2/0458	6,53

2 x JUE 25 (2/3186 - GC)

A OME = U



OME H50 E2,5




L = 2 m (6,56 ft)

	B		H		e	GC	
	mm	inch	mm	inch	mm	REF.	(kg/m)
OME 50x50x2,5 2M	50	2"	50	2"	2,5	2/0462	3,22
OME 100x50x2,5 2M	100	4"	50	2"	2,5	2/0463	4,04
OME 150x50x2,5 2M	150	6"	50	2"	2,5	2/0464	4,87
OME 200x50x2,5 2M	200	8"	50	2"	2,5	2/0465	5,70
OME 300x50x2,5 2M	300	12"	50	2"	2,5	2/0466	8,18
OME 400x50x2,5 2M	400	16"	50	2"	2,5	2/0467	10,15
OME 500x50x2,5 2M	500	20"	50	2"	2,5	2/0468	10,77
OME 600x50x2,5 2M	600	24"	50	2"	2,5	2/4505	12,42

2 x JUE 45 (2/3186 - GC)

A OME = U



OME REPSOL




L = 2 m (6,56 ft)

	B		H		e	GC80	
	mm	inch	mm	inch	mm	REF.	(kg/m)
OME 50x30x2 2M	50	2"	50	2"	2	2/0413	1,98
OME 100x30x2 2M	100	4"	50	2"	2	2/5513	2,65
OME 150x30x2 2M	150	6"	50	2"	2	2/0415	3,33
OME 200x50x2 2M	200	8"	50	2"	2	2/3219	4,77
OME 300x50x2,5 2M	300	12"	50	2"	2,5	2/0466	8,18
OME 400x50x2,5 2M	400	16"	50	2"	2,5	2/0467	10,15
OME 600x50x2,5 2M	600	24"	50	2"	2,5	2/4505	12,42

2 x JUE 25/45 (2/3186 - GC)

A OME = U



OMEL REPSOL ED-P 11.02-1




L = 2 m (6,56 ft)



	B		H		e	GC80	
	mm	inch	mm	inch	mm	REF.	(kg/m)
OMEL 100x30x2 2M	100	4"	30	1 1/6"	2	2/5968	2,81
OMEL 200x50x2 2M	200	8"	50	2"	2	2/5967	4,93
OMEL 300x50x2,5 2M	300	12"	50	2"	2,5	2/5966	7,98
OMEL 400x50x2,5 2M	400	16"	50	2"	2,5	2/5965	9,81
OMEL 600x50x2,5 2M	600	24"	50	2"	2,5	2/6338	13,46


2 x JUE 25/45 (2/3186 - GC)

A OME = U






TOME



L = 3 m (10 ft)

TOME 50 --> L = 2 m (6.56 ft)


	L		B		H		e	GC	
	m	ft	mm	inch	mm	inch	mm	REF.	(kg/m)
TOME 50x2 2M	2	6,56	50	2"	15	3/5"	2	2/5692	1,68
TOME 100x2 3M	3	10	100	4"	15	3/5"	2	2/4865	2,53
TOME 150x2 3M	3	10	150	6"	15	3/5"	2	2/4973	3,37
TOME 200x2 3M	3	10	200	8"	15	3/5"	2	2/4974	4,22
TOME 300x2 3M	3	10	300	12"	15	3/5"	2	2/4864	5,86
TOME 400x2 3M	3	10	400	16"	15	3/5"	2	2/4977	7,59
TOME 500x2 3M	3	10	500	20"	15	3/5"	2	2/4978	9,18
TOME 600x2 3M	3	10	600	24"	15	3/5"	2	2/4979	10,90



B1




	L mm	Pap Nm	GC		i304	
			REF.	kg/ud	REF.	kg/ud
B1-100	14	6	2/6826	0,77	-	-
B1-100	20	6	-	-	2/4925	0,79






CPU




	B		H		GC			
					e=2mm		e=2,5mm	
	mm	inch	mm	inch	REF.	(kg/ud)	REF.	(kg/ud)
CPU 50x15xe	50	2"	15	3/5"	2/2069	0,21	-	-
CPU 100x15xe	100	4"	15	3/5"	2/2070	0,47	-	-
CPU 150x15xe	150	6"	15	3/5"	2/2071	0,81	-	-
CPU 200x15xe	200	8"	15	3/5"	2/2072	1,22	-	-
CPU 300x15xe	300	12"	15	3/5"	2/2073	2,24	-	-
CPU 50x30xe	50	2"	30	1 1/6"	2/2077	0,28	2/2167	0,33
CPU 100x30xe	100	4"	30	1 1/6"	2/2078	0,56	2/2168	0,66
CPU 150x30xe	150	6"	30	1 1/6"	2/2079	0,92	2/2169	1,08
CPU 200x30xe	200	8"	30	1 1/6"	2/2080	1,34	2/2170	1,57
CPU 300x30xe	300	12"	30	1 1/6"	2/2081	2,41	2/2171	2,83
CPU 400x30xe	400	16"	30	1 1/6"	2/2082	3,48	2/2172	4,09
CPU 500x30xe	500	20"	30	1 1/6"	2/2083	4,55	2/2173	5,34
CPU 600x30xe	600	24"	30	1 1/6"	2/2084	5,62	2/2174	6,60
CPU 50x50xe	50	2"	50	2"	2/2085	0,36	2/2175	0,42
CPU 100x50xe	100	4"	50	2"	2/2086	0,67	2/2176	0,79
CPU 150x50xe	150	6"	50	2"	2/2087	1,06	2/2177	1,24
CPU 200x50xe	200	8"	50	2"	2/2088	1,51	2/2178	1,77
CPU 300x50xe	300	12"	50	2"	2/2089	2,64	2/2179	3,10
CPU 400x50xe	400	16"	50	2"	2/2090	4,04	2/2180	4,89
CPU 500x50xe	500	20"	50	2"	2/2091	5,73	2/2181	6,89
CPU 600x50xe	600	24"	50	2"	2/2092	7,70	2/2182	8,88




4/100 x B1 (2/6826 - GC)

CCU



	B		H		GC			
					e=2mm		e=2,5mm	
	mm	inch	mm	inch	REF.	(kg/ud)	REF.	(kg/ud)
CCU 50x15xe	50	2"	15	3/5"	2/2249	0,40	-	-
CCU 100x15xe	100	4"	15	3/5"	2/2250	0,73	-	-
CCU 150x15xe	150	6"	15	3/5"	2/2251	1,14	-	-
CCU 200x15xe	200	8"	15	3/5"	2/2252	1,60	-	-
CCU 300x15xe	300	12"	15	3/5"	2/2253	3,21	-	-
CCU 50x30xe	50	2"	30	1 1/6"	2/2257	0,51	2/2347	0,69
CCU 100x30xe	100	4"	30	1 1/6"	2/2258	0,83	2/2348	1,06
CCU 150x30xe	150	6"	30	1 1/6"	2/2259	1,26	2/2349	1,54
CCU 200x30xe	200	8"	30	1 1/6"	2/2260	1,74	2/2350	2,12
CCU 300x30xe	300	12"	30	1 1/6"	2/2261	3,41	2/2351	4,16
CCU 400x30xe	400	16"	30	1 1/6"	2/2262	4,80	2/2352	5,86
CCU 500x30xe	500	20"	30	1 1/6"	2/2263	6,30	2/2353	7,69
CCU 600x30xe	600	24"	30	1 1/6"	2/2264	7,80	2/2354	9,52
CCU 50x50xe	50	2"	50	2"	2/2265	0,60	2/2355	0,83
CCU 100x50xe	100	4"	50	2"	2/2266	0,92	2/2356	1,19
CCU 150x50xe	150	6"	50	2"	2/2267	1,37	2/2357	1,80
CCU 200x50xe	200	8"	50	2"	2/2268	1,87	2/2358	2,41
CCU 300x50xe	300	12"	50	2"	2/2269	3,64	2/2359	4,35
CCU 400x50xe	400	16"	50	2"	2/2270	5,06	2/2360	6,01
CCU 500x50xe	500	20"	50	2"	2/2271	6,65	2/2361	8,50
CCU 600x50xe	600	24"	50	2"	2/2272	9,35	2/2362	10,99




4/100 x B1 (2/6826 - GC)



CXU



	B		H		GC			
					e=2mm		e=2,5mm	
	mm	inch	mm	inch	REF.	(kg/ud)	REF.	(kg/ud)
CXU 50x15xe	50	2"	15	3/5"	2/2429	0,42	-	-
CXU 100x15xe	100	4"	15	3/5"	2/2430	0,70	-	-
CXU 150x15xe	150	6"	15	3/5"	2/2431	1,07	-	-
CXU 200x15xe	200	8"	15	3/5"	2/2432	1,49	-	-
CXU 300x15xe	300	12"	15	3/5"	2/2433	2,94	-	-
CXU 50x30xe	50	2"	30	1 1/6"	2/2437	0,61	2/2527	0,89
CXU 100x30xe	100	4"	30	1 1/6"	2/2438	0,89	2/2528	1,07
CXU 150x30xe	150	6"	30	1 1/6"	2/2439	1,27	2/2529	1,52
CXU 200x30xe	200	8"	30	1 1/6"	2/2440	1,71	2/2530	2,05
CXU 300x30xe	300	12"	30	1 1/6"	2/2441	3,29	2/2531	3,95
CXU 400x30xe	400	16"	30	1 1/6"	2/2442	4,40	2/2532	5,28
CXU 500x30xe	500	20"	30	1 1/6"	2/2443	5,55	2/2533	6,66
CXU 600x30xe	600	24"	30	1 1/6"	2/2444	6,70	2/2534	8,04
CXU 50x50xe	50	2"	50	2"	2/2445	0,86	2/2535	1,03
CXU 100x50xe	100	4"	50	2"	2/2446	1,14	2/2536	1,37
CXU 150x50xe	150	6"	50	2"	2/2447	1,55	2/2537	1,86
CXU 200x50xe	200	8"	50	2"	2/2448	2,00	2/2538	2,45
CXU 300x50xe	300	12"	50	2"	2/2449	3,69	2/2539	4,02
CXU 400x50xe	400	16"	50	2"	2/2450	4,86	2/2540	5,38
CXU 500x50xe	500	20"	50	2"	2/2451	6,43	2/2541	7,74
CXU 600x50xe	600	24"	50	2"	2/2452	8,92	2/2542	10,1




4/100 x B1 (2/6826 - GC)



TEU




	B		H		GC			
					e=2mm		e=2,5mm	
	mm	inch	mm	inch	REF.	(kg/ud)	REF.	(kg/ud)
TEU 50x15xe	50	2"	15	3/5"	2/2789	0,41	-	-
TEU 100x15xe	100	4"	15	3/5"	2/2790	0,79	-	-
TEU 150x15xe	150	6"	15	3/5"	2/2791	1,27	-	-
TEU 200x15xe	200	8"	15	3/5"	2/2792	1,82	-	-
TEU 300x15xe	300	12"	15	3/5"	2/2793	3,19	-	-
TEU 50x30xe	50	2"	30	1 1/6"	2/2797	0,49	2/2888	0,58
TEU 100x30xe	100	4"	30	1 1/6"	2/2798	0,88	2/2889	1,07
TEU 150x30xe	150	6"	30	1 1/6"	2/2799	1,38	2/2890	1,66
TEU 200x30xe	200	8"	30	1 1/6"	2/2800	1,95	2/2891	2,34
TEU 300x30xe	300	12"	30	1 1/6"	2/2801	3,35	2/2892	4,02
TEU 400x30xe	400	16"	30	1 1/6"	2/2802	5,01	2/2893	6,01
TEU 500x30xe	500	20"	30	1 1/6"	2/2803	7,18	2/2894	8,62
TEU 600x30xe	600	24"	30	1 1/6"	2/2804	9,59	2/2895	11,51
TEU 50x50xe	50	2"	50	2"	2/2805	0,60	2/2896	0,72
TEU 100x50xe	100	4"	50	2"	2/2806	1,01	2/2897	1,21
TEU 150x50xe	150	6"	50	2"	2/2807	1,52	2/2898	1,82
TEU 200x50xe	200	8"	50	2"	2/2808	2,11	2/2899	2,43
TEU 300x50xe	300	12"	50	2"	2/2809	3,54	2/2900	4,11
TEU 400x50xe	400	16"	50	2"	2/2810	5,33	2/2901	6,78
TEU 500x50xe	500	20"	50	2"	2/2811	7,44	2/2902	9,05
TEU 600x50xe	600	24"	50	2"	2/2812	9,89	2/2903	11,45





4/100 x B1 (2/6826 - GC)



 CRU



	B		H		GC			
					e=2mm		e=2,5mm	
	mm	inch	mm	inch	REF.	(kg/ud)	REF.	(kg/ud)
CRU 50x15xe	50	2"	15	3/5"	2/2609	0,53	-	-
CRU 100x15xe	100	4"	15	3/5"	2/2610	1,07	-	-
CRU 150x15xe	150	6"	15	3/5"	2/2611	1,61	-	-
CRU 200x15xe	200	8"	15	3/5"	2/2612	2,17	-	-
CRU 300x15xe	300	12"	15	3/5"	2/2613	3,68	-	-
CRU 50x30xe	50	2"	30	1 1/6"	2/2617	0,62	2/2707	0,74
CRU 100x30xe	100	4"	30	1 1/6"	2/2618	1,07	2/2708	1,28
CRU 150x30xe	150	6"	30	1 1/6"	2/2619	1,61	2/2709	1,93
CRU 200x30xe	200	8"	30	1 1/6"	2/2620	2,25	2/2710	2,70
CRU 300x30xe	300	12"	30	1 1/6"	2/2621	3,77	2/2711	4,52
CRU 400x30xe	400	16"	30	1 1/6"	2/2622	5,29	2/2712	6,35
CRU 500x30xe	500	20"	30	1 1/6"	2/2623	6,81	2/2713	8,17
CRU 600x30xe	600	24"	30	1 1/6"	2/2624	8,33	2/2714	10,00
CRU 50x50xe	50	2"	50	2"	2/2625	0,73	2/2715	0,88
CRU 100x50xe	100	4"	50	2"	2/2626	1,19	2/2716	1,43
CRU 150x50xe	150	6"	50	2"	2/2627	1,73	2/2717	2,08
CRU 200x50xe	200	8"	50	2"	2/2628	2,37	2/2718	2,84
CRU 300x50xe	300	12"	50	2"	2/2629	3,89	2/2719	4,67
CRU 400x50xe	400	16"	50	2"	2/2630	5,74	2/2720	7,17
CRU 500x50xe	500	20"	50	2"	2/2631	7,94	2/2721	9,53
CRU 600x50xe	600	24"	50	2"	2/2632	10,48	2/2722	13,10



4/100 x B1 (2/6826 - GC)





JUE



	H		e		GC	
	mm	inch	mm	Ga	REF.	(kg/ud)
JUE 12	12	1/2"	1,5	16	2/3186	0,09
JUE 25	25	1"	1,5	16	2/3187	0,13
JUE 45	45	1 7/8"	1,5	16	2/3655	0,16

2/100 x B1 (2/6826 - GC)





PTU



	H		i304	
	mm	inch	REF.	kg/ud
PTU 30	30	1 1/6"	2/4626	0,05
PTU 50	50	2"	2/3465	0,06




4 x PTU => 1 x TU




B1





	L mm	Pap Nm	GC		i304	
			REF.	kg/ud	REF.	kg/ud
B1-100	14	6	2/6826	0,77	-	-
B1-200	20	6	-	-	2/4925	0,79







AL 1050 H24




CPU AL




CCU AL



CXU AL




TEU AL



CRU AL



KUC AL



JUE AL



B1 i304

B		Filling Area									
		1,5 mm		2 mm				2,5 mm			
mm	inch	cm ²	in ²	cm ²	in ²	cm ²	in ²	cm ²	in ²	cm ²	in ²
50	2"	13,4	2,1	-	-	12,9	2,0	-	-	25,9	4,0
100	4"	27,6	4,3	12,5	1,9	26,9	4,2	26,1	4,0	54,6	8,5
150	6"	41,9	6,5	19,0	2,9	40,9	6,3	-	-	-	-
200	8"	56,1	8,7	25,5	4,0	54,9	8,5	53,6	8,3	112,1	17,4
300	12"	84,6	13,1	38,5	6,0	82,9	12,8	81,1	12,6	169,6	26,3
400	16"	-	-	-	-	-	-	108,6	16,8	227,1	35,2
600	24"	-	-	-	-	-	-	163,6	25,4	342,1	53,0



U H30 E1,5




L = 3 m (10 ft)



2 x JUE 25 (2/3189 - AL)



	B		H		e	AL	
	mm	inch	mm	inch	mm	REF.	kg/m
U 50x30x1,5	50	2"	30	1 1/6	1,5	2/3540	0,45
U 100x30x1,5	100	4"	30	1 1/6	1,5	2/3541	0,65
U 150x30x1,5	150	6"	30	1 1/6	1,5	2/3207	0,85
U 200x30x1,5	200	8"	30	1 1/6	1,5	2/4905	1,05
U 300x30x1,5	300	12"	30	1 1/6	1,5	2/4906	1,46



U H15 E2




L = 3 m (10 ft)



2 x JUE 12 (2/3188 - AL)



	B		H		e	AL	
	mm	inch	mm	inch	mm	REF.	kg/m
U 100x15x2	100	4"	15	3/5"	2	2/0615	0,70
U 150x15x2	150	6"	15	3/5"	2	2/0616	0,97
U 200x15x2	200	8"	15	3/5"	2	2/0617	1,24
U 300x15x2	300	12"	15	3/5"	2	2/0618	1,78



U H30 E2




L = 3 m (10 ft)



2 x JUE 25 (2/3189 - AL)




	B		H		e	AL	
	mm	inch	mm	inch	mm	REF.	kg/m
U 50x30x2	50	2"	30	1 1/6	2	2/0622	0,59
U 100x30x2	100	4"	30	1 1/6	2	2/0623	0,86
U 150x30x2	150	6"	30	1 1/6	2	2/0624	1,13
U 200x30x2	200	8"	30	1 1/6	2	2/0625	1,40
U 300x30x2	300	12"	30	1 1/6	2	2/0626	1,94





U H30 E2,5




L = 3 m (10 ft)




KUC 30 (2/5646)



	B		H		e	AL	
	mm	inch	mm	inch	mm	REF.	kg/m
U 100x30x2,5	100	4"	30	1 1/6"	2,5	2/0713	1,08
U 200x30x2,5	200	8"	30	1 1/6"	2,5	2/0715	1,76
U 300x30x2,5	300	12"	30	1 1/6"	2,5	2/0716	2,43
U 400x30x2,5	400	16"	30	1 1/6"	2,5	2/0717	3,11
U 600x30x2,5	600	24"	30	1 1/6"	2,5	2/0719	4,46



U H60 E2,5




L = 3 m (10 ft)



KUC 60 (2/5725)



	B		H		e	AL	
	mm	inch	mm	inch	mm	REF.	kg/m
U 50x60x2,5	50	2"	60	2 3/8"	2,5	2/6261	1,15
U 100x60x2,5	100	4"	60	2 3/8"	2,5	2/0728	1,49
U 200x60x2,5	200	8"	60	2 3/8"	2,5	2/0730	2,16
U 300x60x2,5	300	12"	60	2 3/8"	2,5	2/0731	2,84
U 400x60x2,5	400	16"	60	2 3/8"	2,5	2/0732	3,51
U 600x60x2,5	600	24"	60	2 3/8"	2,5	2/0734	4,86




CPU E2,5



	B		H		e	AL	
	mm	inch	mm	inch	mm	REF.	kg/ud
CPU 100x30x2,5	100	4"	30	1 1/6"	2,5	2/2213	0,23
CPU 200x30x2,5	200	8"	30	1 1/6"	2,5	2/2215	0,54
CPU 300x30x2,5	300	12"	30	1 1/6"	2,5	2/2216	0,97
CPU 400x30x2,5	400	16"	30	1 1/6"	2,5	2/2217	1,51
CPU 600x30x2,5	600	24"	30	1 1/6"	2,5	2/2219	2,93
CPU 50x60x2,5	50	2"	60	2 3/8"	2,5	2/6266	0,17
CPU 100x60x2,5	100	4"	60	2 3/8"	2,5	2/2228	0,29
CPU 200x60x2,5	200	8"	60	2 3/8"	2,5	2/2230	0,64
CPU 300x60x2,5	300	12"	60	2 3/8"	2,5	2/2231	1,11
CPU 400x60x2,5	400	16"	60	2 3/8"	2,5	2/2232	1,68
CPU 600x60x2,5	600	24"	60	2 3/8"	2,5	2/2234	3,16




4/100 x B1 (2/4925-i304)







CCU E2.5




	B		H		e	R		A		AL	
	mm	inch	mm	inch		mm	inch	mm	inch	REF.	kg/ud
CCU 100x30x2,5	100	4"	30	1 1/6"	2,5	80	3 1/7"	173	6 4/5"	2/2393	0,36
CCU 200x30x2,5	200	8"	30	1 1/6"	2,5	90	3 1/2"	203	8"	2/2395	0,72
CCU 300x30x2,5	300	12"	30	1 1/6"	2,5	130	5 1/8"	294	11 4/7"	2/2396	1,40
CCU 400x30x2,5	400	16"	30	1 1/6"	2,5	160	6 2/7"	324	12 3/4"	2/2397	1,95
CCU 600x30x2,5	600	24"	30	1 1/6"	2,5	220	8 2/3"	434	17"	2/2399	3,63
CCU 50x60x2,5	50	2"	60	2 3/8"	2,5	80	3 1/7"	173	6 4/5"	2/6267	0,35
CCU 100x60x2,5	100	4"	60	2 3/8"	2,5	80	3 1/7"	173	6 4/5"	2/2408	0,44
CCU 200x60x2,5	200	8"	60	2 3/8"	2,5	90	3 1/2"	203	8"	2/2410	0,83
CCU 300x60x2,5	300	12"	60	2 3/8"	2,5	130	5 1/8"	294	11 4/7"	2/2411	1,57
CCU 400x60x2,5	400	16"	60	2 3/8"	2,5	160	6 2/7"	324	12 3/4"	2/2412	2,15
CCU 600x60x2,5	600	24"	60	2 3/8"	2,5	220	8 2/3"	434	17"	2/2414	3,90



4/100 x B1 (2/4925-i304)





CXU E2.5





	B		H		e	R		A		AL	
	mm	inch	mm	inch		mm	inch	mm	inch	REF.	kg/ud
CXU 100x30x2,5	100	4"	30	1 1/6"	2,5	60	2 3/8"	141	5 5/9"	2/2573	0,33
CXU 200x30x2,5	200	8"	30	1 1/6"	2,5	75	3"	176	7"	2/2575	0,63
CXU 300x30x2,5	300	12"	30	1 1/6"	2,5	110	4 1/3"	262	10 1/3"	2/2576	1,16
CXU 400x30x2,5	400	16"	30	1 1/6"	2,5	115	4 1/2"	277	11"	2/2577	1,61
CXU 600x30x2,5	600	24"	30	1 1/6"	2,5	160	6 2/7"	382	15"	2/2579	2,95
CXU 50x60x2,5	50	2"	60	2 3/8"	2,5	60	2 3/8"	141	5 5/9"	2/6268	0,37
CXU 100x60x2,5	100	4"	60	2 3/8"	2,5	60	2 3/8"	141	5 5/9"	2/2588	0,47
CXU 200x60x2,5	200	8"	60	2 3/8"	2,5	75	3"	176	7"	2/2590	0,78
CXU 300x60x2,5	300	12"	60	2 3/8"	2,5	110	4 1/3"	262	10 1/3"	2/2591	1,37
CXU 400x60x2,5	400	16"	60	2 3/8"	2,5	115	4 1/2"	277	11"	2/2592	1,83
CXU 600x60x2,5	600	24"	60	2 3/8"	2,5	160	6 2/7"	382	15"	2/2594	3,23



4/100 x B1 (2/4925-i304)




TEU E2.5



	B		H		e	AL	
	mm	inch	mm	inch		REF.	kg/ud
TEU 100x30x2,5	100	4"	30	1 1/6"	2,5	2/2935	0,36
TEU 200x30x2,5	200	8"	30	1 1/6"	2,5	2/2937	0,78
TEU 300x30x2,5	300	12"	30	1 1/6"	2,5	2/2938	1,34
TEU 400x30x2,5	400	16"	30	1 1/6"	2,5	2/2939	2,05
TEU 600x30x2,5	600	24"	30	1 1/6"	2,5	2/2941	3,84
TEU 50x60x2,5	50	2"	60	2 3/8"	2,5	2/6270	0,37
TEU 100x60x2,5	100	4"	60	2 3/8"	2,5	2/2950	0,44
TEU 200x60x2,5	200	8"	60	2 3/8"	2,5	2/2952	0,88
TEU 300x60x2,5	300	12"	60	2 3/8"	2,5	2/2953	1,46
TEU 400x60x2,5	400	16"	60	2 3/8"	2,5	2/2954	2,18
TEU 600x60x2,5	600	24"	60	2 3/8"	2,5	2/2956	4,02




4/100 x B1 (2/4925-i304)






CRU E2,5



	B		H		e	AL	
	mm	inch	mm	inch	mm	REF.	kg/ud
CRU 100x30x2,5	100	4"	30	1 1/6"	2,5	2/2753	0,43
CRU 200x30x2,5	200	8"	30	1 1/6"	2,5	2/2755	0,91
CRU 300x30x2,5	300	12"	30	1 1/6"	2,5	2/2756	1,51
CRU 400x30x2,5	400	16"	30	1 1/6"	2,5	2/2757	2,26
CRU 600x30x2,5	600	24"	30	1 1/6"	2,5	2/2759	4,15
CRU 50x60x2,5	50	2"	60	2 3/8"	2,5	-	0,40
CRU 100x60x2,5	100	4"	60	2 3/8"	2,5	2/2768	0,51
CRU 200x60x2,5	200	8"	60	2 3/8"	2,5	2/2770	0,97
CRU 300x60x2,5	300	12"	60	2 3/8"	2,5	2/2771	1,58
CRU 400x60x2,5	400	16"	60	2 3/8"	2,5	2/2772	2,32
CRU 600x60x2,5	600	24"	60	2 3/8"	2,5	2/2774	4,21



4/100 x B1 (2/4925-i304)



KUC E2,5




	H		e	AL	
	mm	inch	mm	REF.	kg/ud
KUC 30	30	1 1/6"	2	2/5646	0,16
KUC 60	60	2 3/8"	2	2/5725	0,23




2 x JU + 4/100 x B1 (2/4925-i304)



0 → 45°




JUE



	H		e	AL	
	mm	inch	mm	REF.	kg/ud
JUE 12	12	1/2"	2	2/3188	0,05
JUE 25	25	1"	2	2/3189	0,06




2/100 x B1 (2/4925-i304)








B1



	L	Pap	i304	
	mm	Nm	REF.	kg/ud
B1-100	20	6	2/4925	0,79







CPEB



JUEB

B		Filling Area					
		H10 (1/3")		H15 (3/5")		H30 (1 1/6")	
mm	inch	cm ²	in ²	cm ²	in ²	cm ²	in ²
50	2"	45,2	7,0	69,5	10,8	142,4	22,1
80	3"	73,1	11,3	112,4	17,4	230,3	35,7
100	4"	91,7	14,2	141,0	21,9	288,9	44,8
150	6"	138,2	21,4	212,5	32,9	435,4	67,5
200	8"	184,7	28,6	284,0	44,0	581,9	90,2
250	10"	228,5	35,4	352,7	54,7	725,3	112,4
300	12"	274,5	42,6	423,7	65,7	871,3	135,1
400	16"	366,5	56,8	565,7	87,7	1163,3	180,3
500	20"	448,2	69,5	697,2	108,1	1444,2	223,9
600	24"	538,2	83,4	837,2	129,8	1734,2	268,8




EB




	B		H		e	GS		i304	
	mm	inch	mm	inch	mm	REF.	kg/ud	REF.	kg/m
EB 50X10	50	2"	10	1/3"	0,70	2/17173	0,45	2/17183	0,45
EB 80X10	80	3"	10	1/3"	0,70	2/17174	0,62	2/17184	0,62
EB 100X15	100	4"	15	3/5"	0,70	2/17175	0,82	2/17185	0,82
EB 150X15	150	6"	15	3/5"	0,70	2/17176	1,10	2/17186	1,10
EB 200X15	200	8"	15	3/5"	0,70	2/17177	1,38	2/17187	1,38
EB 250X30	250	10"	30	1 1/6"	0,80	2/17178	2,20	2/17188	2,20
EB 300X30	300	12"	30	1 1/6"	0,80	2/17179	2,52	2/17189	2,52
EB 400X30	400	16"	30	1 1/6"	0,80	2/17180	3,16	2/17190	3,16
EB 500X30	500	20"	30	1 1/6"	1,00	2/17181	4,74	2/17191	4,74
EB 600X30	600	24"	30	1 1/6"	1,00	2/17182	5,54	2/17192	5,54

2 x JUEB




CPEB



	B		H		e	GS		i304	
	mm	inch	mm	inch	mm	REF.	kg/ud	REF.	kg/m
CPEB 50X10	50	2"	10	1/3"	0,70	2/17193	0,42	2/17203	0,42
CPEB 80X10	80	3"	10	1/3"	0,70	2/17194	0,55	2/17204	0,55
CPEB 100X15	100	4"	15	3/5"	0,70	2/17195	0,65	2/17205	0,65
CPEB 150X15	150	6"	15	3/5"	0,70	2/17196	0,92	2/17206	0,92
CPEB 200X15	200	8"	15	3/5"	0,70	2/17197	1,24	2/17207	1,24
CPEB 250X30	250	10"	30	1 1/6"	0,80	2/17198	1,61	2/17208	1,61
CPEB 300X30	300	12"	30	1 1/6"	0,80	2/17199	2,03	2/17209	2,03
CPEB 400X30	400	16"	30	1 1/6"	0,80	2/17200	3,01	2/17210	3,01
CPEB 500X30	500	20"	30	1 1/6"	1,00	2/17201	4,18	2/17211	4,18
CPEB 600X30	600	24"	30	1 1/6"	1,00	2/17202	5,54	2/17212	5,54

2 x JUEB




JUEB



	H		e	GS		i304	
	mm	inch	mm	REF.	kg/ud	REF.	kg/m
JUEB 10-15	10	3/8"	1,5	2/17269	0,03	2/17271	0,03
JUEB 30	30	1 5/32"	1,5	2/17270	0,06	2/17272	0,06

2/100 x B1 (2/4356 - GS // 2/4925 - i304)



B1



	L mm	Pap Nm	EZ		i304	
			REF.	kg/ud	REF.	kg/m
B1-100	14	6	2/4356	0,77	-	-
B1-100	20	6	-	-	2/4925	0,79

10

