


RAL 7047



RoHS

HALOGEN
FREE




CPEFV



CCEFV




CXEFV




CREFV




TEEFV



RIEFV




RCEFV




RDEFV



JUEFV



JUEFV-A



JUEFV-B



BEFV




B3

B		Filling Area							
		H3"		H4"		H6"		H8"	
inch	mm	in ²	cm ²	in ²	cm ²	in ²	cm ²	in ²	cm ²
6	150	10,44	66,30	16,20	102,90	27,02	171,60	39,50	250,80
9	225	15,66	99,45	24,31	154,35	40,54	257,40	59,24	376,20
12	300	20,88	132,60	32,41	205,80	54,05	343,20	78,99	501,60
18	450	31,32	198,90	48,61	308,70	81,07	514,80	118,49	752,40
24	600	41,76	265,20	64,82	411,60	108,09	686,40	157,98	1003,20
30	750	52,20	331,50	81,02	514,50	135,12	858,00	197,48	1254,00
36	900	62,65	397,80	97,23	617,40	162,14	1029,60	236,98	1504,80




EFVS H3




L = 6 m (20ft)

	B		H		PRFV					
					p=6" (150 mm)		p=9" (230 mm)		p=12" (300mm)	
	inch	mm	inch	mm	REF	Kg/m	REF	Kg/m	REF	Kg/m
EFVS 6X3-p 6M	6	150	3	75	2/11239	3,03	2/11279	2,74	2/11319	2,62
EFVS 9X3-p 6M	9	225	3	75	2/11240	3,43	2/11280	3,01	2/11320	2,82
EFVS 12X3-p 6M	12	300	3	75	2/11241	3,83	2/11281	3,27	2/11321	3,03
EFVS 18X3-p 6M	18	450	3	75	2/11242	4,64	2/11282	3,79	2/11322	3,43
EFVS 24X3-p 6M	24	600	3	75	2/11243	5,45	2/11283	4,32	2/11323	3,84

2 x JUEFV 3 (2/12068)




EFVS H4




L = 6 m (20ft)

	B		H		PRFV					
					p=6" (150 mm)		p=9" (230 mm)		p=12" (300mm)	
	inch	mm	inch	mm	REF	Kg/m	REF	Kg/m	REF	Kg/m
EFVS 6X4-p 6M	6	150	4	100	2/11244	4,05	2/11284	3,77	2/11324	3,65
EFVS 9X4-p 6M	9	225	4	100	2/11245	4,45	2/11285	4,03	2/11325	3,85
EFVS 12X4-p 6M	12	300	4	100	2/11246	4,86	2/11286	4,29	2/11326	4,05
EFVS 18X4-p 6M	18	450	4	100	2/11247	5,67	2/11287	4,82	2/11327	4,46
EFVS 24X4-p 6M	24	600	4	100	2/11248	6,48	2/11288	5,35	2/11328	4,86
EFVS 30X4-p 6M	30	750	4	100	2/11249	7,29	2/11289	5,87	2/11329	5,26
EFVS 36X4-p 6M	36	900	4	100	2/11250	7,56	2/11290	6,05	2/11330	5,40

2 x JUEFV 4 (2/12069)




EFVL H6



L = 6 m (20ft)

	B		H		PRFV					
					p=6" (150 mm)		p=9" (230 mm)		p=12" (300mm)	
	inch	mm	inch	mm	REF	Kg/m	REF	Kg/m	REF	Kg/m
EFVL 6X6-p 6M	6	150	6	150	2/11251	5,66	2/11291	5,37	2/11331	5,25
EFVL 9X6-p 6M	9	225	6	150	2/11252	6,06	2/11292	5,64	2/11332	5,46
EFVL 12X6-p 6M	12	300	6	150	2/11253	6,47	2/11293	5,90	2/11333	5,66
EFVL 18X6-p 6M	18	450	6	150	2/11254	7,28	2/11294	6,43	2/11334	6,06
EFVL 24X6-p 6M	24	600	6	150	2/11255	8,09	2/11295	6,95	2/11335	6,47
EFVL 30X6-p 6M	30	750	6	150	2/11256	8,90	2/11296	7,48	2/11336	6,87
EFVL 36X6-p 6M	36	900	6	150	2/11257	9,17	2/11297	7,65	2/11337	7,01

2 x JUEFV 6 (2/12070)




EFVS H6



L = 6 m (20ft)


	B		H		PRFV					
					p=6" (150 mm)		p=9" (230 mm)		p=12" (300mm)	
	inch	mm	inch	mm	REF	Kg/m	REF	Kg/m	REF	Kg/m
EFVS 6X6-p 6M	6	150	6	150	2/11258	7,24	2/11298	6,96	2/11338	6,84
EFVS 9X6-p 6M	9	225	6	150	2/11259	7,65	2/11299	7,22	2/11339	7,04
EFVS 12X6-p 6M	12	300	6	150	2/11260	8,05	2/11300	7,49	2/11340	7,24
EFVS 18X6-p 6M	18	450	6	150	2/11261	8,86	2/11301	8,01	2/11341	7,65
EFVS 24X6-p 6M	24	600	6	150	2/11262	9,67	2/11302	8,54	2/11342	8,05
EFVS 30X6-p 6M	30	750	6	150	2/11263	10,48	2/11303	9,06	2/11343	8,46
EFVS 36X6-p 6M	36	900	6	150	2/11264	10,75	2/11304	9,24	2/11344	8,59

2 x JUEFV 6 (2/12070)






EFVR H6




L = 6 m (20ft)

	B		H		PRFV					
					p=6" (150 mm)		p=9" (230 mm)		p=12" (300mm)	
	inch	mm	inch	mm	REF	Kg/m	REF	Kg/m	REF	Kg/m
EFVR 6X6-p 6M	6	150	6	150	2/17286	8,83	2/17293	8,54	2/17300	8,42
EFVR 9X6-p 6M	9	225	6	150	2/17287	9,23	2/17294	8,81	2/17301	8,63
EFVR 12X6-p 6M	12	300	6	150	2/17288	9,64	2/17295	9,07	2/17302	8,83
EFVR 18X6-p 6M	18	450	6	150	2/17289	10,45	2/17296	9,60	2/17303	9,23
EFVR 24X6-p 6M	24	600	6	150	2/17290	11,26	2/17297	10,12	2/17304	9,64
EFVR 30X6-p 6M	30	750	6	150	2/17291	12,07	2/17298	10,65	2/17305	10,04
EFVR 36X6-p 6M	36	900	6	150	2/17292	12,34	2/17299	10,83	2/17306	10,18

2 x JUEFV 6 (2/12070)




EFVS H8



L = 6 m (20ft)

	B		H		PRFV					
					p=6" (150 mm)		p=9" (230 mm)		p=12" (300mm)	
	inch	mm	inch	mm	REF	Kg/m	REF	Kg/m	REF	Kg/m
EFVS 6X8-p 6M	6	150	8	200	2/11272	8,10	2/11312	7,82	2/11352	7,70
EFVS 9X8-p 6M	9	225	8	200	2/11273	8,50	2/11313	8,08	2/11353	7,90
EFVS 12X8-p 6M	12	300	8	200	2/11274	8,91	2/11314	8,34	2/11354	8,10
EFVS 18X8-p 6M	18	450	8	200	2/11275	9,72	2/11315	8,87	2/11355	8,51
EFVS 24X8-p 6M	24	600	8	200	2/11276	10,53	2/11316	9,40	2/11356	8,91
EFVS 30X8-p 6M	30	750	8	200	2/11277	11,34	2/11317	9,92	2/11357	9,31
EFVS 36X8-p 6M	36	900	8	200	2/11278	11,61	2/11318	10,10	2/11358	9,45

2 x JUEFV 8 (2/12071)






CPEFV H3



	A (°)	R		B		H		PRFV	
		inch	mm	inch	mm	inch	mm	REF	Kg/ud
CPEFV45-12 6X3	45	12	300	6	150	3	75	2/11359	0,78
CPEFV45-12 9X3	45	12	300	9	230	3	75	2/11360	0,96
CPEFV45-12 12X3	45	12	300	12	300	3	75	2/11361	1,15
CPEFV45-12 18X3	45	12	300	18	450	3	75	2/11362	1,51
CPEFV45-12 24X3	45	12	300	24	600	3	75	2/11363	1,87
CPEFV-12 6X3	90	12	300	6	150	3	75	2/11364	2,06
CPEFV-12 9X3	90	12	300	9	230	3	75	2/11365	2,43
CPEFV-12 12X3	90	12	300	12	300	3	75	2/11366	2,79
CPEFV-12 18X3	90	12	300	18	450	3	75	2/11367	3,52
CPEFV-12 24X3	90	12	300	24	600	3	75	2/11368	4,25

2 x JUEFV 3 (2/12068)




CCEFV H3



	A (°)	R		B		H		PRFV	
		inch	mm	inch	mm	inch	mm	REF	Kg/ud
CCEFV45-12 6X3	45	12	300	6	150	3	75	2/11495	1,43
CCEFV45-12 9X3	45	12	300	9	230	3	75	2/11496	1,61
CCEFV45-12 12X3	45	12	300	12	300	3	75	2/11497	1,79
CCEFV45-12 18X3	45	12	300	18	450	3	75	2/11498	2,15
CCEFV45-12 24X3	45	12	300	24	600	3	75	2/11499	2,52
CCEFV-12 6X3	90	12	300	6	150	3	75	2/11500	3,35
CCEFV-12 9X3	90	12	300	9	230	3	75	2/11501	3,72
CCEFV-12 12X3	90	12	300	12	300	3	75	2/11502	4,08
CCEFV-12 18X3	90	12	300	18	450	3	75	2/11503	4,81
CCEFV-12 24X3	90	12	300	24	600	3	75	2/11504	5,54

2 x JUEFV 3 (2/12068)




CXEFV H3



	A (°)	R		B		H		PRFV	
		inch	mm	inch	mm	inch	mm	REF	Kg/ud
CXEFV45-12 6X3	45	12	300	6	150	3	75	2/11631	1,43
CXEFV45-12 9X3	45	12	300	9	230	3	75	2/11632	1,61
CXEFV45-12 12X3	45	12	300	12	300	3	75	2/11633	1,79
CXEFV45-12 18X3	45	12	300	18	450	3	75	2/11634	2,15
CXEFV45-12 24X3	45	12	300	24	600	3	75	2/11635	2,52
CXEFV-12 6X3	90	12	300	6	150	3	75	2/11636	3,35
CXEFV-12 9X3	90	12	300	9	230	3	75	2/11637	3,72
CXEFV-12 12X3	90	12	300	12	300	3	75	2/11638	4,08
CXEFV-12 18X3	90	12	300	18	450	3	75	2/11639	4,81
CXEFV-12 24X3	90	12	300	24	600	3	75	2/11640	5,54

2 x JUEFV 3 (2/12068)






CPEFV H4



	A (°)	R		B		H		PRFV	
		inch	mm	inch	mm	inch	mm	REF	Kg/ud
CPEFV45-12 6X4	45	12	300	6	150	4	100	2/11369	1,28
CPEFV45-12 9X4	45	12	300	9	225	4	100	2/11370	1,46
CPEFV45-12 12X4	45	12	300	12	300	4	100	2/11371	1,65
CPEFV45-12 18X4	45	12	300	18	450	4	100	2/11372	2,01
CPEFV45-12 24X4	45	12	300	24	600	4	100	2/11373	2,37
CPEFV45-12 30X4	45	12	300	30	750	4	100	2/11374	2,74
CPEFV45-12 36X4	45	12	300	36	900	4	100	2/11375	2,86
CPEFV-12 6X4	90	12	300	6	150	4	100	2/11376	2,56
CPEFV-12 9X4	90	12	300	9	225	4	100	2/11377	2,93
CPEFV-12 12X4	90	12	300	12	300	4	100	2/11378	3,29
CPEFV-12 18X4	90	12	300	18	450	4	100	2/11379	4,02
CPEFV-12 24X4	90	12	300	24	600	4	100	2/11380	4,75
CPEFV-12 30X4	90	12	300	30	750	4	100	2/11381	5,48
CPEFV-12 36X4	90	12	300	36	900	4	100	2/11382	5,72
CPEFV45-24 6X4	45	24	600	6	150	4	100	2/11383	1,47
CPEFV45-24 9X4	45	24	600	9	225	4	100	2/11384	1,68
CPEFV45-24 12X4	45	24	600	12	300	4	100	2/11385	1,89
CPEFV45-24 18X4	45	24	600	18	450	4	100	2/11386	2,31
CPEFV45-24 24X4	45	24	600	24	600	4	100	2/11387	2,73
CPEFV45-24 30X4	45	24	600	30	750	4	100	2/11388	3,15
CPEFV45-24 36X4	45	24	600	36	900	4	100	2/11389	3,29
CPEFV-24 6X4	90	24	600	6	150	4	100	2/11390	2,95
CPEFV-24 9X4	90	24	600	9	225	4	100	2/11391	3,36
CPEFV-24 12X4	90	24	600	12	300	4	100	2/11392	3,78
CPEFV-24 18X4	90	24	600	18	450	4	100	2/11393	4,62
CPEFV-24 24X4	90	24	600	24	600	4	100	2/11394	5,46
CPEFV-24 30X4	90	24	600	30	750	4	100	2/11395	6,30
CPEFV-24 36X4	90	24	600	36	900	4	100	2/11396	6,58
CPEFV45-36 6X4	45	36	900	6	150	4	100	2/11397	1,69
CPEFV45-36 9X4	45	36	900	9	225	4	100	2/11398	1,93
CPEFV45-36 12X4	45	36	900	12	300	4	100	2/11399	2,18
CPEFV45-36 18X4	45	36	900	18	450	4	100	2/11400	2,66
CPEFV45-36 24X4	45	36	900	24	600	4	100	2/11401	3,14
CPEFV45-36 30X4	45	36	900	30	750	4	100	2/11402	3,62
CPEFV45-36 36X4	45	36	900	36	900	4	100	2/11403	3,78
CPEFV-36 6X4	90	36	900	6	150	4	100	2/11404	3,39
CPEFV-36 9X4	90	36	900	9	225	4	100	2/11405	3,87
CPEFV-36 12X4	90	36	900	12	300	4	100	2/11406	4,35
CPEFV-36 18X4	90	36	900	18	450	4	100	2/11407	5,31
CPEFV-36 24X4	90	36	900	24	600	4	100	2/11408	6,28
CPEFV-36 30X4	90	36	900	30	750	4	100	2/11409	7,24
CPEFV-36 36X4	90	36	900	36	900	4	100	2/11410	7,56




2 x JUEFV 4 (2/12069)



CCEFV H4



	A (°)	R		B		H		PRFV	
		inch	mm	inch	mm	inch	mm	REF	Kg/ud
CCEFV45-12 6X4	45	12	300	6	150	4	100	2/11505	1,93
CCEFV45-12 9X4	45	12	300	9	225	4	100	2/11506	2,11
CCEFV45-12 12X4	45	12	300	12	300	4	100	2/11507	2,29
CCEFV45-12 18X4	45	12	300	18	450	4	100	2/11508	2,65
CCEFV45-12 24X4	45	12	300	24	600	4	100	2/11509	3,02
CCEFV45-12 30X4	45	12	300	30	750	4	100	2/11510	3,38
CCEFV45-12 36X4	45	12	300	36	900	4	100	2/11511	3,50
CCEFV-12 6X4	90	12	300	6	150	4	100	2/11512	3,85
CCEFV-12 9X4	90	12	300	9	225	4	100	2/11513	4,22
CCEFV-12 12X4	90	12	300	12	300	4	100	2/11514	4,58
CCEFV-12 18X4	90	12	300	18	450	4	100	2/11515	5,31
CCEFV-12 24X4	90	12	300	24	600	4	100	2/11516	6,04
CCEFV-12 30X4	90	12	300	30	750	4	100	2/11517	6,77
CCEFV-12 36X4	90	12	300	36	900	4	100	2/11518	7,01
CCEFV45-24 6X4	45	24	600	6	150	4	100	2/11519	2,21
CCEFV45-24 9X4	45	24	600	9	225	4	100	2/11520	2,42
CCEFV45-24 12X4	45	24	600	12	300	4	100	2/11521	2,63
CCEFV45-24 18X4	45	24	600	18	450	4	100	2/11522	3,05
CCEFV45-24 24X4	45	24	600	24	600	4	100	2/11523	3,47
CCEFV45-24 30X4	45	24	600	30	750	4	100	2/11524	3,89
CCEFV45-24 36X4	45	24	600	36	900	4	100	2/11525	4,03
CCEFV-24 6X4	90	24	600	6	150	4	100	2/11526	4,43
CCEFV-24 9X4	90	24	600	9	225	4	100	2/11527	4,85
CCEFV-24 12X4	90	24	600	12	300	4	100	2/11528	5,27
CCEFV-24 18X4	90	24	600	18	450	4	100	2/11529	6,10
CCEFV-24 24X4	90	24	600	24	600	4	100	2/11530	6,94
CCEFV-24 30X4	90	24	600	30	750	4	100	2/11531	7,78
CCEFV-24 36X4	90	24	600	36	900	4	100	2/11532	8,06
CCEFV45-36 6X4	45	36	900	6	150	4	100	2/11533	2,55
CCEFV45-36 9X4	45	36	900	9	225	4	100	2/11534	2,79
CCEFV45-36 12X4	45	36	900	12	300	4	100	2/11535	3,03
CCEFV45-36 18X4	45	36	900	18	450	4	100	2/11536	3,51
CCEFV45-36 24X4	45	36	900	24	600	4	100	2/11537	3,99
CCEFV45-36 30X4	45	36	900	30	750	4	100	2/11538	4,47
CCEFV45-36 36X4	45	36	900	36	900	4	100	2/11539	4,63
CCEFV-36 6X4	90	36	900	6	150	4	100	2/11540	5,09
CCEFV-36 9X4	90	36	900	9	225	4	100	2/11541	5,58
CCEFV-36 12X4	90	36	900	12	300	4	100	2/11542	6,06
CCEFV-36 18X4	90	36	900	18	450	4	100	2/11543	7,02
CCEFV-36 24X4	90	36	900	24	600	4	100	2/11544	7,98
CCEFV-36 30X4	90	36	900	30	750	4	100	2/11545	8,95
CCEFV-36 36X4	90	36	900	36	900	4	100	2/11546	9,27





2 x JUEFV 4 (2/12069)



CXEFV H4



	A (°)	R		B		H		PRFV	
		inch	mm	inch	mm	inch	mm	REF	Kg/ud
CXEFV45-12 6X4	45	12	300	6	150	4	100	2/11641	1,93
CXEFV45-12 9X4	45	12	300	9	225	4	100	2/11642	2,11
CXEFV45-12 12X4	45	12	300	12	300	4	100	2/11643	2,29
CXEFV45-12 18X4	45	12	300	18	450	4	100	2/11644	2,65
CXEFV45-12 24X4	45	12	300	24	600	4	100	2/11645	3,02
CXEFV45-12 30X4	45	12	300	30	750	4	100	2/11646	3,38
CXEFV45-12 36X4	45	12	300	36	900	4	100	2/11647	3,50
CXEFV-12 6X4	90	12	300	6	150	4	100	2/11648	3,85
CXEFV-12 9X4	90	12	300	9	225	4	100	2/11649	4,22
CXEFV-12 12X4	90	12	300	12	300	4	100	2/11650	4,58
CXEFV-12 18X4	90	12	300	18	450	4	100	2/11651	5,31
CXEFV-12 24X4	90	12	300	24	600	4	100	2/11652	6,04
CXEFV-12 30X4	90	12	300	30	750	4	100	2/11653	6,77
CXEFV-12 36X4	90	12	300	36	900	4	100	2/11654	7,01
CXEFV45-24 6X4	45	24	600	6	150	4	100	2/11655	2,21
CXEFV45-24 9X4	45	24	600	9	225	4	100	2/11656	2,42
CXEFV45-24 12X4	45	24	600	12	300	4	100	2/11657	2,63
CXEFV45-24 18X4	45	24	600	18	450	4	100	2/11658	3,05
CXEFV45-24 24X4	45	24	600	24	600	4	100	2/11659	3,47
CXEFV45-24 30X4	45	24	600	30	750	4	100	2/11660	3,89
CXEFV45-24 36X4	45	24	600	36	900	4	100	2/11661	4,03
CXEFV-24 6X4	90	24	600	6	150	4	100	2/11662	4,43
CXEFV-24 9X4	90	24	600	9	225	4	100	2/11663	4,85
CXEFV-24 12X4	90	24	600	12	300	4	100	2/11664	5,27
CXEFV-24 18X4	90	24	600	18	450	4	100	2/11665	6,10
CXEFV-24 24X4	90	24	600	24	600	4	100	2/11666	6,94
CXEFV-24 30X4	90	24	600	30	750	4	100	2/11667	7,78
CXEFV-24 36X4	90	24	600	36	900	4	100	2/11668	8,06
CXEFV45-36 6X4	45	36	900	6	150	4	100	2/11669	2,55
CXEFV45-36 9X4	45	36	900	9	225	4	100	2/11670	2,79
CXEFV45-36 12X4	45	36	900	12	300	4	100	2/11671	3,03
CXEFV45-36 18X4	45	36	900	18	450	4	100	2/11672	3,51
CXEFV45-36 24X4	45	36	900	24	600	4	100	2/11673	3,99
CXEFV45-36 30X4	45	36	900	30	750	4	100	2/11674	4,47
CXEFV45-36 36X4	45	36	900	36	900	4	100	2/11675	4,63
CXEFV-36 6X4	90	36	900	6	150	4	100	2/11676	5,09
CXEFV-36 9X4	90	36	900	9	225	4	100	2/11677	5,58
CXEFV-36 12X4	90	36	900	12	300	4	100	2/11678	6,06
CXEFV-36 18X4	90	36	900	18	450	4	100	2/11679	7,02
CXEFV-36 24X4	90	36	900	24	600	4	100	2/11680	7,98
CXEFV-36 30X4	90	36	900	30	750	4	100	2/11681	8,95
CXEFV-36 36X4	90	36	900	36	900	4	100	2/11682	9,27



2 x JUEFV 4 (2/12069)




CPEFV H6



	A (°)	R		B		H		PRFV	
		inch	mm	inch	mm	inch	mm	REF	Kg/ud
CPEFV45-12 6X6	45	12	300	6	150	6	150	2/11411	2,43
CPEFV45-12 9X6	45	12	300	9	225	6	150	2/11412	2,61
CPEFV45-12 12X6	45	12	300	12	300	6	150	2/11413	2,80
CPEFV45-12 18X6	45	12	300	18	450	6	150	2/11414	3,16
CPEFV45-12 24X6	45	12	300	24	600	6	150	2/11415	3,52
CPEFV45-12 30X6	45	12	300	30	750	6	150	2/11416	3,89
CPEFV45-12 36X6	45	12	300	36	900	6	150	2/11417	4,01
CPEFV-12 6X6	90	12	300	6	150	6	150	2/11418	3,71
CPEFV-12 9X6	90	12	300	9	225	6	150	2/11419	4,08
CPEFV-12 12X6	90	12	300	12	300	6	150	2/11420	4,44
CPEFV-12 18X6	90	12	300	18	450	6	150	2/11421	5,17
CPEFV-12 24X6	90	12	300	24	600	6	150	2/11422	5,90
CPEFV-12 30X6	90	12	300	30	750	6	150	2/11423	6,63
CPEFV-12 36X6	90	12	300	36	900	6	150	2/11424	7,36
CPEFV45-24 6X6	45	24	600	6	150	6	150	2/11425	3,00
CPEFV45-24 9X6	45	24	600	9	225	6	150	2/11426	3,21
CPEFV45-24 12X6	45	24	600	12	300	6	150	2/11427	3,63
CPEFV45-24 18X6	45	24	600	18	450	6	150	2/11428	4,05
CPEFV45-24 24X6	45	24	600	24	600	6	150	2/11429	4,47
CPEFV45-24 30X6	45	24	600	30	750	6	150	2/11430	4,61
CPEFV45-24 36X6	45	24	600	36	900	6	150	2/11431	4,27
CPEFV-24 6X6	90	24	600	6	150	6	150	2/11432	4,69
CPEFV-24 9X6	90	24	600	9	225	6	150	2/11433	5,11
CPEFV-24 12X6	90	24	600	12	300	6	150	2/11434	5,94
CPEFV-24 18X6	90	24	600	18	450	6	150	2/11435	6,78
CPEFV-24 24X6	90	24	600	24	600	6	150	2/11436	7,62
CPEFV-24 30X6	90	24	600	30	750	6	150	2/11437	8,46
CPEFV-24 36X6	90	24	600	36	900	6	150	2/11438	9,30
CPEFV45-36 6X6	45	36	900	6	150	6	150	2/11439	3,21
CPEFV45-36 9X6	45	36	900	9	225	6	150	2/11440	3,46
CPEFV45-36 12X6	45	36	900	12	300	6	150	2/11441	3,70
CPEFV45-36 18X6	45	36	900	18	450	6	150	2/11442	4,18
CPEFV45-36 24X6	45	36	900	24	600	6	150	2/11443	4,66
CPEFV45-36 30X6	45	36	900	30	750	6	150	2/11444	5,14
CPEFV45-36 36X6	45	36	900	36	900	6	150	2/11445	5,30
CPEFV-36 6X6	90	36	900	6	150	6	150	2/11446	4,91
CPEFV-36 9X6	90	36	900	9	225	6	150	2/11447	5,39
CPEFV-36 12X6	90	36	900	12	300	6	150	2/11448	5,87
CPEFV-36 18X6	90	36	900	18	450	6	150	2/11449	6,84
CPEFV-36 24X6	90	36	900	24	600	6	150	2/11450	7,80
CPEFV-36 30X6	90	36	900	30	750	6	150	2/11451	8,76
CPEFV-36 36X6	90	36	900	36	900	6	150	2/11452	9,72

2 x JUEFV 6 (2/12070)






CCEFV H6



	A (°)	R		B		H		PRFV	
		inch	mm	inch	mm	inch	mm	REF	Kg/ud
CCEFV45-12 6X6	45	12	300	6	150	6	150	2/11547	3,08
CCEFV45-12 9X6	45	12	300	9	225	6	150	2/11548	3,26
CCEFV45-12 12X6	45	12	300	12	300	6	150	2/11549	3,44
CCEFV45-12 18X6	45	12	300	18	450	6	150	2/11550	3,80
CCEFV45-12 24X6	45	12	300	24	600	6	150	2/11551	4,17
CCEFV45-12 30X6	45	12	300	30	750	6	150	2/11552	4,53
CCEFV45-12 36X6	45	12	300	36	900	6	150	2/11553	4,65
CCEFV-12 6X6	90	12	300	6	150	6	150	2/11554	5,00
CCEFV-12 9X6	90	12	300	9	225	6	150	2/11555	5,37
CCEFV-12 12X6	90	12	300	12	300	6	150	2/11556	5,73
CCEFV-12 18X6	90	12	300	18	450	6	150	2/11557	6,46
CCEFV-12 24X6	90	12	300	24	600	6	150	2/11558	7,19
CCEFV-12 30X6	90	12	300	30	750	6	150	2/11559	7,92
CCEFV-12 36X6	90	12	300	36	900	6	150	2/11560	8,65
CCEFV45-24 6X6	45	24	600	6	150	6	150	2/11561	3,75
CCEFV45-24 9X6	45	24	600	9	225	6	150	2/11562	3,96
CCEFV45-24 12X6	45	24	600	12	300	6	150	2/11563	4,37
CCEFV45-24 18X6	45	24	600	18	450	6	150	2/11564	4,79
CCEFV45-24 24X6	45	24	600	24	600	6	150	2/11565	5,21
CCEFV45-24 30X6	45	24	600	30	750	6	150	2/11566	5,35
CCEFV45-24 36X6	45	24	600	36	900	6	150	2/11567	5,75
CCEFV-24 6X6	90	24	600	6	150	6	150	2/11568	6,17
CCEFV-24 9X6	90	24	600	9	225	6	150	2/11569	6,59
CCEFV-24 12X6	90	24	600	12	300	6	150	2/11570	7,43
CCEFV-24 18X6	90	24	600	18	450	6	150	2/11571	8,27
CCEFV-24 24X6	90	24	600	24	600	6	150	2/11572	9,10
CCEFV-24 30X6	90	24	600	30	750	6	150	2/11573	9,93
CCEFV-24 36X6	90	24	600	36	900	6	150	2/11574	10,76
CCEFV45-36 6X6	45	36	900	6	150	6	150	2/11575	4,07
CCEFV45-36 9X6	45	36	900	9	225	6	150	2/11576	4,31
CCEFV45-36 12X6	45	36	900	12	300	6	150	2/11577	4,55
CCEFV45-36 18X6	45	36	900	18	450	6	150	2/11578	5,03
CCEFV45-36 24X6	45	36	900	24	600	6	150	2/11579	5,51
CCEFV45-36 30X6	45	36	900	30	750	6	150	2/11580	5,99
CCEFV45-36 36X6	45	36	900	36	900	6	150	2/11581	6,16
CCEFV-36 6X6	90	36	900	6	150	6	150	2/11582	6,61
CCEFV-36 9X6	90	36	900	9	225	6	150	2/11583	7,10
CCEFV-36 12X6	90	36	900	12	300	6	150	2/11584	7,58
CCEFV-36 18X6	90	36	900	18	450	6	150	2/11585	8,54
CCEFV-36 24X6	90	36	900	24	600	6	150	2/11586	9,50
CCEFV-36 30X6	90	36	900	30	750	6	150	2/11587	10,47
CCEFV-36 36X6	90	36	900	36	900	6	150	2/11588	11,44




2 x JUEFV 6 (2/12070)



CXEFV H6




	A (°)	R		B		H		PRFV	
		inch	mm	inch	mm	inch	mm	REF	Kg/ud
CXEFV45-12 6X6	45	12	300	6	150	6	150	2/11683	3,08
CXEFV45-12 9X6	45	12	300	9	225	6	150	2/11684	3,26
CXEFV45-12 12X6	45	12	300	12	300	6	150	2/11685	3,44
CXEFV45-12 18X6	45	12	300	18	450	6	150	2/11686	3,80
CXEFV45-12 24X6	45	12	300	24	600	6	150	2/11687	4,17
CXEFV45-12 30X6	45	12	300	30	750	6	150	2/11688	4,53
CXEFV45-12 36X6	45	12	300	36	900	6	150	2/11689	4,65
CXEFV-12 6X6	90	12	300	6	150	6	150	2/11690	5,00
CXEFV-12 9X6	90	12	300	9	225	6	150	2/11691	5,37
CXEFV-12 12X6	90	12	300	12	300	6	150	2/11692	5,73
CXEFV-12 18X6	90	12	300	18	450	6	150	2/11693	6,46
CXEFV-12 24X6	90	12	300	24	600	6	150	2/11694	7,19
CXEFV-12 30X6	90	12	300	30	750	6	150	2/11695	7,92
CXEFV-12 36X6	90	12	300	36	900	6	150	2/11696	8,65
CXEFV45-24 6X6	45	24	600	6	150	6	150	2/11697	3,75
CXEFV45-24 9X6	45	24	600	9	225	6	150	2/11698	3,96
CXEFV45-24 12X6	45	24	600	12	300	6	150	2/11699	4,37
CXEFV45-24 18X6	45	24	600	18	450	6	150	2/11700	4,79
CXEFV45-24 24X6	45	24	600	24	600	6	150	2/11701	5,21
CXEFV45-24 30X6	45	24	600	30	750	6	150	2/11702	5,35
CXEFV45-24 36X6	45	24	600	36	900	6	150	2/11703	5,75
CXEFV-24 6X6	90	24	600	6	150	6	150	2/11704	6,17
CXEFV-24 9X6	90	24	600	9	225	6	150	2/11705	6,59
CXEFV-24 12X6	90	24	600	12	300	6	150	2/11706	7,43
CXEFV-24 18X6	90	24	600	18	450	6	150	2/11707	8,27
CXEFV-24 24X6	90	24	600	24	600	6	150	2/11708	9,10
CXEFV-24 30X6	90	24	600	30	750	6	150	2/11709	9,93
CXEFV-24 36X6	90	24	600	36	900	6	150	2/11710	10,76
CXEFV45-36 6X6	45	36	900	6	150	6	150	2/11711	4,07
CXEFV45-36 9X6	45	36	900	9	225	6	150	2/11712	4,31
CXEFV45-36 12X6	45	36	900	12	300	6	150	2/11713	4,55
CXEFV45-36 18X6	45	36	900	18	450	6	150	2/11714	5,03
CXEFV45-36 24X6	45	36	900	24	600	6	150	2/11715	5,51
CXEFV45-36 30X6	45	36	900	30	750	6	150	2/11716	5,99
CXEFV45-36 36X6	45	36	900	36	900	6	150	2/11717	6,16
CXEFV-36 6X6	90	36	900	6	150	6	150	2/11718	6,61
CXEFV-36 9X6	90	36	900	9	225	6	150	2/11719	7,10
CXEFV-36 12X6	90	36	900	12	300	6	150	2/11720	7,58
CXEFV-36 18X6	90	36	900	18	450	6	150	2/11721	8,54
CXEFV-36 24X6	90	36	900	24	600	6	150	2/11722	9,50
CXEFV-36 30X6	90	36	900	30	750	6	150	2/11723	10,47
CXEFV-36 36X6	90	36	900	36	900	6	150	2/11724	11,44





2 x JUEFV 6 (2/12070)



CPEFV H8



	A (°)	R		B		H		PRFV	
		inch	mm	inch	mm	inch	mm	REF	Kg/ud
CPEFV45-12 6X8	45	12	300	6	150	8	200	2/11453	3,76
CPEFV45-12 9X8	45	12	300	9	225	8	200	2/11454	3,94
CPEFV45-12 12X8	45	12	300	12	300	8	200	2/11455	4,13
CPEFV45-12 18X8	45	12	300	18	450	8	200	2/11456	4,49
CPEFV45-12 24X8	45	12	300	24	600	8	200	2/11457	4,85
CPEFV45-12 30X8	45	12	300	30	750	8	200	2/11458	5,22
CPEFV45-12 36X8	45	12	300	36	900	8	200	2/11459	5,34
CPEFV-12 6X8	90	12	300	6	150	8	200	2/11460	5,04
CPEFV-12 9X8	90	12	300	9	225	8	200	2/11461	5,41
CPEFV-12 12X8	90	12	300	12	300	8	200	2/11462	5,77
CPEFV-12 18X8	90	12	300	18	450	8	200	2/11463	6,50
CPEFV-12 24X8	90	12	300	24	600	8	200	2/11464	7,23
CPEFV-12 30X8	90	12	300	30	750	8	200	2/11465	7,96
CPEFV-12 36X8	90	12	300	36	900	8	200	2/11466	8,69
CPEFV45-24 6X8	45	24	600	6	150	8	200	2/11467	4,32
CPEFV45-24 9X8	45	24	600	9	225	8	200	2/11468	4,53
CPEFV45-24 12X8	45	24	600	12	300	8	200	2/11469	4,74
CPEFV45-24 18X8	45	24	600	18	450	8	200	2/11470	5,16
CPEFV45-24 24X8	45	24	600	24	600	8	200	2/11471	5,58
CPEFV45-24 30X8	45	24	600	30	750	8	200	2/11472	6,00
CPEFV45-24 36X8	45	24	600	36	900	8	200	2/11473	6,14
CPEFV-24 6X8	90	24	600	6	150	8	200	2/11474	5,80
CPEFV-24 9X8	90	24	600	9	225	8	200	2/11475	6,22
CPEFV-24 12X8	90	24	600	12	300	8	200	2/11476	6,64
CPEFV-24 18X8	90	24	600	18	450	8	200	2/11477	7,47
CPEFV-24 24X8	90	24	600	24	600	8	200	2/11478	8,31
CPEFV-24 30X8	90	24	600	30	750	8	200	2/11479	9,15
CPEFV-24 36X8	90	24	600	36	900	8	200	2/11480	9,99
CPEFV45-36 6X8	45	36	900	6	150	8	200	2/11481	4,97
CPEFV45-36 9X8	45	36	900	9	225	8	200	2/11482	5,21
CPEFV45-36 12X8	45	36	900	12	300	8	200	2/11483	5,46
CPEFV45-36 18X8	45	36	900	18	450	8	200	2/11484	5,94
CPEFV45-36 24X8	45	36	900	24	600	8	200	2/11485	6,42
CPEFV45-36 30X8	45	36	900	30	750	8	200	2/11486	6,90
CPEFV45-36 36X8	45	36	900	36	900	8	200	2/11487	7,06
CPEFV-36 6X8	90	36	900	6	150	8	200	2/11488	6,67
CPEFV-36 9X8	90	36	900	9	225	8	200	2/11489	7,15
CPEFV-36 12X8	90	36	900	12	300	8	200	2/11490	7,63
CPEFV-36 18X8	90	36	900	18	450	8	200	2/11491	8,59
CPEFV-36 24X8	90	36	900	24	600	8	200	2/11492	9,56
CPEFV-36 30X8	90	36	900	30	750	8	200	2/11493	10,52
CPEFV-36 36X8	90	36	900	36	900	8	200	2/11494	11,48





2 x JUEFV 8 (2/12071)



CCEFV H8



	A (°)	R		B		H		PRFV	
		inch	mm	inch	mm	inch	mm	REF	Kg/ud
CCEFV45-12 6X8	45	12	300	6	150	8	200	2/11589	4,41
CCEFV45-12 9X8	45	12	300	9	225	8	200	2/11590	4,59
CCEFV45-12 12X8	45	12	300	12	300	8	200	2/11591	4,77
CCEFV45-12 18X8	45	12	300	18	450	8	200	2/11592	5,13
CCEFV45-12 24X8	45	12	300	24	600	8	200	2/11593	5,50
CCEFV45-12 30X8	45	12	300	30	750	8	200	2/11594	5,86
CCEFV45-12 36X8	45	12	300	36	900	8	200	2/11595	5,98
CCEFV-12 6X8	90	12	300	6	150	8	200	2/11596	6,33
CCEFV-12 9X8	90	12	300	9	225	8	200	2/11597	6,70
CCEFV-12 12X8	90	12	300	12	300	8	200	2/11598	7,06
CCEFV-12 18X8	90	12	300	18	450	8	200	2/11599	7,79
CCEFV-12 24X8	90	12	300	24	600	8	200	2/11600	8,52
CCEFV-12 30X8	90	12	300	30	750	8	200	2/11601	9,25
CCEFV-12 36X8	90	12	300	36	900	8	200	2/11602	9,98
CCEFV45-24 6X8	45	24	600	6	150	8	200	2/11603	5,07
CCEFV45-24 9X8	45	24	600	9	225	8	200	2/11604	5,28
CCEFV45-24 12X8	45	24	600	12	300	8	200	2/11605	5,49
CCEFV45-24 18X8	45	24	600	18	450	8	200	2/11606	5,90
CCEFV45-24 24X8	45	24	600	24	600	8	200	2/11607	6,32
CCEFV45-24 30X8	45	24	600	30	750	8	200	2/11608	6,74
CCEFV45-24 36X8	45	24	600	36	900	8	200	2/11609	6,88
CCEFV-24 6X8	90	24	600	6	150	8	200	2/11610	7,28
CCEFV-24 9X8	90	24	600	9	225	8	200	2/11611	7,70
CCEFV-24 12X8	90	24	600	12	300	8	200	2/11612	8,12
CCEFV-24 18X8	90	24	600	18	450	8	200	2/11613	8,96
CCEFV-24 24X8	90	24	600	24	600	8	200	2/11614	9,79
CCEFV-24 30X8	90	24	600	30	750	8	200	2/11615	10,63
CCEFV-24 36X8	90	24	600	36	900	8	200	2/11616	11,74
CCEFV45-36 6X8	45	36	900	6	150	8	200	2/11617	5,83
CCEFV45-36 9X8	45	36	900	9	225	8	200	2/11618	6,07
CCEFV45-36 12X8	45	36	900	12	300	8	200	2/11619	6,31
CCEFV45-36 18X8	45	36	900	18	450	8	200	2/11620	6,79
CCEFV45-36 24X8	45	36	900	24	600	8	200	2/11621	7,27
CCEFV45-36 30X8	45	36	900	30	750	8	200	2/11622	7,75
CCEFV45-36 36X8	45	36	900	36	900	8	200	2/11623	7,91
CCEFV-36 6X8	90	36	900	6	150	8	200	2/11624	8,37
CCEFV-36 9X8	90	36	900	9	225	8	200	2/11625	8,86
CCEFV-36 12X8	90	36	900	12	300	8	200	2/11626	9,34
CCEFV-36 18X8	90	36	900	18	450	8	200	2/11627	10,30
CCEFV-36 24X8	90	36	900	24	600	8	200	2/11628	11,26
CCEFV-36 30X8	90	36	900	30	750	8	200	2/11629	12,23
CCEFV-36 36X8	90	36	900	36	900	8	200	2/11630	13,20




2 x JUEFV 8 (2/12071)



CXEFV H8



	A (°)	R		B		H		PRFV	
		inch	mm	inch	mm	inch	mm	REF	Kg/ud
CXEFV45-12 6X8	45	12	300	6	150	8	200	2/11725	4,41
CXEFV45-12 9X8	45	12	300	9	225	8	200	2/11726	4,59
CXEFV45-12 12X8	45	12	300	12	300	8	200	2/11727	4,77
CXEFV45-12 18X8	45	12	300	18	450	8	200	2/11728	5,13
CXEFV45-12 24X8	45	12	300	24	600	8	200	2/11729	5,50
CXEFV45-12 30X8	45	12	300	30	750	8	200	2/11730	5,86
CXEFV45-12 36X8	45	12	300	36	900	8	200	2/11731	5,98
CXEFV-12 6X8	90	12	300	6	150	8	200	2/11732	6,33
CXEFV-12 9X8	90	12	300	9	225	8	200	2/11733	6,70
CXEFV-12 12X8	90	12	300	12	300	8	200	2/11734	7,06
CXEFV-12 18X8	90	12	300	18	450	8	200	2/11735	7,79
CXEFV-12 24X8	90	12	300	24	600	8	200	2/11736	8,52
CXEFV-12 30X8	90	12	300	30	750	8	200	2/11737	9,25
CXEFV-12 36X8	90	12	300	36	900	8	200	2/11738	9,98
CXEFV45-24 6X8	45	24	600	6	150	8	200	2/11739	5,07
CXEFV45-24 9X8	45	24	600	9	225	8	200	2/11740	5,28
CXEFV45-24 12X8	45	24	600	12	300	8	200	2/11741	5,49
CXEFV45-24 18X8	45	24	600	18	450	8	200	2/11742	5,90
CXEFV45-24 24X8	45	24	600	24	600	8	200	2/11743	6,32
CXEFV45-24 30X8	45	24	600	30	750	8	200	2/11744	6,74
CXEFV45-24 36X8	45	24	600	36	900	8	200	2/11745	6,88
CXEFV-24 6X8	90	24	600	6	150	8	200	2/11746	7,28
CXEFV-24 9X8	90	24	600	9	225	8	200	2/11747	7,70
CXEFV-24 12X8	90	24	600	12	300	8	200	2/11748	8,12
CXEFV-24 18X8	90	24	600	18	450	8	200	2/11749	8,96
CXEFV-24 24X8	90	24	600	24	600	8	200	2/11750	9,79
CXEFV-24 30X8	90	24	600	30	750	8	200	2/11751	10,63
CXEFV-24 36X8	90	24	600	36	900	8	200	2/11752	11,47
CXEFV45-36 6X8	45	36	900	6	150	8	200	2/11753	5,83
CXEFV45-36 9X8	45	36	900	9	225	8	200	2/11754	6,07
CXEFV45-36 12X8	45	36	900	12	300	8	200	2/11755	6,31
CXEFV45-36 18X8	45	36	900	18	450	8	200	2/11756	6,79
CXEFV45-36 24X8	45	36	900	24	600	8	200	2/11757	7,27
CXEFV45-36 30X8	45	36	900	30	750	8	200	2/11758	7,75
CXEFV45-36 36X8	45	36	900	36	900	8	200	2/11759	7,91
CXEFV-36 6X8	90	36	900	6	150	8	200	2/11760	8,37
CXEFV-36 9X8	90	36	900	9	225	8	200	2/11761	8,86
CXEFV-36 12X8	90	36	900	12	300	8	200	2/11762	9,34
CXEFV-36 18X8	90	36	900	18	450	8	200	2/11763	10,30
CXEFV-36 24X8	90	36	900	24	600	8	200	2/11764	11,26
CXEFV-36 30X8	90	36	900	30	750	8	200	2/11765	12,23
CXEFV-36 36X8	90	36	900	36	900	8	200	2/11766	13,20



2 x JUEFV 8 (2/12071)




TEEFV H3, H4




	R		B		H		PRFV	
	inch	mm	inch	mm	inch	mm	REF	Kg/ud
TEEFV-12 6X3	12	300	6	150	3	75	2/11767	5,58
TEEFV-12 9X3	12	300	9	225	3	75	2/11768	6,06
TEEFV-12 12X3	12	300	12	300	3	75	2/11769	6,55
TEEFV-12 18X3	12	300	18	450	3	75	2/11770	7,52
TEEFV-12 24X3	12	300	24	600	3	75	2/11771	8,49
TEEFV-12 6X4	12	300	6	150	4	100	2/11772	6,33
TEEFV-12 9X4	12	300	9	225	4	100	2/11773	6,81
TEEFV-12 12X4	12	300	12	300	4	100	2/11774	7,30
TEEFV-12 18X4	12	300	18	450	4	100	2/11775	8,27
TEEFV-12 24X4	12	300	24	600	4	100	2/11776	9,24
TEEFV-12 30X4	12	300	30	750	4	100	2/11777	10,21
TEEFV-12 36X4	12	300	36	900	4	100	2/11778	10,54
TEEFV-24 6X4	24	600	6	150	4	100	2/11779	7,28
TEEFV-24 9X4	24	600	9	225	4	100	2/11780	7,84
TEEFV-24 12X4	24	600	12	300	4	100	2/11781	8,40
TEEFV-24 18X4	24	600	18	450	4	100	2/11782	9,51
TEEFV-24 24X4	24	600	24	600	4	100	2/11783	10,63
TEEFV-24 30X4	24	600	30	750	4	100	2/11784	11,75
TEEFV-24 36X4	24	600	36	900	4	100	2/11785	12,12
TEEFV-36 6X4	36	900	6	150	4	100	2/11786	8,37
TEEFV-36 9X4	36	900	9	225	4	100	2/11787	9,01
TEEFV-36 12X4	36	900	12	300	4	100	2/11788	9,65
TEEFV-36 18X4	36	900	18	450	4	100	2/11789	10,94
TEEFV-36 24X4	36	900	24	600	4	100	2/11790	12,22
TEEFV-36 30X4	36	900	30	750	4	100	2/11791	13,51
TEEFV-36 36X4	36	900	36	900	4	100	2/11792	13,94

2 x JUEFV H3 (2/12068)
 2 x JUEFV H4 (2/12069)






CREFV H3, H4



	R		B		H		PRFV	
	inch	mm	inch	mm	inch	mm	REF	Kg/ud
CREFV-12 6X3	12	300	6	150	3	75	2/11838	6,69
CREFV-12 9X3	12	300	9	225	3	75	2/11839	7,48
CREFV-12 12X3	12	300	12	300	3	75	2/11840	8,27
CREFV-12 18X3	12	300	18	450	3	75	2/11841	9,85
CREFV-12 24X3	12	300	24	600	3	75	2/11842	11,43
CREFV-12 6X4	12	300	6	150	4	100	2/11843	7,64
CREFV-12 9X4	12	300	9	225	4	100	2/11844	8,43
CREFV-12 12X4	12	300	12	300	4	100	2/11845	9,22
CREFV-12 18X4	12	300	18	450	4	100	2/11846	10,80
CREFV-12 24X4	12	300	24	600	4	100	2/11847	12,38
CREFV-12 30X4	12	300	30	750	4	100	2/11848	13,96
CREFV-12 36X4	12	300	36	900	4	100	2/11849	14,48
CREFV-24 6X4	24	600	6	150	4	100	2/11850	8,79
CREFV-24 9X4	24	600	9	225	4	100	2/11851	9,70
CREFV-24 12X4	24	600	12	300	4	100	2/11852	10,60
CREFV-24 18X4	24	600	18	450	4	100	2/11853	12,42
CREFV-24 24X4	24	600	24	600	4	100	2/11854	14,23
CREFV-24 30X4	24	600	30	750	4	100	2/11855	16,05
CREFV-24 36X4	24	600	36	900	4	100	2/11856	16,65
CREFV-36 6X4	36	900	6	150	4	100	2/11857	10,11
CREFV-36 9X4	36	900	9	225	4	100	2/11858	11,15
CREFV-36 12X4	36	900	12	300	4	100	2/11859	12,19
CREFV-36 18X4	36	900	18	450	4	100	2/11860	14,28
CREFV-36 24X4	36	900	24	600	4	100	2/11861	16,37
CREFV-36 30X4	36	900	30	750	4	100	2/11862	18,46
CREFV-36 36X4	36	900	36	900	4	100	2/11863	19,15



- 2 x JUEFV H3 (2/12068)
- 2 x JUEFV H4 (2/12069)




TEEFV H6, H8



TEEFV'A'-R' 'B'x'H'

	R		B		H		PRFV	
	inch	mm	inch	mm	inch	mm	REF	Kg/ud
TEEFV-12 6X6	12	300	6	150	6	150	2/11793	7,83
TEEFV-12 9X6	12	300	9	225	6	150	2/11794	8,31
TEEFV-12 12X6	12	300	12	300	6	150	2/11795	8,80
TEEFV-12 18X6	12	300	18	450	6	150	2/11796	9,77
TEEFV-12 24X6	12	300	24	600	6	150	2/11797	10,74
TEEFV-12 30X6	12	300	30	750	6	150	2/11798	11,71
TEEFV-12 36X6	12	300	36	900	6	150	2/11799	12,04
TEEFV-24 6X6	24	600	6	150	6	150	2/11800	8,78
TEEFV-24 9X6	24	600	9	225	6	150	2/11801	9,34
TEEFV-24 12X6	24	600	12	300	6	150	2/11802	9,90
TEEFV-24 18X6	24	600	18	450	6	150	2/11806	11,01
TEEFV-24 24X6	24	600	24	600	6	150	2/11807	12,13
TEEFV-24 30X6	24	600	30	750	6	150	2/11808	13,25
TEEFV-24 36X6	24	600	36	900	6	150	2/11809	13,62
TEEFV-36 6X6	36	900	6	150	6	150	2/11810	9,87
TEEFV-36 9X6	36	900	9	225	6	150	2/11811	10,51
TEEFV-36 12X6	36	900	12	300	6	150	2/11812	11,15
TEEFV-36 18X6	36	900	18	450	6	150	2/11813	12,44
TEEFV-36 24X6	36	900	24	600	6	150	2/11814	13,72
TEEFV-36 30X6	36	900	30	750	6	150	2/11815	15,01
TEEFV-36 36X6	36	900	36	900	6	150	2/11816	15,44
TEEFV-12 6X8	12	300	6	150	8	200	2/11817	9,33
TEEFV-12 9X8	12	300	9	225	8	200	2/11818	9,81
TEEFV-12 12X8	12	300	12	300	8	200	2/11819	10,30
TEEFV-12 18X8	12	300	18	450	8	200	2/11820	11,27
TEEFV-12 24X8	12	300	24	600	8	200	2/11821	12,24
TEEFV-12 30X8	12	300	30	750	8	200	2/11822	13,21
TEEFV-12 36X8	12	300	36	900	8	200	2/11823	13,54
TEEFV-24 6X8	24	600	6	150	8	200	2/11824	10,28
TEEFV-24 9X8	24	600	9	225	8	200	2/11825	10,84
TEEFV-24 12X8	24	600	12	300	8	200	2/11826	11,40
TEEFV-24 18X8	24	600	18	450	8	200	2/11827	12,51
TEEFV-24 24X8	24	600	24	600	8	200	2/11828	13,63
TEEFV-24 30X8	24	600	30	750	8	200	2/11829	14,75
TEEFV-24 36X8	24	600	36	900	8	200	2/11830	15,12
TEEFV-36 6X8	36	900	6	150	8	200	2/11831	11,37
TEEFV-36 9X8	36	900	9	225	8	200	2/11832	12,01
TEEFV-36 12X8	36	900	12	300	8	200	2/11833	12,65
TEEFV-36 18X8	36	900	18	450	8	200	2/11834	13,94
TEEFV-36 24X8	36	900	24	600	8	200	2/11835	15,22
TEEFV-36 30X8	36	900	30	750	8	200	2/11836	16,51
TEEFV-36 36X8	36	900	36	900	8	200	2/11837	16,94




TEEFV'A'-R' 'B'x'H'


🔧 2 x JUEFV H6 (2/12070)
2 x JUEFV H8 (2/12071)





CREFV H6, H8




	R		B		H		PRFV	
	inch	mm	inch	mm	inch	mm	REF	Kg/ud
CREFV-12 6X6	12	300	6	150	6	150	2/11864	9,14
CREFV-12 9X6	12	300	9	225	6	150	2/11865	9,93
CREFV-12 12X6	12	300	12	300	6	150	2/11866	10,72
CREFV-12 18X6	12	300	18	450	6	150	2/11867	12,30
CREFV-12 24X6	12	300	24	600	6	150	2/11868	13,88
CREFV-12 30X6	12	300	30	750	6	150	2/11869	15,46
CREFV-12 36X6	12	300	36	900	6	150	2/11870	15,98
CREFV-24 6X6	24	600	6	150	6	150	2/11871	10,29
CREFV-24 9X6	24	600	9	225	6	150	2/11872	11,20
CREFV-24 12X6	24	600	12	300	6	150	2/11873	12,10
CREFV-24 18X6	24	600	18	450	6	150	2/11874	13,92
CREFV-24 24X6	24	600	24	600	6	150	2/11875	15,73
CREFV-24 30X6	24	600	30	750	6	150	2/11876	17,55
CREFV-24 36X6	24	600	36	900	6	150	2/11877	18,15
CREFV-36 6X6	36	900	6	150	6	150	2/11878	11,61
CREFV-36 9X6	36	900	9	225	6	150	2/11879	12,65
CREFV-36 12X6	36	900	12	300	6	150	2/11880	13,69
CREFV-36 18X6	36	900	18	450	6	150	2/11881	15,78
CREFV-36 24X6	36	900	24	600	6	150	2/11882	17,87
CREFV-36 30X6	36	900	30	750	6	150	2/11883	19,96
CREFV-36 36X6	36	900	36	900	6	150	2/11884	20,65
CREFV-12 6X8	12	300	6	150	8	200	2/11885	10,64
CREFV-12 9X8	12	300	9	225	8	200	2/11886	11,43
CREFV-12 12X8	12	300	12	300	8	200	2/11887	12,22
CREFV-12 18X8	12	300	18	450	8	200	2/11888	13,80
CREFV-12 24X8	12	300	24	600	8	200	2/11889	15,38
CREFV-12 30X8	12	300	30	750	8	200	2/11890	16,96
CREFV-12 36X8	12	300	36	900	8	200	2/11891	17,48
CREFV-24 6X8	24	600	6	150	8	200	2/11892	11,79
CREFV-24 9X8	24	600	9	225	8	200	2/11893	12,70
CREFV-24 12X8	24	600	12	300	8	200	2/11894	13,60
CREFV-24 18X8	24	600	18	450	8	200	2/11895	15,42
CREFV-24 24X8	24	600	24	600	8	200	2/11896	17,23
CREFV-24 30X8	24	600	30	750	8	200	2/11897	19,05
CREFV-24 36X8	24	600	36	900	8	200	2/11898	19,65
CREFV-36 6X8	36	900	6	150	8	200	2/11899	13,11
CREFV-36 9X8	36	900	9	225	8	200	2/11900	14,15
CREFV-36 12X8	36	900	12	300	8	200	2/11901	15,19
CREFV-36 18X8	36	900	18	450	8	200	2/11902	17,28
CREFV-36 24X8	36	900	24	600	8	200	2/11903	19,37
CREFV-36 30X8	36	900	30	750	8	200	2/11904	21,46
CREFV-36 36X8	36	900	36	900	8	200	2/11905	22,15




 2 x JUEFV H6 (2/12070)
 2 x JUEFV H8 (2/12071)



RIEFV H3, H4



	B1		B2		H		PRFV	
	inch	mm	inch	mm	inch	mm	REF	Kg/ud
RIEFV 9/6X3	9	225	6	100	3	75	2/11906	1,45
RIEFV 12/9X3	12	300	9	225	3	75	2/11907	1,57
RIEFV 12/6X3	12	300	6	100	3	75	2/11908	1,51
RIEFV 18/12X3	18	450	12	300	3	75	2/11909	1,76
RIEFV 18/9X3	18	450	9	225	3	75	2/11910	1,70
RIEFV 18/6X3	18	450	6	100	3	75	2/11911	1,64
RIEFV 24/18X3	24	600	18	450	3	75	2/11912	2,00
RIEFV 24/12X3	24	600	12	300	3	75	2/11913	1,88
RIEFV 24/9X3	24	600	9	225	3	75	2/11914	1,82
RIEFV 9/6X4	9	225	6	100	4	100	2/11915	1,70
RIEFV 12/9X4	12	300	9	225	4	100	2/11916	1,82
RIEFV 12/6X4	12	300	6	100	4	100	2/11917	1,76
RIEFV 18/12X4	18	450	12	300	4	100	2/11918	2,01
RIEFV 18/9X4	18	450	9	225	4	100	2/11919	1,95
RIEFV 18/6X4	18	450	6	100	4	100	2/11920	1,89
RIEFV 24/18X4	24	600	18	450	4	100	2/11921	2,25
RIEFV 24/12X4	24	600	12	300	4	100	2/11922	2,13
RIEFV 24/9X4	24	600	9	225	4	100	2/11923	2,07
RIEFV 30/24X4	30	750	24	600	4	100	2/11924	2,49
RIEFV 30/18X4	30	750	18	450	4	100	2/11925	2,37
RIEFV 30/12X4	30	750	12	300	4	100	2/11926	2,25
RIEFV 36/30X4	36	900	30	750	4	100	2/11927	2,65
RIEFV 36/24X4	36	900	24	600	4	100	2/11928	2,53
RIEFV 36/18X4	36	900	18	450	4	100	2/11929	2,41




2 x JUEFV 3 (2/12068)
2 x JUEFV 4 (2/12069)



RIEFV H6, H8



	B1		B2		H		PRFV	
	inch	mm	inch	mm	inch	mm	REF	Kg/ud
RIEFV 9/6X6	9	225	6	100	6	150	2/11930	2,20
RIEFV 12/9X6	12	300	9	225	6	150	2/11931	2,32
RIEFV 12/6X6	12	300	6	100	6	150	2/11932	2,26
RIEFV 18/12X6	18	450	12	300	6	150	2/11933	2,51
RIEFV 18/9X6	18	450	9	225	6	150	2/11934	2,45
RIEFV 18/6X6	18	450	6	100	6	150	2/11935	2,39
RIEFV 24/18X6	24	600	18	450	6	150	2/11936	2,75
RIEFV 24/12X6	24	600	12	300	6	150	2/11937	2,63
RIEFV 24/9X6	24	600	9	225	6	150	2/11938	2,57
RIEFV 30/24X6	30	750	24	600	6	150	2/11939	2,99
RIEFV 30/18X6	30	750	18	450	6	150	2/11940	2,87
RIEFV 30/12X6	30	750	12	300	6	150	2/11941	2,75
RIEFV 36/30X6	36	900	30	750	6	150	2/11942	3,15
RIEFV 36/24X6	36	900	24	600	6	150	2/11943	3,03
RIEFV 36/18X6	36	900	18	450	6	150	2/11944	2,91
RIEFV 9/6X8	9	225	6	100	8	200	2/11945	2,70
RIEFV 12/9X8	12	300	9	225	8	200	2/11946	2,82
RIEFV 12/6X8	12	300	6	100	8	200	2/11947	2,76
RIEFV 18/12X8	18	450	12	300	8	200	2/11948	3,01
RIEFV 18/9X8	18	450	9	225	8	200	2/11949	2,95
RIEFV 18/6X8	18	450	6	100	8	200	2/11950	2,89
RIEFV 24/18X8	24	600	18	450	8	200	2/11951	3,25
RIEFV 24/12X8	24	600	12	300	8	200	2/11952	3,13
RIEFV 24/9X8	24	600	9	225	8	200	2/11953	3,07
RIEFV 30/24X8	30	750	24	600	8	200	2/11954	3,49
RIEFV 30/18X8	30	750	18	450	8	200	2/11955	3,37
RIEFV 30/12X8	30	750	12	300	8	200	2/11956	3,25
RIEFV 36/30X8	36	900	30	750	8	200	2/11957	3,65
RIEFV 36/24X8	36	900	24	600	8	200	2/11958	3,53
RIEFV 36/18X8	36	900	18	450	8	200	2/11959	3,41




2 x JUEFV 6 (2/12070)
2 x JUEFV 8 (2/12071)



RCEFEV H3, H4



	B1		B2		H		PRFV	
	inch	mm	inch	mm	inch	mm	REF	Kg/ud
RCEFEV 9/6X3	9	225	6	100	3	75	2/11960	1,61
RCEFEV 12/9X3	12	300	9	225	3	75	2/11961	1,73
RCEFEV 12/6X3	12	300	6	100	3	75	2/11962	1,67
RCEFEV 18/12X3	18	450	12	300	3	75	2/11963	1,92
RCEFEV 18/9X3	18	450	9	225	3	75	2/11964	1,86
RCEFEV 18/6X3	18	450	6	100	3	75	2/11965	1,80
RCEFEV 24/18X3	24	600	18	450	3	75	2/11966	2,16
RCEFEV 24/12X3	24	600	12	300	3	75	2/11967	2,04
RCEFEV 24/9X3	24	600	9	225	3	75	2/11968	1,98
RCEFEV 9/6X4	9	225	6	100	4	100	2/11969	1,86
RCEFEV 12/9X4	12	300	9	225	4	100	2/11970	1,98
RCEFEV 12/6X4	12	300	6	100	4	100	2/11971	1,92
RCEFEV 18/12X4	18	450	12	300	4	100	2/11972	2,17
RCEFEV 18/9X4	18	450	9	225	4	100	2/11973	2,11
RCEFEV 18/6X4	18	450	6	100	4	100	2/11974	2,05
RCEFEV 24/18X4	24	600	18	450	4	100	2/11975	2,41
RCEFEV 24/12X4	24	600	12	300	4	100	2/11976	2,29
RCEFEV 24/9X4	24	600	9	225	4	100	2/11977	2,23
RCEFEV 30/24X4	30	750	24	600	4	100	2/11978	2,65
RCEFEV 30/18X4	30	750	18	450	4	100	2/11979	2,53
RCEFEV 30/12X4	30	750	12	300	4	100	2/11980	2,41
RCEFEV 36/30X4	36	900	30	750	4	100	2/11981	2,81
RCEFEV 36/24X4	36	900	24	600	4	100	2/11982	2,69
RCEFEV 36/18X4	36	900	18	450	4	100	2/11983	2,57




2 x JUEFV 3 (2/12068)
2 x JUEFV 4 (2/12069)



RCEFEV H6, H8




	B1		B2		H		PRFV	
	inch	mm	inch	mm	inch	mm	REF	Kg/ud
RCEFEV 9/6X6	9	225	6	100	6	150	2/11984	2,36
RCEFEV 12/9X6	12	300	9	225	6	150	2/11985	2,48
RCEFEV 12/6X6	12	300	6	100	6	150	2/11986	2,42
RCEFEV 18/12X6	18	450	12	300	6	150	2/11987	2,67
RCEFEV 18/9X6	18	450	9	225	6	150	2/11988	2,61
RCEFEV 18/6X6	18	450	6	100	6	150	2/11989	2,55
RCEFEV 24/18X6	24	600	18	450	6	150	2/11990	2,91
RCEFEV 24/12X6	24	600	12	300	6	150	2/11991	2,79
RCEFEV 24/9X6	24	600	9	225	6	150	2/11992	2,73
RCEFEV 30/24X6	30	750	24	600	6	150	2/11993	3,15
RCEFEV 30/18X6	30	750	18	450	6	150	2/11994	3,03
RCEFEV 30/12X6	30	750	12	300	6	150	2/11995	2,91
RCEFEV 36/30X6	36	900	30	750	6	150	2/11996	3,31
RCEFEV 36/24X6	36	900	24	600	6	150	2/11997	3,19
RCEFEV 36/18X6	36	900	18	450	6	150	2/11998	3,07
RCEFEV 9/6X8	9	225	6	100	8	200	2/11999	2,86
RCEFEV 12/9X8	12	300	9	225	8	200	2/12000	2,98
RCEFEV 12/6X8	12	300	6	100	8	200	2/12001	2,92
RCEFEV 18/12X8	18	450	12	300	8	200	2/12002	3,17
RCEFEV 18/9X8	18	450	9	225	8	200	2/12003	3,11
RCEFEV 18/6X8	18	450	6	100	8	200	2/12004	3,05
RCEFEV 24/18X8	24	600	18	450	8	200	2/12005	3,41
RCEFEV 24/12X8	24	600	12	300	8	200	2/12006	3,29
RCEFEV 24/9X8	24	600	9	225	8	200	2/12007	3,23
RCEFEV 30/24X8	30	750	24	600	8	200	2/12008	3,65
RCEFEV 30/18X8	30	750	18	450	8	200	2/12009	3,53
RCEFEV 30/12X8	30	750	12	300	8	200	2/12010	3,41
RCEFEV 36/30X8	36	900	30	750	8	200	2/12011	3,81
RCEFEV 36/24X8	36	900	24	600	8	200	2/12012	3,69
RCEFEV 36/18X8	36	900	18	450	8	200	2/12013	3,57




2 x JUEFV 6 (2/12070)
2 x JUEFV 8 (2/12071)



RDEFV H3, H4




	B1		B2		H		PRFV	
	inch	mm	inch	mm	inch	mm	REF	Kg/ud
RDEFV 9/6X3	9	225	6	100	3	75	2/12014	1,45
RDEFV 12/9X3	12	300	9	225	3	75	2/12015	1,57
RDEFV 12/6X3	12	300	6	100	3	75	2/12016	1,51
RDEFV 18/12X3	18	450	12	300	3	75	2/12017	1,76
RDEFV 18/9X3	18	450	9	225	3	75	2/12018	1,70
RDEFV 18/6X3	18	450	6	100	3	75	2/12019	1,64
RDEFV 24/18X3	24	600	18	450	3	75	2/12020	2,00
RDEFV 24/12X3	24	600	12	300	3	75	2/12021	1,88
RDEFV 24/9X3	24	600	9	225	3	75	2/12022	1,82
RDEFV 9/6X4	9	225	6	100	4	100	2/12023	1,70
RDEFV 12/9X4	12	300	9	225	4	100	2/12024	1,82
RDEFV 12/6X4	12	300	6	100	4	100	2/12025	1,76
RDEFV 18/12X4	18	450	12	300	4	100	2/12026	2,01
RDEFV 18/9X4	18	450	9	225	4	100	2/12027	1,95
RDEFV 18/6X4	18	450	6	100	4	100	2/12028	1,89
RDEFV 24/18X4	24	600	18	450	4	100	2/12029	2,25
RDEFV 24/12X4	24	600	12	300	4	100	2/12030	2,13
RDEFV 24/9X4	24	600	9	225	4	100	2/12031	2,07
RDEFV 30/24X4	30	750	24	600	4	100	2/12032	2,49
RDEFV 30/18X4	30	750	18	450	4	100	2/12033	2,37
RDEFV 30/12X4	30	750	12	300	4	100	2/12034	2,25
RDEFV 36/30X4	36	900	30	750	4	100	2/12035	2,65
RDEFV 36/24X4	36	900	24	600	4	100	2/12036	2,53
RDEFV 36/18X4	36	900	18	450	4	100	2/12037	2,41




2 x JUEFV 3 (2/12068)
2 x JUEFV 4 (2/12069)



RDEFV H6, H8



	B1		B2		H		PRFV	
	inch	mm	inch	mm	inch	mm	REF	Kg/ud
RDEFV 9/6X6	9	225	6	100	6	150	2/12038	2,20
RDEFV 12/9X6	12	300	9	225	6	150	2/12039	2,32
RDEFV 12/6X6	12	300	6	100	6	150	2/12040	2,26
RDEFV 18/12X6	18	450	12	300	6	150	2/12041	2,51
RDEFV 18/9X6	18	450	9	225	6	150	2/12042	2,45
RDEFV 18/6X6	18	450	6	100	6	150	2/12043	2,39
RDEFV 24/18X6	24	600	18	450	6	150	2/12044	2,75
RDEFV 24/12X6	24	600	12	300	6	150	2/12045	2,63
RDEFV 24/9X6	24	600	9	225	6	150	2/12046	2,57
RDEFV 30/24X6	30	750	24	600	6	150	2/12047	2,99
RDEFV 30/18X6	30	750	18	450	6	150	2/12048	2,87
RDEFV 30/12X6	30	750	12	300	6	150	2/12049	2,75
RDEFV 36/30X6	36	900	30	750	6	150	2/12050	3,15
RDEFV 36/24X6	36	900	24	600	6	150	2/12051	3,03
RDEFV 36/18X6	36	900	18	450	6	150	2/12052	2,91
RDEFV 9/6X8	9	225	6	100	8	200	2/12053	2,70
RDEFV 12/9X8	12	300	9	225	8	200	2/12054	2,82
RDEFV 12/6X8	12	300	6	100	8	200	2/12055	2,76
RDEFV 18/12X8	18	450	12	300	8	200	2/12056	3,01
RDEFV 18/9X8	18	450	9	225	8	200	2/12057	2,95
RDEFV 18/6X8	18	450	6	100	8	200	2/12058	2,89
RDEFV 24/18X8	24	600	18	450	8	200	2/12059	3,25
RDEFV 24/12X8	24	600	12	300	8	200	2/12060	3,13
RDEFV 24/9X8	24	600	9	225	8	200	2/12061	3,07
RDEFV 30/24X8	30	750	24	600	8	200	2/12062	3,49
RDEFV 30/18X8	30	750	18	450	8	200	2/12063	3,37
RDEFV 30/12X8	30	750	12	300	8	200	2/12064	3,25
RDEFV 36/30X8	36	900	30	750	8	200	2/12065	3,65
RDEFV 36/24X8	36	900	24	600	8	200	2/12066	3,53
RDEFV 36/18X8	36	900	18	450	8	200	2/12067	3,41



2 x JUEFV 6 (2/12070)
2 x JUEFV 8 (2/12071)



JUEFV




JUEFV 3 - JUEFV 4




JUEFV 6 - JUEFV 8

	H		PRFV	
	inch	mm	REF	Kg/m
JUEFV 3	3	75	2/12068	0,01
JUEFV 4	4	100	2/12069	0,01
JUEFV 6	6	150	2/12070	0,02
JUEFV 8	8	200	2/12071	0,03

8 x B3 (2/15575)




JUEFV 3 - JUEFV 4




JUEFV 6 - JUEFV 8

JUEFV-A




JUEFV-A 3 / JUEFV-A 4




JUEFV-A 6 / JUEFV-A 8

	H		e mm	i316	
	inch	mm		REF.	kg/ud
JUEFV-A 3	3	75	2	2/12072	0,16
JUEFV-A 4	4	100	2	2/12073	0,21
JUEFV-A 6	6	150	3	2/12074	0,36
JUEFV-A 8	8	200	3	2/12075	0,48

8 x B3 (2/15575)




JUEFV-A 3 / JUEFV-A 4




JUEFV-A 6 / JUEFV-A 8

JUEFV-B




JUEFV-B 3 / JUEFV-B 4




JUEFV-B 6 / JUEFV-B 8

	H		e mm	i316	
	inch	mm		REF.	kg/ud
JUEFV-B 3	3	75	2	2/12076	0,21
JUEFV-B 4	4	100	2	2/12077	0,32
JUEFV-B 6	6	150	3	2/12078	0,57
JUEFV-B 8	8	200	3	2/12079	0,81

8 x B3 (2/15575)



JUEFV-B 3 / JUEFV-B 4





JUEFV-B 6 / JUEFV-B 8

BEFV




	H mm	e mm	i316	
			REF.	kg/ud
BEFV 4	3,5	3	2/5399	0,04
BEFV 6	4,5	3	2/17284	0,04
BEFV 6	6	3	2/17285	0,04






TEFV




L = 3 m (10 ft)

	B		e mm	PRFV	
	inch	mm		REF.	kg/m
TEFV 6	6	150	3	2/14463	1,46
TEFV 9	9	225	3	2/14464	2,20
TEFV 12	12	300	3	2/14465	2,93
TEFV 18	18	450	3	2/14466	4,39
TEFV 24	24	600	4	2/14467	5,86
TEFV 30	30	750	4	2/14468	7,32
TEFV 36	36	900	4	2/14469	8,78

4 x PTEFV → 1 x TEFV




PTEFV



	H		PRFV		i316	
	inch	mm	REF.	kg/m	REF.	kg/ud
PTEFV 3	3	75	2/5505	0,06	-	-
PTEFV 4	4	100	2/5506	0,10	-	-
PTEFV 6	6	150	2/14470	0,18	2/17280	0,33
PTEFV 8	8	200	-	-	2/14471	0,38


4 x PTEFV → 1 x TEFV



M8 DIN914
M8 DIN6923


A
40

B3



	Pap Nm	i316	
		REF.	kg/ud
B3-50	35	2/15575	1,95

15



3E
M10
20